

# Accessible MOH

## Band 1, 2 and 3 product list







## Contents



### Band 1

- 02 Bathroom
- 05 Shower
- 06 Toileting
- 08 Bedroom
- 08 Kitchen and living room
- 09 Ramps
- 09 Crutches
- 11 Walkers and strollers
- 12 Manual handling
- 13 Low cost equipment (under \$50 incl. GST)



### Band 2 and 3

- 15 Bedroom
- 15 Paediatric
- 16 Bathroom
- 16 Ramps

## Helping you find Accessable MOH equipment solutions

We understand it's difficult to find the right equipment solutions for the individuals which are MOH approved. That's why we've created this quick guide, so you can easily see the approved MOH equipment we provide.

If you need any help finding a solution, please call us on 0800 656 527 or email [sales@cubro.co.nz](mailto:sales@cubro.co.nz)

# Band 1 list

## Derby® bath board



Code: 243	
SIC code	EB002
Accreditation	PSCHSM LST
Price range	\$0.01 - \$200.00
Dimensions	W 710mm D 305mm H 68mm
Weight	2kg
Safe working load	190kg

A bath board with all the usual comforts associated with plastic, but strengthened with traditional plywood. Smooth, moulded plastic surface with rounded edges ensures board is easy to keep clean. Frontal cutaway is helpful for personal cleansing. Easy-to-adjust pillars hold board in place.

## Derby® bath board



Code: 257	
SIC code	EB002
Accreditation	PSCHSM LST
Price range	\$0.01 - \$200.00
Dimensions	W 710mm D 305mm H 68mm
Weight	2kg
Safe working load	190kg

Lightweight, yet exceptionally strong, this moulded plastic bath board features a slip resistant central seating area and a rear upstand with coccyx cutaway for added user comfort. The board is held firmly in place with easy-to-adjust pillars. Slotted design allows water to drain away quickly. Soap dishes at both ends.

## Oakwood® transfer bench



Code: 256	
SIC code	EB002
Accreditation	PSCHSM LST
Price range	\$0.01 - \$200.00
Dimensions	W 845mm D 500mm Seat height: 470mm - 585mm
Weight	5.2kg
Safe working load	130kg

Lightweight, non-corrosive aluminium frame. Plastic seat and back with anti-slip surface. Sucker feet for greater stability. Back easily removed for fitting to either side.

## Oakwood® swivel bath seat



Code: 508	
SIC code	EB050
Accreditation	PSCHSM
Price range	\$200.01 - \$400.00
Dimensions	W 700mm - 860mm D 570mm H 610mm Seat size: 400mm x 400mm
Weight	6.4kg
Safe working load	120kg

Extremely useful at bath time. Consists of an aluminium base frame which adjusts to fit over the width of the bath, and an easy-to-clean plastic seat which swivels on the base (rotates 360°). The lever which operates the seat rotation can be fitted either on the left or right side. Comfortable, safe and secure for the user.

## Oakwood® transfer bench



Code: 508/HA100	
SIC code	EB996
Accreditation	PSCHSM
Price range	\$200.01 - \$400.00
Dimensions	W 700mm - 860mm D 570mm H 710mm Seat size: 400mm x 400mm
Weight	6.4kg
Safe working load	120kg

The Oakwood® swivel bath seat (Cubro code 508) with 100mm height added between frame and seat.



Prima® bath step



Code: 170	
SIC code	EB901
Accreditation	PSCHSM LST
Price range	\$0.01 - \$200.00
Dimensions	W 445mm D 350mm H 100mm
Weight	1.9kg
Safe working load	240kg

This attractive bath step has been designed to make getting into and out of the bath easier. It has a unique modular system which can be used as an individual step or linked together to create multiple steps. Additional packs of raisers can be purchased separately, helping to adapt the step to the individual's needs.

Ashby® two-step



Code: 124	
SIC code	EB070
Accreditation	PSCHSM LST
Price range	\$0.01 - \$200.00
Dimensions	W 330mm L 520mm H 100mm one side - 150mm other side
Weight	3kg
Safe working load	190kg

Safe two-height step with hygienic, slip-resistant top. Non-moulding. Anti-bacterial impregnated.

Viking® padded shower stool with backrest and arms - Band 1



Code: 380/BA380	
SIC code	EB912
Accreditation	PSCHSM
Price range	\$0.01 - \$200.00
Dimensions	Seat height: 490mm - 610mm Seat size: 350mm x 300mm
Weight	4.3kg
Safe working load	175kg

The Viking® shower stool has been designed to support a perched position. It's compact and user-friendly design features a height adjustable seat and supportive armrests which assist the user with getting on and off the seat. Padded backrest provides extra support for the user.

Prima® bath step additional height — 25mm



Code: 170EH	
SIC code	EB003
Accreditation	PSCHSM
Price range	\$0.01 - \$200.00
Dimensions	W 445mm D 350mm H 25mm
Weight	0.5kg
Safe working load	190kg

To be added to the Prima® bath step (Cubro code 170) to create a higher step.

Hull® bath stool



Code: 259	
SIC code	EB911
Accreditation	PSCHSM
Price range	\$0.01 - \$200.00
Dimensions	W 320mm H 390mm - 360mm
Weight	1.7kg
Safe working load	100kg

This stool, with its compact dimensions and straight legs will allow it to fit into most baths. Aluminium frame. Height adjustable. Compact size.

Viking® shower chair



Code: 335	
SIC code	EB905
Accreditation	PSCHSM LST
Price range	\$0.01 - \$200.00
Dimensions	W 560mm D 570mm Seat height: 400mm - 550mm
Weight	3kg
Max. user weight	125kg

No arms to get in the way when making side transfers. Fully adjustable. Seat height and angle can be set to individual user requirements. Made from epoxy-coated mild steel. Pre-treated for rust protection. Durable non-slip feet provide excellent grip and stability in wet conditions. Drainage slots keep the seat free of water. Seat size: 440mm x 400mm.

Viking® Maxi shower chair



Code: 336M500	
SIC code	EB909
Accreditation	PSCHSM
Price range	\$0.01 - \$200.00
Dimensions	W 630mm D 580mm Seat height: 400mm - 550mm
Weight	3.8kg
Safe working load	200kg

Designed for larger people, the height and the angle of the seat can be easily adjusted. Epoxy-coated, mild steel, pre-treated for rust protection. Durable non-slip feet. Drainage slots in seat. Arms provide additional support when getting up from the chair. Seat size: 440mm x 400mm. Width between arms: 500mm.

Juvo Viking® self-propelled shower commode — open front seat



Code: 2348U/75PO	
SIC code	EB104
Accreditation	PSCHSM
Price range	\$1000.01 - \$1,200.00
Dimensions	W 660mm D 950mm H 1015mm
Weight	15.3kg
Safe working load	200kg

Assists transportation of the patient for showering and toileting. Open front urethane seat is removable. Stainless steel frame. Patented tear safe design, no protrusions. Swing back armrests assist in side-transfers and access. Safety arms can swivel 360° and lock in front. Armrests adjustable to two heights. Swing away, removable and height adjustable legrests. Stainless steel pan rack guides. Easy front access for hygiene. 2x 125mm stainless steel braking castors and 2x self-propelling rear wheels.

Seat size: 440mm x 440mm. Width between arms: 490mm.

Juvo Viking® pan/bowl carrier with bowl



Code: 2359/325	
SIC code	EB106
Accreditation	PSCHSM
Price range	\$0.01 - \$200.00
Dimensions	Diameter: 265mm
Weight	0.7kg

Plastic lid, plastic handle.  
To suit Juvo Viking® shower commodes with plastic runners - 395mm width (excluding 2341 commode)

Juvo Viking® attendant-propelled shower commode — open front seat



Code: 2346U/75PO	
SIC code	EB102
Accreditation	PSCHSM
Price range	\$800.01 - \$1,000.00
Dimensions	W 460mm D 890mm H 1015mm
Weight	11.7kg
Safe working load	200kg

Assists transportation of the patient for showering and toileting. Open front urethane seat is removable. Stainless steel frame. Patented tear safe design, no protrusions. Swing back armrests assist in side-transfers and access. Safety arms can swivel 360° so that they can lock in front to provide user security. Armrests adjustable to two heights. Swing away, removable and height adjustable legrests. Stainless steel pan rack guides. Easy front access for hygiene. 4x 125mm stainless steel braking castors. Seat size: 440mm x 440mm. Width between arms: 490mm.

Juvo Viking® self-propelled shower commode — closed front seat




Code: 2346U/75PO	
SIC code	EB103
Accreditation	PSCHSM
Price range	\$1000.01 - \$1,200.00
Dimensions	W 660mm D 950mm H 1015mm
Weight	15.3kg
Safe working load	200kg

Assists transportation of the patient for showering and toileting. Closed front urethane seat is removable. Stainless steel frame. Patented tear safe design, no protrusions. Swing back armrests assist in side-transfers and access. Safety arms can swivel 360° and lock in front. Armrests adjustable to two heights. Swing away, removable and height adjustable legrests. Stainless steel pan rack guides. Easy front access for hygiene. 2x 125mm stainless steel braking castors and 2x self-propelling rear wheels.

Seat size: 440mm x 440mm. Width between arms: 490mm.

Juvo Viking® pan/bowl carrier with bedpan



Code: 2359/75P	
SIC code	EB105
Accreditation	PSCHSM
Price range	\$0.01 - \$200.00
Dimensions	L 380mm W 270mm H 65mm
Weight	0.9kg

Autoclavable to 135°C.  
To suit Juvo Viking® shower commodes with plastic runners - 395mm width (excluding 2341 commode)

Viking® shower stool



Code: 383	
SIC code	EB041
Accreditation	PSCHSM LST
Price range	\$0.01 - \$200.00
Dimensions	Seat height: 490mm - 610mm Seat size: 350mm x 300mm
Weight	3kg
Safe working load	125kg

Made from epoxy-coated mild steel, these compact stools are designed for use in the perching position and are height-adjustable. Non-slip plastic seat. Pre-treated for rust protection.

Viking® shower chair with arms



Code: 334	
SIC code	EB040
Accreditation	PSCHSM LST
Price range	\$0.01 - \$200.00
Dimensions	W 550mm D 590mm Seat height: 420mm - 550mm
Weight	3.2kg
Safe working load	125kg

Arms provide additional support when getting up from the chair. Seat height and angle can be adjusted. Made from epoxy-coated mild steel. Pre-treated for rust protection. Durable non-slip feet provide excellent grip and stability in wet conditions. Drainage slots keep the seat free of water. Seat size: 440mm x 400mm. Width between arms: 450mm.

Oakwood® swivel shower chair - Band 1



Code: 507	
SIC code	EB005
Accreditation	PSCHSM
Price range	\$200.01 - \$400.00
Dimensions	Seat height: 470mm - 675mm Width between arms: 480mm
Weight	8.4kg
Safe working load	120kg

Swivels 360°. Can be locked into position. The lever which operates the seat rotation can be fitted on the left or right side - comfortable, safe and secure for the user. Height adjustable. Aluminium frame. Plastic seat and backrest. Back height: 400mm.

Viking® shower stool with arms



Code: 380	
SIC code	EB906
Accreditation	PSCHSM LST
Price range	\$0.01 - \$200.00
Dimensions	Seat height: 490mm - 610mm Seat size: 350mm x 300mm
Weight	4.1kg
Safe working load	175kg

The Viking shower stool has been designed to support a perched position. It's compact and user-friendly design features a height adjustable seat and supportive armrests which assist the user with getting on and off the seat.

Spencer® paediatric shower chair



Code: 267	
SIC code	EB004
Accreditation	PSCHSM
Price range	\$800.01 - \$1,000.00
Dimensions	Seat height: 300mm - 450mm Seat size: 350mm x 350mm
Weight	7kg
Safe working load	50kg

This versatile chair is multi-adjustable and can be altered in height and width as the client grows. Constructed from stainless steel and aluminium with a padded seat, backrest and urethane arms. Well balanced to assist with transfers. Back height: 450mm. Custom sizes available - please enquire.

Juvo Viking® attendant-propelled shower commode — closed front seat



Code: 2346U/75PC	
SIC code	EB101
Accreditation	PSCHSM
Price range	\$800.01 - \$1,000.00
Dimensions	W 460mm D 890mm H 1015mm
Weight	11.9kg
Max. user weight	200kg

Assists transportation of the user for showering and toileting. Closed front urethane seat is removable. Stainless steel frame. Patented tear safe design, no protrusions. Swing back armrests assist in side-transfers and access. Safety arms can swivel 360° so that they can lock in front to provide user security. Armrests adjustable to two heights. Swing away, removable and height adjustable legrests. Stainless steel pan rack guides. Easy front access for hygiene. 4x 125mm stainless steel braking castors. Seat size: 440mm x 440mm. Width between arms: 490mm.

Etac® Hi-Loo raised toilet seat — 60mm



Code: 5450	
SIC code	ET910
Accreditation	PSCHSM LST
Price range	\$0.01 - \$200.00
Dimensions	H 60mm Inside aperture: 200mm W x D 270mm
Weight	1.9kg
Safe working load	150kg

Recess at front and rear for hygiene access. Rubber coated adjustable brackets for easy installation. Fits common toilet types

Chevron® toilet surround



Code: 221	
SIC code	ET913
Accreditation	PSCHSM LST
Price range	\$0.01 - \$200.00
Dimensions	W 660mm D 950mm H 1015mm
Weight	3.2kg
Safe working load	130kg

This freestanding frame provides extra support and stability for users when getting on or off the toilet. Simply place over toilet and it's ready to use. Made from pre-treated anti-rust steel.

Etac® Hi-Loo raised toilet seat — 100mm



Code: 5451	
SIC code	EB102
Accreditation	PSCHSM LST
Price range	\$0.01 - \$200.00
Dimensions	H 100mm Inside aperture: 200mm W x D 270mm
Weight	1.5kg
Safe working load	150kg

Recess at front and rear for hygiene access. Rubber coated adjustable brackets for easy installation. Fits common toilet types.

Oakwood® toilet surround



Code: 228	
SIC code	EB103
Accreditation	PSCHSM LST
Price range	\$0.01 - \$200.00
Dimensions	W 660mm D 950mm H 1015mm
Weight	1.5kg
Safe working load	100kg

The Oakwood® over toilet frame attaches easily to the rear of the toilet to provide greater stability and support for users. Moulded armrests add comfort. It is height and width adjustable and can be adapted to meet an individual's requirements and environment.

Viking® over toilet frame

Code: 390	
SIC code	ET930
Accreditation	PSCHSM LST
Price range	\$0.01 - \$200.00
Dimensions	W 560mm D 620mm H 710mm - 860mm
Weight	5kg
Safe working load	150kg

Designed to help users to get on and off a toilet, this frame is ideal for people with hip or knee injuries or those who require a higher seat. Ergonomically angled support arms. Height adjustable. Flip-up toilet seat can be removed for cleaning and comes complete with a splashguard. Steel frame is pre-treated for rust protection. Width inside arms: 440mm. Seat height: 470mm - 620mm.

Viking® wide over toilet frame - Band 1

Code: 334	
SIC code	ET905
Accreditation	PSCHSM LST
Price range	\$0.01 - \$200.00
Dimensions	W 620mm D 610mm Seat height: 475mm - 625mm
Weight	5kg
Safe working load	175kg

Arms provide additional support when getting up from the chair. Seat height and angle can be adjusted. Made from epoxy-coated mild steel. Pre-treated for rust protection. Durable non-slip feet provide excellent grip and stability in wet conditions. Drainage slots keep the seat free of water. Seat size: 440mm x 400mm. Width between arms: 450mm.

Plaspro® female spout to suit non-spill urinal bottle

Code: 212 - D	
SIC code	ET002
Accreditation	PSCHSM
Price range	\$0.01 - \$200.00
Weight	0.2kg
Safe working load	120kg

Swivels 360°. Can be locked into position. The lever which operates the seat rotation can be fitted on the left or right side - comfortable, safe and secure for the user. Height adjustable. Aluminium frame. Plastic seat and backrest. Back height: 400mm.

Viking® over toilet frame with heavy duty sucker feet

Code: 390/5007	
SIC code	ET904
Accreditation	PSCHSM
Price range	\$0.01 - \$200.00
Dimensions	W 560mm D 620mm H 710mm - 860mm
Weight	5kg
Safe working load	150kg

Designed to help users to get on and off a toilet, this frame is ideal for people with hip or knee injuries or those who require a higher seat. Ergonomically angled support arms. Height adjustable. Flip-up toilet seat can be removed for cleaning and comes complete with a splashguard. Steel frame is pre-treated for rust protection. Width inside arms: 440mm. Seat height: 470mm - 620mm. Heavy duty sucker feet for stability.

Viking® extra-wide overtoilet frame

Code: 398	
SIC code	ET052
Accreditation	PSCHSM LST
Price range	\$200.01 - \$400.00
Dimensions	W 775mm D 610mm Seat height: 550mm
Weight	5.4kg
Safe working load	300kg

This raiser is designed to assist a person on and off the toilet. Steel frame is pre-treated for extra rust protection. Height-adjustable. Flip-up seat can be easily removed for cleaning. Supplied with splashguard. Width inside arms: 600mm.

Viking® support stool with arms

Code: 746A	
SIC code	EK906
Accreditation	PSCHSM LST
Price range	\$0.01 - \$200.00
Dimensions	W 573mm D 468mm Seat height: 550mm - 700mm
Weight	6.5kg
Safe working load	120kg

Recess at front and rear for hygiene access. Rubber coated adjustable brackets for easy installation. Fits common toilet types

Chevron® multi-tray trolley - Band 1

Code: 290	
SIC code	EK904
Accreditation	PSCHSM LST
Price range	\$0.01 - \$200.00
Dimensions	W 465mm L 490mm H 785mm - 935mm
Weight	5.3kg

These strong, lightweight and height-adjustable trolleys are ideal for indoor use. Its two heat-resistant trays assist transporting smaller items. Trays are removable making them easy to clean. The swivel castors provide great manoeuvrability and stability.

Derby® Elephant feet — 90mm, set of 4

Code: 181/4	
SIC code	EK903
Accreditation	PSCHSM LST
Price range	\$0.01 - \$200.00
Dimensions	H 90mm Diameter of recess: 90mm
Weight	na
Safe working load	100kg

Recess at front and rear for hygiene access. Rubber coated adjustable brackets for easy installation. Fits common toilet types.



Euro Ramps® threshold ramp — 25mm

Code: 547	
SIC code	EM960
Accreditation	PSCHSM
Price range	\$0.01 - \$200.00
Dimensions	W 865mm L 125mm H 25mm
Weight	1.3kg
Safe working load	267kg

A lightweight aluminium ramp designed for doorways and raised landings. Non skid surface.

Euro Ramps® threshold ramp — 75mm

Code: 549	
SIC code	EM111
Accreditation	PSCHSM
Price range	\$0.01 - \$200.00
Dimensions	W 850mm L 375mm H 75mm
Weight	4.3kg
Safe working load	267kg

A lightweight aluminium ramp designed for doorways and raised landings. Non skid surface.

Euro Ramps® threshold ramp — 50mm

Code: 548	
SIC code	EM110
Accreditation	PSCHSM
Price range	\$0.01 - \$200.00
Dimensions	W 865mm L 250mm H 50mm
Weight	7.7kg
Safe working load	267kg

A lightweight aluminium ramp designed for doorways and raised landings. Non skid surface.

Coopers® elbow crutches, double adjustable — adult

Code: 1742	
SIC code	EM002
Accreditation	WLKSTD
Price range	\$0.01 - \$200.00
Dimensions	Cuff width: 280mm Armband to handgrip: 200mm - 270mm Hand-grip to ground: 670mm - 920mm Tip size: 22cm
Weight	1.4kg
Safe working load	120kg

Can be easily set to the most comfortable height position for the user. Their wedge-shaped handgrips are designed for various hand types giving maximum comfort during use. They are designed for a high user weight with their anodised aluminium making them high resistance to prevent then bending. Double spring clip for strength.

Super Stroller® narrow walking frame

Code: 1845	
SIC code	EM037
Accreditation	WLKSTD LST
Price range	\$0.01 - \$200.00
Dimensions	W 500mm D 640mm H (handle) 840mm - 950mm
Weight	7kg
Safe working load	127kg

The Super Stroller® narrow walking frame is made of robust aluminium and has 150mm wheels. This lightweight frame is shorter, narrower, and lighter than most standard walking frames meaning it is perfect for use in space restricted areas and for people of smaller stature. “One touch” handbrake system. Foldable. Comes with a padded seat, storage basket. Seat height 550mm.

Tray for 1845 Super Stroller® narrow walking frame

Code: 1944	
SIC code	EM910
Accreditation	WLKSTD LST
Price range	\$0.01 - \$200.00
Safe working load	0.6kg

Folding tray to suit to 1845 Super Stroller® narrow walking frame.

Pacer® gutter walking frame — front castors, rear wheels and handbrakes

Code: 1905HB	
SIC code	EM029
Accreditation	WLKSTD LST
1	\$600.01 - \$800.00
Dimensions	W 570mm D 630mm H (handle) 800mm - 1250mm
Weight	12kg
Safe working load	160kg

The Pacer® gutter walking frame has “gutter” troughs which allows the user to bear the weight through their forearms rather than hands, useful for individuals who have arthritis or a broken hand or wrist. Gutters are fully adjustable in height and angle to suit the user. Knurled gutter stems to prevent slippage and rotation. The steel frame folds for ease of transport and includes a basket and tray. “One touch” handbrakes.

Super Stroller® narrow walking frame with tray

Code: 1845/1944	
SIC code	EM909
Accreditation	WLKSTD LST
Price range	\$200.01 - \$400.00
Dimensions	W 500mm D 640mm H (handle) 840mm - 950mm
Weight	7kg
Safe working load	127kg

The Super Stroller® narrow walking frame is made of robust aluminium and has 150mm wheels. This lightweight frame is shorter, narrower, and lighter than most standard walking frames meaning it is perfect for use in space restricted areas and for people of smaller stature. “One touch” handbrake system. Foldable. Comes with a padded seat, storage basket and folding tray. Seat height 550mm.

Mobilis® quad walking frame — green with folding tray

Code: 1836G/1945	
SIC code	EM917
Accreditation	WLKSTD LST
Price range	\$0.01 - \$200.00
Dimensions	W 610mm D 660mm H (handle) 810mm - 920mm
Weight	7.5kg
Safe working load	120kg

The Mobilis® Quad Walking frame has a lightweight aluminium frame and large 200mm wheels, making it suitable for outdoor use. The wide base and low centre of gravity also makes it exceptionally stable. The frame is extra-easy to fold for storage. “One touch”handbrake system. Comes with padded seat and underseat storage bag. Seat height 530mm.

Basket and tray to suit Pacer® walking frames

Code: 1642	
SIC code	EM912
Accreditation	WLKSTD LST
Price range	\$0.01 - \$200.00
Weight	1.6kg

The Pacer® walking frame is an exceptionally balanced frame, manufactured from high-quality materials. It is height adjustable and folds away for easy storage. To provide the user with a softer grip, the anatomical handgrips offers gentle palm support. The steel frame is built for durability and strength and comes with basket and tray.

Nomad® gutter walking frame — front castors, rear wheels and handbrakes

Code: 1885HB	
SIC code	EM922
Accreditation	WLKSTD
Price range	\$0.01 - \$200.00
Dimensions	W 605mm D 750mm H (handle) 1000mm - 1400mm
Weight	13kg
Safe working load	190kg

The Nomad® gutter frame has a rigid steel frame with a narrow front for manoeuvring around furniture and doorways. The “gutter” troughs allow the user to bear the weight through their forearms rather than hands, for users who have arthritis or a broken wrist. Folds for ease of transport. Can fit over a toilet. Dual clip system locks frame into position and allows easy folding. Gutters are fully adjustable in height and angle.

Etac Molift® Raiser Pro transfer aid

Code: 66553	
SIC code	EH008
Accreditation	WLKSTD PSCHSM
Price range	\$1,400.01 - \$1,600.00
Dimensions	W 580mm L 630mm H 1200mm
Weight	14.2kg
Safe working load	150kg

TMolift Raiser Pro is stable and can turn within its own radius which makes it very easy to manoeuvre. It is ideal in confined spaces, for instance in toilets. Molift Raiser Pro ensures safe, active standing support during short transfers, such as between beds and wheelchairs/ shower chairs. It assists carers when carrying out transfers with minimum risk of injury. Safety belts available

Maxi Belt Transfer support

Code: 169S	
Size	Small
SIC code	EH021
Accreditation	PSCHSM
Price range	\$0.1 - \$200.00
Dimensions	W 150mm L 710mm - 810mm

This high-quality, padded belt gives added back support. Comes with non-slip on the inside for improved grip. Simple buckle reduces skin shear and friction.

Etac Molift® Raiser Pro safety belt - assessor to specify size

Code: Sml/med: 66559 Lrg/x lrg: 66560	
SIC code	EH009
Accreditation	PSCHSM
Price range	\$0.01 - \$200.00
Weight	<1kg
Safe working load	150kg

For use with the Etac Molift® Raiser Pro transfer aid.  
The Raiser belt facilitates the work of caregivers who assist users up to a standing position. Assessor to specify size.

Maxi Belt Transfer support

Code: 169M	
Size	Medium
SIC code	EH020
Accreditation	PSCHSM
Price range	\$0.1 - \$200.00
Dimensions	W 150mm L 710 - 1150mm

This high-quality, padded belt gives added back support. Comes with non-slip on the inside for improved grip. Simple buckle reduces skin shear and friction.

Maxi Belt Transfer support

Code: 169L	
Size	Large
SIC code	EH019
Accreditation	PSCHSM
Price range	\$0.1 - \$200.00
Dimensions	W 150mm L 1010-1410mm

This high-quality, padded belt gives added back support. Comes with non-slip on the inside for improved grip. Simple buckle reduces skin shear and friction.

Coopers® children’s elbow crutches

Code: 1933	
SIC code	EB040
Accreditation	PSCHSM
Price range	\$0.01 - \$200.00
Dimensions	Cuff width: 220mm Armband to handgrip: 190mm - 240mm Handgrip to ground: 460mm - 660mm
Weight	0.8kg

Finished in a cheerful buttercup yellow, these paediatric elbow crutches are manufactured from lightweight aluminium. Supplied as a pair. Double height adjustable. Latex free including ferrule. These are designed to be height-adjustable, for children aged 6-10 years.

Softech® heel protector

Code: 178	
SIC code	EC071
Accreditation	PSCHSM
Price range	\$0.01 - \$200.00
Dimensions	W 170mm L 260mm H 230mm
Weight	0.2kg
Safe working load	H 230mm

Ensures heels are less susceptible to pressure ulcers and gives added comfort and protection. Helps to eliminate friction and reduce shear. Provides insulation and moderates temperature. Lowers vulnerability of pressure injuries. Machine washable to 70°C and suitable for tumble drying.FDA and CE approved.

Roma® transfer board

Code: 157	
SIC code	EM022
Accreditation	PSCHSM WLKSTD
Price range	\$0.01 - \$200.00
Dimensions	W 210mm L 775mm
Weight	1.5kg
Safe working load	130kg

Designed for transferring or repositioning clients. Made from laminated timber with handgrips and chamfered ends to help slide under torso. Polished for easier sliding.

Viking® bed cradle

Code: 283	
SIC code	EB010
Accreditation	PSCHSM LST
Price range	\$0.01 - \$200.00
Dimensions	W 320mm L 500mm H 600mm
Weight	1.3kg

The Viking® bed cradle helps to keep bed linen off sensitive areas. Simply slide the cradle between the mattress and bed base as needed.

Plaspro® male non-spill urinal bottle

Code: 212	
SIC code	ET925
Accreditation	PSCHSM
Price range	\$0.01 - \$200.00
Dimensions	L 340mm D 80mm H 150mm Capacity: 500mL
Weight	11.9kg
Max. user weight	200kg

Male non-spill urinal with 500mL capacity. High quality, hospital proven. Female attachment available.





Band 2 and 3 list



Aeria® 5 Plus alternating air mattress overlay system

Code: 2130	
SIC code	EC930
Accreditation	PSCHSM
Price range	\$1,600.01 - \$1,800.00
Dimensions	W 445mm D 350mm H 100mm
Weight	6.7kg
Safe working load	160kg

Mattress overlay with 18 cells that inflate in a cycle of 1 in 2. Air output: 7 litres per minute. Alternation cycle: 8 - 10 mins. Digital touch panel with LED indicators. Adjustable pressure settings. Alarm mode: audible / visible. Top cover material: PU coated two-way stretch nylon. Cells: TPU treated nylon. Removable cells. Vapour permeable, waterproof, multi stretch top cover

Aeria® 8 alternating air

Code: 2150	
SIC code	EC940
Accreditation	PSCHSM
Price range	\$1,600.01 - \$1,800.00
Dimensions	W 880mm D 2000mm H 220mm
Weight	12.1kg
Safe working load	180kg

Mattress with 18 cells that inflate in a cycle of 1 in 2. Air output: 6.5 litres per minute. Alternation cycle: 8 - 10 mins. Digital touch panel with LED indicators. Adjustable pressure settings. Alarm mode: audible / visible. Top cover material: PU coated two-way stretch nylon. Cells: TPU treated nylon. Removable cells. Vapour permeable, waterproof, multi stretch top cover.

Aeria® 8 Pro alternating air

Code: 2160	
SIC code	EC945
Accreditation	PSCHSM
Price range	\$3,800.01 - \$4,000.00
Dimensions	W 880mm L 2000mm H 220mm
Weight	12kg
Safe working load	250kg

Mattress with 21 cells that inflate in a cycle of 1 in 3. Air output: 8.5 litres per minute. Alternation cycle: 8 - 10 mins. Digital touch panel with LED indicators. Adjustable pressure settings. Alarm mode: audible / visible. Top cover material: PU coated two-way stretch nylon. Cells: TPU treated nylon. Removable cells. Vapour permeable, waterproof, multi stretch top cover.

Bexley® reclining bath lifter

Code: 340	
SIC code	EH101
Accreditation	PSCHSM
Price range	\$1,400.01 - \$1,600.00
Dimensions	Seat height: 70mm - 480mm Seat width: 390mm Back width: 340mm
Weight	12kg
Safe working load	170kg

This Bexley® bath lifter is super-safe; it is battery-driven and simple to operate. Stable, robust frame with stainless steel scissor mechanism. Backrest reclines as it lowers, to 35° with three fixed recline positions. Floating hand control system and a long life MiMH battery. Can be dismantled into two parts for ease of transport and setup. Detachable machine washable cover. Self-releasing suction cups. Back height: 610mm

Euro Ramps® adjustable height threshold ramp — 927mm

Code: 559-927MM	
SIC code	EM962
Accreditation	PSCHSM
Price range	\$400.01 - \$600.00
Dimensions	W 775mm L 927mm H 90mm - 215mm
Weight	9kg
Safe working load	250kg

Lightweight aluminium ramp designed for doorways and raised landings. Improves accessibility. Non-skid surface. Can be used on both sides of doorway providing easy access. Portable and simple to install. Adjustable makes it suitable for a range of situations.

Euro Ramps® adjustable height threshold ramp — 800mm

Code: 555-800MM	
SIC code	EM963
Accreditation	PSCHSM
Price range	\$800.01 - \$1,000.00
Dimensions	W 760mm L 800mm + 400mm hinged flap H 70mm - 215mm
Weight	18kg
Safe working load	300kg

An ultra strong, adjustable height two piece aluminium threshold ramp with a non-slip surface. The internal ramp section, which crosses the threshold, can be hinged out of the way when not in use.

Euro Ramps® adjustable height threshold ramp — 1720mm

Code: 560-1720MM	
SIC code	EM964
Accreditation	PSCHSM
Price range	\$1,000.01 - \$1,200.00
Dimensions	W 775mm L 1720mm H 90mm - 215mm
Weight	19kg
Safe working load	250kg

Lightweight aluminium ramp designed for doorways and raised landings. Improves accessibility. Non-skid surface. Can be used on both sides of doorway providing easy access. Portable and simple to install. Adjustable makes it suitable for a range of situations.

Euro Ramps® adjustable height threshold ramp — 1200mm

Code: 569-1200MM	
SIC code	EM965
Accreditation	PSCHSM
Price range	\$1000.01 - \$1,200.00
Dimensions	W 760mm L 1200mm + 500mm hinged flap H 70mm - 215mm
Weight	24kg
Safe working load	300kg

An ultra strong, adjustable height two piece aluminium threshold ramp with a non-slip surface. The internal ramp section, which crosses the threshold, can be hinged out of the way when not in use.



