

Equipment catalogue

Hospital care


















Haere mai

At Cubro®, we provide a range of specialist equipment solutions that are designed to make it easier for medical professionals to deliver the best care possible.

Everything we do is based on our shared belief that all New Zealanders have the right to enjoy a great quality of life.

We understand the importance of taking time to listen to the diverse needs of medical professionals. Their stories inspire us to find world-leading solutions that help achieve the best health outcomes in their unique environments.

We are privileged to have helped so many New Zealanders to live better lives, and we look forward to partnering with you to help many more.

	Beds and bedroom equipment
	Pressure care
	Hygiene
	Seating
	Lifting, transferring and standing equipment
	Medical and respiratory equipment
	Theatre equipment
	CSSD equipment
	Storage
	Trolleys, carts and laundry
	Wheelchairs
	Walking and mobility aids
	Infection control
	Continence, plasticware and falls prevention
	Index

Equipment catalogue

Hospital care

Cubro®



Contents



Beds and bedroom equipment

Hospital care beds	6
Patient trolleys	14
Examination and treatment equipment	19
Procedure chairs	20
Paediatric beds	26
Overbed tables and bedside cabinets	27



Pressure care

Mattress and overlays	32
Static foam mattresses	33
Alternating air mattresses	35
Lateral turning systems	40
Air and foam cushions	40
Positioning aids	44
Heel protectors	46



Hygiene

Bedside commodes and raised toilet seats	50
Over toilet frames	52
Shower chairs and stools	53
Mobile shower trolleys	56
Shower commodes	57



Seating

Rehab chairs	66
Rest and relax chairs	68
Care chairs and lift chairs	76
Sofa beds	79



Lifting, transferring and standing equipment

Overhead lifting solutions	82
Sit-to-stand hoists	86
Full body hoists	88
Transfer aids	91
Full body slings	92
Stretcher slings	101
Transfer boards	102
Repositioning aids	103



Medical and respiratory equipment

Respiratory equipment	106
Diagnostic instruments	109
Scales	112



Theatre equipment

Lights and pendants	116
Operating tables	119
Operating table accessories	122
Patient positioning and pressure care	124
Warming cabinets	149
Theatre stools	152
Foot stools and floor mats	155



CSSD equipment

Height adjustable packing trolleys	158
Height adjustable packing stations	159
Height adjustable cleaning stations	159
Loanset management	160
Cleaning guns	161



Storage

Compactor shelving	164
Chrome wire shelving	164
ISO 60-40 open rack system	165
Container and sterile pack storage system	165
Service carts	166
Storage carts	167



Trolleys, carts and laundry

Procedure carts	172
Narrow procedure carts	174
Emergency and resuscitation carts	174
Narrow emergency carts	176
Anaesthetic carts	177
Narrow anaesthetic carts	178
Isolation carts	178
ICU carts	179
Mini carts	179
Medication carts	180
Instrument and dressing trolleys	180
Plaster trolleys	185
Rubbish bins	186
Linen trolleys and bags	187
Utility trolleys	189
File carts	190
Equipment carts	192
Mobile workstations	193
Keyboards and IT accessories	195
Milano® cart accessories	196



Wheelchairs

Wheelchairs	202
Bariatric wheelchairs	204
Patient transfer wheelchairs	206



Walking and mobility aids

Walking sticks	210
Crutches	211
Walking frames without seats	214
Walking frames with seats	216
Gutter walking frames	218
Rehabilitation aids	220



Infection control

Air purifiers	226
UVC upper air systems	226
UVC disinfection cabinets	227
UVC robots	227



Continence, plasticware and falls prevention

Continence and plasticware	230
Falls prevention	232





Beds and bedroom equipment



Hospital care beds	6
Patient trolleys	14
Examination and treatment equipment	19
Procedure chairs	20
Paediatric beds	26
Overbed tables and bedside cabinets	27

ook snow ALL bariatric hospital bed



- Optimise patient safety through advanced smartscreen bed monitoring capabilities
- Exceptional low height reduces the risk of falls and facilitates patient mobility
- Patient deck can be expanded to accommodate support surfaces from 889mm to 1219mm
- The integrated scale provides accurate weight in any bed or patient position
- 31 to 481kg weight capacity makes the bed versatile for any patient size
- Software-integrated system monitors bed width to ensure safe gaps are maintained
- Open architecture, seamless smooth surfaces, and liftable deck covers facilitate easy cleaning procedures
- Boostless™ Backrest System prevents patient from sliding down during bed activation and minimises patient repositioning
- Fall prevention protocols are strengthened with the combination of low height, bed exit technology, and ergonomic siderail design
- Power outlets with USB ports: keep patient mobile devices within reach to limit falls risk
- NIGHTLIGHTS™: Provide patients with a clear view of surroundings
- One-step Trendelenburg and reverse Trendelenburg feature displayed on footboard
- Three different bed lengths can be achieved in one simple step with the built-in bed extender
- The product is in conformity with the following standards and/or other normative documents and bears CSA marking: IEC 60601-1, IEC 60601-1-2, IEC 60601-1-6, IEC 62366, IEC 60601-2-52, EN45501

Code: 60802/60805

SWL	481kg
Overall width	min. 1054mm max. 1340mm
Overall length	min. 2286mm max. 2387mm
Knee angle adjustment	30°
Trendelenburg	-16° to +16°
Backrest angle	0° to 60°
Sleeping surface width	min. 890mm max. 1194mm
Sleeping surface length	min. 2030mm max. 2130mm
Mattress platform height	60802: 279 – 762mm 60805: 323 – 805mm
Braking	Central braking
Castor size	60802: 127mm 60805: 152.4mm
Warranty	3 years

Code: 60802

ook snow ALL bariatric hospital bed

Code: 60805

ook snow ALL bariatric hospital bed with Pilot Drive™



⬆ Infinite™ width expansion and higher weight capacity for bariatric care settings



⬆ 279mm low height maintains underbed access for lifts and over bed tables while reducing the adverse effects of a fall and facilitating patient mobility



⬆ Smart screen optimises patient safety through advanced bed monitoring capabilities




⬆ BOOSTLESS™ backrest system: Backrest moves backward to reduce shearing and patient repositioning needs



Pilot Drive™: A new shift in powered drive systems.

Low height, underbed clearance and maneuverability come together when adding the Pilot Drive™ to your look now ALL bed. Transporting beds over long distances – even up ramps and steep slopes – is made safe and easy with an ergonomic design, variable speed capabilities, and strong battery autonomy.

The Pilot Drive™ with optional integrated oxygen bottle holder allows for easy and safe transport of patients who require continuous oxygen supply in ICU/CCU environments.



ook snow hospital bed



- Low height of 254mm: Reduces the adverse effects of a fall without compromising other important characteristics
- 4 castors with central braking
- One-hand release siderails
- One-step Trendelenburg and reverse Trendelenburg feature displayed on footboard
- Nurse controls integrated into siderails and footboard
- Boostless™ Backrest System prevents patient from sliding down during bed activation and minimises patient repositioning
- Built-in bed extender: Three different bed lengths can be achieved in one simple step
- One-touch button groups, 30° head of bed, chair position, flat, Trendelenburg and reverse Trendelenburg
- 4 DC Motor
- Battery Back-up
- Track lock headend castors to allow for ease of pushing from the foot end
- Integrated pump holder
- Transport handles on headboard and footboard
- Patient control integrated into the siderails
- Patient control lockout
- Backrest angle indicator
- One-hand emergency CPR release handle
- Roller type wall protection bumpers
- Removable head and foot boards
- Breakaway Australia/NZ Power Cord
- Compliance: The product is in conformity with the following standards and/or other normative documents and bears CSA marking. IEC 60601-1, IEC 60601-1-2, IEC 60601-1-6, IEC 62366, IEC 60601-2-52, EN45501

Code: 60800/60801

SWL	272.5kg
Overall dimensions	W 1000mm L min. 2240mm L max. 2490mm
Height adjustment	min. 254mm max. 762mm
Knee angle adjustment	30°
Trendelenburg	-16° to +16°
Backrest angle	0° to 60°
Sleeping surface width	889mm
Sleeping surface length	min. 2032mm max. 2134mm
Mattress platform height	min. 254mm max. 762mm
Braking	Central braking
Castor size	127mm
Warranty	3 years

Code: 60800

ook snow hospital bed

Code: 60801

ook snow hospital bed with falls alarm and scales



⬆ Seamless smooth surfaces maximising infection control



⬆ Open architecture to simplify cleaning and mattress installation



⬆ Under bed clearance for lift and overbed table compatibility



A 360° approach on fall risk prevention

The look snow bed was designed around an extensive fall prevention approach. Its enviable 254mm low height pairs up with powerful characteristics – including a bed exit system, an ergonomic design and advanced safety features – so that the bed becomes your key ally in addressing fall risks.



High-precision integrated scale

Sophisticated, reliable and fully integrated: our built-in scale is one of the most precise on the market. Save an enormous amount of time without disturbing patients by relying on an advanced scale system that shows the weight in any bed or patient position with high precision.



ook snow mental health hospital bed



- 254mm low height with 127mm Dual castors
- Bed parts and components are secured with tamper-resistant fasteners that can only be removed with special tools
- Battery powered patient positioning allows the bed to remain functional even when placed in patient rooms not equipped with power outlets
- Filled boards are permanently attached* to support a reduced ligature environment and prevents patients from causing harm
- Safe-lock braking system: Brake pedals are replaced with a tamper-resistant braking system to protect against unintended use of the bed and to prevent patients from using the bed as a barricade
- Cables and wires are concealed to minimise the risk of using them as a ligature
- No siderails to increase security and avoid improper use in more challenging environments
- A complete line of support surfaces features a tear-resistant cover and offers patients with a comfortable and safe night's sleep
- Boostless™ Backrest System prevents patient from sliding down during bed activation and minimises patient repositioning
- Compliance: The product is in conformity with the following standards and/or other normative documents and bears CSA marking. IEC 60601-1, IEC 60601-1-2, IEC 60601-1-6, IEC 62366, IEC 60601-2-52, EN45501

Code: 60803

SWL	272kg
Overall dimensions	W 1000mm L 2340mm
Height adjustment	min. 254mm max. 762mm
Knee angle adjustment	30°
Trendelenburg	-16° to +16°
Backrest angle	0° to 60°
Sleeping surface dimensions	W 889mm L 2134mm
Mattress platform height	min. 254mm max. 762mm
Braking	Central braking
Warranty	3 years

Code: 60803

ook snow mental health hospital bed



- ⬆ Safety power cord with 3 section – rigid Sheathe to reduce risk of patient self-harm



- ⬆ Motion key lock to prevent unwanted motions of the bed



- ⬆ Safe-lock™ braking system protects against unintended use of the bed

ook snow mental health hospital bed with falls alarm and scales



- Standard 254mm low height, with configurable minimum height via the smart screen, reduces the risk of falls and voluntary injuries
- Bed parts and components are secured with tamper-resistant fasteners that can only be removed with special tools
- Battery powered patient positioning allows the bed to remain functional even when placed in patient rooms not equipped with power outlets
- Filled boards are permanently attached to support a reduced ligature environment and prevents patients from causing harm
- 4 castors with central braking
- Cables and wires are concealed to minimise the risk of using them as a ligature
- Smart screen and master lockout: An easy-to-use smart screen brings security to another level, offering functions such as integrated scale, bed status monitoring, and a master lockout control that features 3 levels of security
- A complete line of support surfaces features a tear-resistant cover and offers patients with a comfortable and safe night's sleep
- Optional heavy-duty restraint loops can be added in 8 strategic locations for challenging situations
- Compliance: The product is in conformity with the following standards and/or other normative documents and bears CSA marking. IEC 60601-1, IEC 60601-1-2, IEC 60601-1-6, IEC 62366, IEC 60601-2-52, EN45501

Code: 60804

SWL	272kg
Overall dimensions	W min. 1000mm W max. 1029mm L 2340mm
Height adjustment	min. 254mm max. 762mm
Knee angle adjustment	30°
Trendelenburg	-16° to +16°
Backrest angle	0° to 60°
Sleeping surface dimensions	W 889mm L 2032mm
Mattress platform height	min. 254mm max. 762mm
Braking	Central braking
Warranty	3 years

Code: 60804

ook snow mental health hospital bed with falls alarm and scales



- ⬆ 254mm low height can be locked and password protected to reduce the risk of falls and voluntary injuries



- ⬆ Smart screen and motion control master lockout brings safety to another level



- ⬆ For increased safety, bed parts and components are secured with tamper-resistant fasteners that can only be removed with special tools

look snow hospital bed accessories



Code: 60810

**Patient control
2 functions**

Suitable for: 60802,
60805, 60800, 60801,
60803, 60804



Code: 60811

**Patient control
5 functions**

Suitable for: 60802,
60805, 60800, 60801,
60803, 60804



Code: 60813

Patient helper

Suitable for: 60802,
60805, 60800, 60801



Code: 60822

Transport cart

Suitable for: 60802,
60805, 60800, 60801,
60803, 60804



Code: 60817

Oxygen holder

Suitable for: 60802,
60805, 60800, 60801



Code: 60821

**Oxygen holder
with clamp**

Suitable for: 60802,
60805, 60800, 60801



Code: 60814

Seizure pads

Suitable for: 60802,
60805, 60800, 60801,
60804



Code: 60818

Foldable IV pole

Suitable for: 60802,
60805, 60800, 60801



Code: 60819

**Universal pump
holder**

Suitable for: 60802,
60805, 60800, 60801



Code: 60820

Urinal holder

Suitable for: 60802,
60805, 60800, 60801




Code: 60815

**Tamper resistant
Safe-lock™ tool**

Suitable for:
60803, 60804

BMB Medical Max mobile folding bed



Code: 3140

SWL	200kg		
Overall dimensions	W 830mm	L 2040mm	H 420mm
Folded dimensions	W 830mm	L 500mm	H 1140mm
Mattress dimensions	W 750mm	L 1980mm	H 100mm
Product weight	30kg		
Castor size	80mm		

- Four 80mm castors with independent brakes
- Aluminium frame
- Foam mattress with a 35kg density
- Removeable, fire retardant polyurethane mattress cover
- White synthetic base for easy cleaning

Alrick® Extra low electric bed with CPR release



Code: 1620CPR

SWL	200kg
Overall dimensions	W 905mm L 2080mm
Trendelenburg	15°
Sleeping surface dimensions	L 2000mm W 890mm
Mattress platform height	min. 100mm max. 725mm
Angle adjustment	Back: 35° Knee: 62°

ACCESSORIES



Horizontal side rail headrest

Code: 910L1620



Bariatric support pole

Code: 5126

- Height adjustable, 4-section electric bed
- True floorline bed with no 'tower ends'
- Trendelenburg and reverse Trendelenburg functions
- 4x 75mm twin-wheel braking castors
- Easy-to-use handset with preset chair position
- Includes CPR Emergency release function

Haelvoet Olympia bariatric bed



Code: 32000

SWL	500kg
Width options	1040mm, 1240mm, 1440mm
Length	2140mm
Sleeping surface width	910mm, 1111mm, 1130mm
Sleeping surface length	2060mm
Trendelenburg	+15°
Backrest angle	+70°
Castor size	150mm
Mattress platform	420mm – 820mm

- User-friendly and easy to operate hand switch with clear and recognisable push buttons
- Mattress platform can be extended to 3 different widths
- The two cases at the end and foot of the bed can be used to install accessories
- Fitted with the drop down siderail, helping protect the patient for 2/3 of the bed
- The high/low supports can lift 500kg and guarantee an excellent bed stability at all heights

ACCESSORIES




Extension mattress

Code: 32010




Extension bolster

Code: 32011




Side bolsters 100mm

Code: 32012



Side bolsters 200mm

Code: 32013



Side rails

Code: 32014



Bariatric mattress

Code: 32015

BMB Medical Clavia Stretcher-bed



Code: 66792

SWL	200kg
Overall dimensions	W 800mm L 1500mm (chair position) L 2130mm (bed position)
Trendelenburg	15°
Mattress dimensions	W 750mm L 2000mm
Mattress foam density	35kg / m ³
Product weight	110kg

INTERCHANGEABLE HEADRESTS INCLUDED



Ophthalmologic headrest →

← Stomatologic and ENT headrest



- Interchangeable surgery head rest available for ophthalmology, stomatology and ENT
- Electric height adjustment on two LINAK columns
- Electrically (LINKA) assisted Trendelenburg functions, backrest and leg positioning
- Fold-down side guards with four vertical side bars
- Easy to use handset with five pre-set positions; welcome, relax reverse trend, secured Trendelenburg and CPR
- 4 x 150mm twin castors with fifth wheel on bed base, central braking system 2 x directional castors

Modsel Contour portare patient stretcher



Code: 2031

SWL	300kg
Overall dimensions	W 815mm L 2135mm
Mattress platform	W 680mm L 1900mm
Height range	min. 400mm max. 830mm
Castors	150mm twin wheel castors
Top tilt	15°

- Lowers to ultra-low 400mm
- E-Point steering
- Effortless control at the touch of a button
- Raises up to 830mm (plus an extra 100mm for the mattress pad thickness)
- 100mm Premia mattress
- Long-life, cordless, fast-charge battery packs that work all day
- IV pole
- Vertical oxygen bottle holder
- Foot end board
- Drop down push handles
- Second handset
- USB port

Modsel Contour portare-x patient stretcher




Code: 2032

SWL	300kg
Overall dimensions	W 815mm L 2135mm
Mattress platform	W 680mm L 1900mm
Height range	min. 430mm max. 880mm
Castors	150mm twin wheel castors
Top tilt	15°

- Purpose built electric trauma stretcher designed for bariatric patients
- Powered drive and weigh scales reduce manual handling risks to the carer
- 100% x-ray clearance
- Ultra-low height for easy patient access without step stools or heavy lifting
- Excellent high height for optimal working position, reducing strain and allowing easy access
- 110mm Premia bariatric mattress

Modsel Contour barituff-x patient stretcher



Code: 2033

SWL	500kg
Overall dimensions	W 1100mm L 2135mm
Mattress platform	W 980mm L 1900mm
Height range	min. 600mm max. 980mm
Castors	150mm twin wheel castors

- Purpose built to safely lift 500kg without overload
- Effortless control for comfortable patient positioning and height adjustment at the touch of a button
- Ultra-low height for easy patient access without step stools or heavy lifting
- Head and foot tilt feature for flexible patient positioning and emergency adjustments
- Excellent high height for optimal working position, reducing strain and allowing easy access
- 110mm Premia bariatric mattress

Modsel Contour barituff patient stretcher



Code: 2039

SWL	300kg
Overall dimensions	W 1100mm L 2135mm
Mattress platform	W 980mm L 1900mm
Height range	min. 470mm max. 850mm
Castors	150mm twin wheel castors

- Electric stretcher designed for bariatric patients
- Powered drive and weigh scales reduce manual handling risks to the carer
- Supercharged with long-life, cordless, fast-charge battery packs that keep you going throughout the day
- Ultra-low height that is very safe and easy for patients to get on and off. The 400mm low platform eliminates the need for step stools or unnecessary heavy lifting. Situate and raise your patient comfortably with ease
- Excellent high height to preserve your back and raise a patient to your best working height. The platform height can be lifted to 830mm (plus an extra 100mm for the mattress pad thickness), ensuring easy access and reduced stress

Modsel Contour endo-x patient stretcher



Code: 2035

SWL	300kg
Overall dimensions	W 815mm L 2135mm
Mattress platform	W 680mm L 1900mm
Height range	min. 570mm max. 940mm
Castors	200mm large bearing castors

- Endoscopy imaging stretcher with a C-Arm base, allows excellent coverage with the C-Arm X-ray camera
- Excellent high height to preserve your back and work at your optimal level. The platform height can be lifted up to 940mm (plus an extra 100mm for the mattress pad thickness), allowing easy examination and treatment without stooping over. The backrest adjusts from 0 to 85 degrees and features an emergency CPR quick release
- Generous 15 degrees top tilt in both directions for head and foot adjustments. Position your patient as needed or quickly lower their head and raise their feet in emergencies
- Supercharged with long-life, cordless, fast-charge battery packs that keep you moving all day

Model Contour endosurge patient stretcher



Code: 2034

SWL	300kg
Overall dimensions	W 815mm L 2135mm
Mattress platform	W 680mm L 1900mm
Height range	min. 570mm max. 940mm
Castors	200mm with Ezi-Trak 5th wheel steering

- An endoscopy imaging stretcher which allows you to unlock and slide the top for C-Arm and X-Ray clearance
- Top slides 260mm towards the foot end and 150mm towards the head end from the centre position
- Smooth and steady with advanced E-Point steering system and perfectly centred steer wheel for accurate tracking and strong grip with the floor
- Effortless control to comfortably position and adjust your patient's height with the touch of a button
- Supercharged with long-life, cordless, fast-charge battery packs that work all day
- 100mm Premia mattress

Model Contour e-vertex patient stretcher



Code: 2037

SWL	300kg
Overall dimensions	W 815mm L 2210mm
Mattress platform	W 680mm L 1900mm
Height range	min. 515mm max. 885mm
Castors	200mm with Ezi-Trak 5th wheel steering

- Full flexibility with infinitely adjustable headrest up and down tilt and excellent raise height, allowing the surgeon to place a patient in exactly the right position
- Safety and support provided by the compact, rigid locking headrest with increased leg clearance, bringing patients close and keeping them stable while minimizing neck and back strain for the surgeon
- Comfort and control with one-touch, electronic control of the headrest, instantly increasing patient comfort and enhancing access. The lightweight removable frame with cushions supports a pillow during recovery
- Fold-back design that allows the wrist support to flip away for quick and easy access to the patient
- Slim and clean design that safely hides all mechanical operation and features a one-piece, gap-free top surface for ease of cleaning and infection control
- Raise and lower with tilt adjustment for effortless height control and convenient tilt customisation

Modsel stretcher accessories



Code: 0710-2600-05

Modsel Document holder



Code: 0710-2610-05

Modsel Low foot end rail



Code: 0710-2620-05

Modsel Tall foot end board



Code: 0710-2650-05

Modsel Folding monitor board



Code: 0710-2660-05

Modsel Dropdown foot board



Code: 0710-2662-05

Modsel Dropside padding



Code: 0710-2690-05

Modsel Meal tray



Code: 0710-2675-05

Modsel Folding monitor foot end board



Code: 0710-2610-05

Modsel Low foot end rail for patient stretcher




Code: 0710-2675-05

Modsel Folding monitor foot end board for patient stretcher




Code: 0710-2650-05

Modsel Folding monitor board for patient stretcher



Code: 0710-2660-05

Modsel Dropdown foot board for patient stretcher



Code: 0710-2600-05

Modsel Document holder for patient stretcher



Code: 0710-2620-05

Modsel Tall foot end board for patient stretcher

Milano® 2 Section examination couch



Code: 1206

SWL	200kg
Overall dimensions	W 700mm L 1980mm
Height adjustment	min. 480mm max. 940mm

- Two section
- Retractable castors for ease of movement with levelling feet
- Hi/Lo Function powered by foot control
- Back Rest adjustment by gas lever
- High stability – even in elevated position

BMB Medical Divia Examination table



Code: 66788

SWL	250kg
Overall dimensions	W 650mm L 2050mm
Height adjustment	min. 470mm max. 870mm
Mattress dimensions	W 650mm L 2000mm
Product weight	80kg
Trendelenburg	15°
Warranty	2 years
Materials	Steel structure, epoxy coated
Castor size	125mm
Castors	4 lockable wheels

ACCESSORIES



⌂ Drop-down side rails



⌂ Removable IV pole

Get in touch

A wide range of accessories are available.
Talk to us about how we can adapt this table
to meet the your specific needs.

- A versatile 2-section examination couch with electric adjustable backrest
- Electrically adjustable Trendelenburg and reverse Trendelenburg functions
- Examination sheet roll holder near the head
- Antibacterial and M1 fire retardant PVC coated jersey coating
- Handheld remote control
- 4x 125mm double roller wheels with independent brakes

BMB Medical Divia Mixte examination table



ACCESSORIES INCLUDED



⊖ Drop-down side rails



⊖ Removable IV pole



⊖ Stirrups (pair)



⊖ Leg supports (pair)

Code: 66789

SWL	250kg
Overall dimensions	W 850mm L 2000mm
Mattress width	750mm
Height adjustment	min. 470mm max. 870mm
Angle adjustment	Backrest: 80° Trendelenburg: 12°
Mattress density	35kg/m ³
Mattress thickness	65mm
Castors	4x 125mm double wheels with independent brakes

- A versatile 3-section examination couch with electric backrest and height adjustment
- It has a second electrically operated intermediate backrest for gynaecological examinations
- Electrically adjustable Trendelenburg and reverse Trendelenburg functions
- Antibacterial and M1 fire retardant PVC coated jersey coating
- Examination sheet roll holder near the head
- Leg support (pair)
- Stirrups to assist with examinations
- Supplied with both hand remote and foot control

Modsel Contour recline procedure chair



Code: 2030

SWL	300kg
Overall dimensions	W 780mm L 1150mm (1750mm lying flat)
Mattress dimensions	W 650mm with 100mm thick premium, removable mattress
Height range	min. 460mm max. 840mm
Top tilt	15°
Castors	Twin wheel 150mm with double steer

- Compact, versatile procedure chair for both medical examinations and patient recovery
- Patients can be positioned easily from sitting upright to completely flat for CPR or specialised procedures
- Long-life, cordless, fast-charge battery packs that work all day
- Excellent 460mm low height with fold under dropsides
- Conveniently stored handles unfold for staff friendly transportation
- Forward tilt facilitates getting on and off
- Standard IV pole
- Vertical oxygen bottle holder
- Auto-Leveling footboard
- Meal tray

Modsel Contour barituff procedure chair



Code: 2040

SWL	500kg
Overall dimensions	W 980mm L 1270mm (1750mm lying flat)
Height range	min. 480mm max. 880mm
Seat dimensions	W 850mm D 600mm
Mattress height	110mm
Castors	150mm twin wheel castors
Trendelenburg	15°

- Versatile bariatric procedure chair for both medical examinations and patient recovery
- Patients can be positioned easily from sitting upright to completely flat for CPR or specialised procedures
- Conveniently stored handles unfold for staff friendly transportation
- Excellent 530mm low height with independent dropsides
- The backrest and leg rest move independently
- Long-life, cordless, fast-charge battery packs that work all day
- IV pole
- Vertical oxygen bottle holder
- Auto-levelling footboard
- Meal tray

Modsel Contour recline endo procedure chair



Code: 2036

SWL	300kg
Overall dimensions	W 850mm L 1200mm (1850mm lying flat)
Height range	min. 530mm max. 890mm
Seat width	W 750mm with 100mm thick premium, removable mattress
Castors	Twin wheel 150mm castors with double steer
Trendelenburg	15°

- Versatile procedure chair designed for both medical examinations, patient recovery and day surgery procedures
- Excellent 530mm low height with independent twin dropsides
- Conveniently stored handles unfold for staff friendly transportation
- The backrest and leg rest move independently
- Space-saving compact design
- Long-life, cordless, fast-charge battery packs that work all day
- IV pole
- Vertical oxygen bottle holder
- Adjustable footboard
- Meal tray

Modsel Contour e-vertex procedure chair




Code: 2038

SWL	300kg
Overall dimensions	W 780mm L 1150mm (1750mm lying flat)
Height range	min. 460mm max. 840mm
Seat width	650mm
Castors	150mm twin wheel castors
Trendelenburg	15°

- Fully electric procedure chair design for eye, ENT, plastics and dental procedures
- The infinitely adjustable headrest, range of chair heights with lie-flat and forward/reverse options places the surgeon and patient in exactly the right position
- Increased leg clearance
- Range of accessories available for increased safety, comfort and better outcomes for staff and patients
- Excellent 460mm low height with fold under dropsides
- The backrest and leg rest move independently or together
- Conveniently stored handles unfold for staff friendly transportation
- The ultra-thin design safely hides all mechanical operation
- Excellent tilt adjustment at any height
- IV pole
- Vertical oxygen bottle holder
- Pillow support
- Auto-leveling footboard
- Meal tray

Modsel procedure chair accessory range



Code: 0712-3256-05

Modsel Padded armrests

Suitable for: 2040, 2036, 2030, 2038



Code: 0712-3258-05

Modsel Swivel armboard

Suitable for: 2040, 2036, 2030, 2038



Code: 0712-3310-05

Modsel Gynotec stirrups

Suitable for: 2036, 2030, 2038

BMB Medical Carexia comfort chair



OPTIONAL EXTRAS

- Central braking castors
- Push bar
- 2 holders for IV pole
- Comfort pillow
- Removable IV pole
- Anatomical shaped multi-adjustable armrest

Code: 66786

SWL	200kg
Overall width	900mm
Overall length	Upright: 764mm Reclined: 1770mm
Overall height	1300mm
Seat width	570mm
Seat height	min. 540mm max. 780mm
Foam density	40kg/m ³

- Designed for post-surgery rest, blood sampling, care or examination, chemotherapy or hemodialysis
- Comfort armrests with width adjustable arms
- Ergonomic shaped backrest and seat
- Short legrest allows for easy front access to the chair and compact footprint
- High resilience foam
- Electric height, backrest and legrest adjustment
- Full recline into trendelenburg position
- Heavy duty design with powder coated steel frame and ABS base cover
- 4x 125mm individual locking castors

BMB Medical Carexia treatment chair



OPTIONAL EXTRAS

- Central braking castors
- Push bar
- 2 holders for IV pole
- Removable IV pole
- Comfort pillow

Code: 66787

SWL	200kg
Overall width	900mm
Overall length	Upright: 764mm Reclined: 1770mm
Overall height	1300mm
Seat width	570mm
Seat height	min. 540mm max. 780mm
Foam density	40kg/m ³

- Designed for chemotherapy or hemodialysis, post-surgery rest, blood sampling, care or examination
- Electric height, backrest and legrest adjustment
- Full recline into trendelenburg position
- Ergonomic shaped backrest and seat
- High resilience foam 40kg/m³
- Anatomic shaped multi-adjustable armrests
- Four self-locking castors with double running wheels
- Heavy duty design with powder coated steel frame and ABS base cover

BMB Medical Clavia chemotherapy and dialysis chair



Code: 66791

SWL	250kg
Overall width	980mm
Overall length	Chair: 1450mm Bed: 2000mm
Mattress dimensions	W 650mm L 2000mm H 100mm
Height adjustment	min. 550mm max. 950mm
Angle adjustment	Backrest: 90° Trendelenburg: 11° Legrest: 60°
Mattress density	35kg/m ³
Product weight	80kg

- Designed to comfortably support those undertaking chemotherapy and dialysis treatment
- Anatomic shaped armrests recline with the backrest. Adjustable to two heights, and in all directions
- Armrests fold up for side transfers
- Features a 3-sectional mattress base
- Fixed mattress made of high resilience foam (35kg/m³), thickness 100mm
- Electrically assisted height adjustment on 2 LINAK columns: 550mm-950mm
- Includes central braking
- Electrically adjustable backrest, and leg rest positioning and Trendelenburg functions
- Manual release for backrest for emergencies and CPR
- Easy to use handset with four pre-set positions: Welcome, relax, CPR and secured Trendelenburg
- Easy to move with 4x 125mm braking castors
- Adjustable electric footrest including battery

Milano® Mobile folding screen



Code: FS165-06B

Overall dimensions W 1800mm H 1650mm

Folded size W 300mm D 108mm


- Hygienic and flexible patient privacy screen solution
- Easy to clean between patient assessments
- Lightweight design
- Swivel castors make it easy to move, with brakes stabilise in desired place
- Wall mounted and pole mounted options are available
- Extension kits are also available

ACCESSORIES



Wall mounted
aluminium rail set

Code: FS165-WM



Pole mounted
aluminium rail set

Code: FS165-PM



FS165-02



FS165-02C

Increased length

Add panels in sets of two to increase your screen to the length that you need. Follow the configuration the left.

Configurable

Contact us for more help configuring the Mobile folding screen to suit your needs. Whether it is adding more panels or fixing it to the floor or wall, we can help you out.

Modsel Contour conceal mortuary stretcher



Code: 2042

SWL 300kg

Overall dimensions W 815mm L 2135mm


Electric height range min. 440mm max. 810mm

Mattress platform W 700mm L 1900mm

Castor size 200mm with Ezi-Trak 5th wheel steering

- Careful concealment: high quality, perfectly fitted vinyl cover
- Effortless control: Easy-drop flush fold sides and adjustable stretcher height ensures ease of transfer onto the Contour Conceal
- Smooth and steady: Robust, two-column design with 200mm castors and Ezi-Trak 5th wheel steering ensures stretcher stability and manoeuvrability in-transit
- Easy clean: The Contour Conceal's smooth, one-piece platform and removeable, washable vinyl cover combine to make cleaning and hygiene control simple and effective
- Clear access: Lift off the heavy duty washable vinyl cover with full length access from both sides. Store the cover supports on convenient hooks
- Custom quality: Manufactured in Australia with speed, quality, and care

Hull® Mobile IV pole



Code: FP104

Code: 104

Code: FP104

Head	2-prong	4-prong
Height	min. 1220mm max. 2100mm	min. 1220mm max. 2100mm

- 5 point star base with castors
- Height adjustable
- 2-prong or 4-prong option

OPTIONAL EXTRAS

Basket
with clamp

Code: ISB


Multi purpose
basket with
clamp

Code: IMS

Push handle
with clamp

Code: IPH

Provita IV stand



⬆ Compact

⬆ Standard


⬆ Stackable

Code:
0530-1010-05Code:
0530-1015-05Code:
0530-1030-05

Base type	Compact	Standard	Stackable
Base diameter	520mm	680mm	590mm
Regulating range	min. 1492mm max. 2120mm	min. 1522mm max. 2150mm	min. 1360mm max. 2220mm
Total weight	8kg	8.5kg	3.5kg
Base weight	6.6kg	7kg	2.25kg
Safety bottle hooks	2	2	4

- Durable stainless steel construction
- Easy single handed height adjustment
- Safety bottle hooks with 2/kg capacity
- Simple assembly instructions provided

BMB Medical Materna bassinet



Code: 66790

SWL	9kg
Overall dimensions	W 580mm L 1050mm H min. 700mm H max. 1000mm
Sleeping surface dimensions	W 230mm L 730mm H 50mm
Castor size	80mm
Product weight	28kg

ACCESSORIES

BMB Medical Materna
bassinet storage basket

Code: 66806

- Adjustable height
- Reverse trendelenburg

Juvo Bassinet trolley with tub and mattress



ACCESSORIES

Storage basket

Code: ZZ0702003

Code: 702

Overall dimensions	W 420mm
	L 860mm
	H 1060mm
Mattress base height	820mm
Materials	Stainless steel, acrylic

- Anti-bacterial with fully welded joints, leaving no crevasses to harbour infection
- Rounded corners minimises impact damage
- Material grade 304 stainless steel
- Angle adjustment to acrylic tub with flat bar support rails
- 4x 75mm twin braking castors

Milano® Overbed table



Code: 594

SWL	20kg
Height range (including castors)	min. 725mm max. 1050mm
Materials	ABS Plastic
Width inside base	750mm
Product weight	14.6kg

- Designed to fit over most beds and chairs
- Seamless one-piece, moulded ABS plastic top for superior infection control
- Made to last
- Gas-assisted height adjustment that can be activated with one hand
- Soft rounded edges helps prevent items from slipping off
- Easy clean and care

Roma® U-base antimicrobial overbed table



Code: 576M

Top size	W 828mm D 467mm
Base height	100mm
Width inside base	740mm
Height range	min. 670mm max. 1070mm

- One-piece, injection-moulded table top is seamless for superior infection control
- Made with CESA, heat and stain resistant
- Gas assisted height adjustment, ideal for one handed operation
- Easy to move with 4x 50mm braking castors

Wi-bo Overbed table



Code: 20101

Table height	min. 725mm max. 1025mm
--------------	---------------------------

Top size	W 420mm D 865mm
----------	--------------------

- Premium and modern design
- Exceptionally stable
- Large dining surface reaches to the middle of a bed
- Height adjustable
- Easy to move on 50mm double castors

Milano® Bedside cabinet with cupboard



Code: 3750

Overall dimensions	W 460mm D 508mm H 930mm
--------------------	-------------------------------

Materials	Powder coated steel
-----------	---------------------

Castors	50mm 2x braking
---------	-----------------

- Durable bedside cabinet with cupboard
- ABS top with contoured edges to contain spillages
- Metal powder coated body – stain resistant
- Stainless steel towel holder (both sides)
- Pull out metal top work surface/shelf
- 76.2mm drawer with key lock
- 127mm recessed compartment
- 431.8mm Storage cupboard with adjustable shelf

Milano® Bedside cabinet with drawers



Code: 3760

Overall dimensions	W 460mm
	D 508mm
	H 930mm
Materials	Powder coated steel
Castors	50mm 2x braking

- Durable bedside cabinet with drawers
- ABS top with contoured edges to contain spillages
- Twin stainless steel towel holders (both sides)
- Metal powder coated body – stain resistant
- Pull out metal top work surface/shelf
- 76.2mm drawer with key lock
- 127mm recessed compartment
- 2x 215.9 drawers for storage
- Easy to move with 50mm castors (2 x braking)

Wi-bo Vivo soft-edged bedside cabinet



Code: 8598

Overall dimensions	W 470mm
	H 779mm

- Soft closing drawers
- Modern and functional design
- Made from wood
- Ergonomic handles
- Lockable drawers
- Easy to move with 4x castors (2x braking)





Pressure care



Mattress and overlays	32
Static foam mattresses	33
Alternating air mattresses	35
Lateral turning systems	40
Air and foam cushions	40
Positioning aids	44
Heel protectors	46

Repose Mattress overlay



ACCESSORIES



← **Cover (single size)**
Vapour permeable
and water resistant

Code: 66776

Replacement pump

Code: 66781

	Code: 66750	Code: 66751
Size	Single	Double
SWL	222kg*	222kg*
Inflated size	W 770mm L 1780mm	W 1400mm L 1780mm

* 222kg when used on a high specification foam mattress. When used on a non-high spec foam mattress the SWL is 139kg

- Low Air technology distributes weight evenly and doesn't lose its shape
- Designed to relieve pressure on soft tissue areas and provide comfort
- Includes unique and easy-to-use pump ensures it is quickly inflated to the correct pressure
- For at risk to very high-risk individuals
- Lightweight and deflates down to a compact size
- Cost-effective solution as can be cleaned and reused
- 3 year warranty


Mediflex® Pressure relieving mattress



	Code: 1660	Code: 1661	Code: 1662	Code: 1663
Size	Single	Super single	Double	Queen
Overall dimensions	W 900mm L 1980mm H 150mm	W 1100mm L 1980mm H 150mm	W 1400mm L 1980mm H 150mm	W 1500mm L 1980mm H 150mm
Product weight	10kg	12.2kg	15.5kg	16.6kg

- High frequency welded seams and concealed zip for infection control
- Foam side borders assists transfers and helps to prevent roll out
- Cover: Breathable, waterproof, anti-bacterial and bi-elastic polyurethane
- Enhanced comfort and pressure redistribution
- Deep castellations help the mattress conform to the contours of the user and the bed
- Low density heel zone offers maximum pressure relief and gentle support for the vulnerable heel and ankle area

forté Icon Maxx IM5000 bariatric mattress




Code: 1564

Maximum user weight	500kg
Standard dimensions	L 2030 W 880 H 200mm
Extended dimensions	L 2130 W 1170 H 200mm
Foam core warranty	5 years
Cover warranty	4 years

- Comes with side and end bolsters to easily extend the size of the mattress
- Excellent core stability to encourage centralised patient positioning
- Graded density for ultimate comfort and to enhance pressure relief
- Enhances profiling with adjustable bed surface positions
- High performance, premium hospital grade foam in accordance with standards AS2282.0 – AS/NZS 3744.3 – AS/NZS 4088.1
- Treated with anti-microbial protection
- Electromagnetically fused seams protecting against risk of penetration of fluid
- Reinforced cover with additional heavy duty stitching at stress points
- Anti-shearing, 4-way stretch cover with inherent anti-microbial protection
- 10,000ppm resistance to chlorine based cleaning agents

forté Fourfront FM4 General mental health mattress



Code: 1566

Maximum user weight	150kg
Safe working load	170kg
Overall dimensions	L 2030 W 890 H 150mm

- Designed for low risk applications
- Triple layer, high performance foam core
- Anti-concealment with sealed and welded seams
- Anti-ligature and tear resistant
- Compliant with fire retardancy standards
- Premiflex ultra premium pressure care cover
- 10,000ppm resistance to chlorine based cleaning chemicals

forté Fourfront FM4 General mental health mattress




Code: 1567

Maximum user weight	170kg
Safe working load	190kg
Overall dimensions	L 2030 W 890 H 150mm

- Ideal for seclusion, restraint and isolation
- Fully sealed and enclosed high density PVC2 cover with no point of entrance
- High density, single layered fire-retardant foam core
- Compliant with fire retardancy standards
- Anti-concealment and anti-ligature with sealed and welded seams 580gsm and 100% waterproof



Posture-temp® mattress



	Code: 987	Code: 994	Code: 992	Code: 989
Size	Single	Super single	Double	Queen
Overall dimensions	W 900mm L 2000mm H 150mm	W 1100mm L 2000mm H 150mm	W 1400mm L 2000mm H 150mm	W 1500mm L 2000mm H 150mm
Product weight	18.1kg	22.1kg	28.2kg	30.2kg

- Non-slip mattress base
- Made in Germany
- The bi-elastic waterproof cover is breathable, stain resistant, fire-resistant, antiallergenic and has antimicrobial properties
- Made in Germany
- Conceals zip and high frequency welded seams provides superior infection control and help prevent the ingress of fluid and bacteria
- Designed to reduce shear and friction

WinnCare Alova Multi-support CIC mattress



A Top layer

Softer, 60mm moulded viscoelastic foam for comfort and pressure reduction


B Base

Denser, 80mm polyether foam for stability and to prevent bottoming out

Code: 1965

SWL	180kg
Size	Single
Dimensions	W 880mm D 1950mm H 140mm
Foam density	Top layer: (60mm) >75kg/m ³ Base layer: (80mm) >34kg/m ³
Product weight	16kg


- Fitted with a durable, multi-stretch, anti-shear, waterproof and air-permeable cover
- Mattress made up of two foam layers: Top – softer for comfort and pressure reduction; Base – denser for stability and to prevent ‘bottoming out’
- Multi-Support with three different density foams: Head section: Medium density for comfort and support, Middle section: Firm density to support torso and Foot section: Soft density to reduce pressure on heels
- Welded cover seams
- Integrated heel contour
- Cover: Promust Cross Infection Control (C.I.C.)
- Removable waterproof cover, washable to 90°C



NEW Winncare Axtair One Plus® alternating air mattress



- (A) Sacrum area** 12 air cells alternate in a 1-in-2 cycle
- (B) Head zone** Two static air cells fitted with a comfort pillow
- (C) Foot zone** Four independent heel relief air cells
- (D) Base** 50mm polyether foam located in a separate compartment



- (A) Comfort adjustment**
Changes the cell pressure to suit the user
- (B) Seating position adjustment**
For use when the bed is profiled
- (C) Servicing reminder**
Visual indication



- Accessible CPR valve
- 18 polyurethane ether air cells are soft and quiet

Code: 1950-1

SWL	min. 30kg max. 165kg
Machine washable	Up to 60°C
Overall dimensions	W 870mm L 1950mm H 170mm
Cells	18 cells at a height of cells 120mm
Foam layer	50mm high
Alternation	Type 1 in 2 Cycle 9 – 14 min
Flow	7 litres/min
Sound power	<35 dBA


- Patented system of automatic and continuous calculation of inflation pressure according to patient's morphology – No manual input required
- Accessible CPR valve
- Washing machine compatible (up to 60°C)
- Comfort adjustment – changes the cell pressure to suit the user
- Three modes – dynamic, static low pressure, care
- 120mm high, removable and independent cells in 3 therapeutic zones: head, sacrum area and foot zone
- 50mm polyether base layer foam to prevent bottoming-out located in a separate compartment
- 4 independent heel relief air cells in the foot zone
- Seating position adjustment for use when the bed is profiled
- Cover is made of PROMUST CIC (Cross Infection Control). Polyamide mesh coated polyurethane/polycarbonate with added silver ions fitted with a non-slip base
- Transport plug with system for opening and sharing two air channels. This provides autonomy of 8 hours

NEW

WinnCare Axtair Automorpho® Plus alternating air mattress



- (A) Sacrum area**
12 air cells alternate in a 1-in-2 cycle
- (B) Head zone**
Two static air cells fitted with a comfort pillow
- (C) Foot zone**
Four independent heel relief air cells
- (D) Base**
50mm polyether foam located in a separate compartment



- (A) Comfort adjustment**
Changes the air cell pressure to suit the user
- (B) Seating position adjustment**
For use when the bed is profiled
- (C) Servicing reminder**
Visual indication
- (D) One therapeutic mode**
Dynamic, static low pressure and care



- ↑↑ Accessible CPR valve
- ↑ Handy carry bag

Code: 1966-1

Code: 1968-1

SWL	min. 30kg max. 180kg	min. 30kg max. 180kg
Size	Single	King single
Machine washable	Up to 60°C	Up to 60°C
Overall dimensions	W 870mm L 1950mm H 170mm	W 1000mm L 1950mm H 170mm
Cells	50mm high	50mm high
Alternation	Type 1 in 2 Cycle 9 – 14 min	Type 1 in 2 Cycle 9 – 14 min
Flow	7 litres/min	7 litres/min
Sound power	<35 dBA	<35 dBA

- Patented system of automatic and continuous calculation of inflation pressure according to patient's morphology – No manual input required
- Accessible CPR valve
- Washing machine compatible (up to 60°C)
- Comfort adjustment – changes the cell pressure to suit the user
- Three modes – dynamic, static low pressure, care
- 120mm high, removable and independent cells in 3 therapeutic zones: head, sacrum area and foot zone
- 50mm polyether base layer foam to prevent bottoming-out located in a separate compartment
- 4 independent heel relief air cells in the foot zone
- Seating position adjustment for use when the bed is profiled
- Cover is made of PROMUST CIC (Cross Infection Control). Polyamide mesh coated polyurethane/polycarbonate with added silver ions fitted with a non-slip base
- Transport plug with system for opening and sharing two air channels. This provides autonomy of 8 hours

WinnCare Axtair Automorpho® Axensor – AT20



- A Sacrum area** 10 alternating air cells with a static air base to ensure stability and to prevent bottoming out
- B Head zone** Two static air cells fitted with a comfort pillow
- C Foot zone** Five independent heel relief air cells
- D Cervico-dorsal zone** 4 air cells alternate in a 1-in-2 cycle



- A Comfort adjustment**
Automatically adjusts the pressure to suit the user
- B Three modes**
Dynamic, static low pressure, care
- C Servicing reminder**
Visual indication

Code: 1967

SWL	min. 30kg max. 200kg
Size	Single
Overall dimensions	W 870mm L 1950mm H 205mm
Pump dimensions	W 250mm D 115mm H 225mm
Alternation	Type: 1 in 2 Cycle: 14 – 20 min
Air output	8 litres/min
Number of cells	21
Product weight	Mattress: 8kg Pump: 2.7kg

- Ideal for those who are in bed for more than 15 hours a day
- Designed for individuals at high to very high risk of pressure injuries
- Provides automatic and continuous calculation of inflation pressure of the alternating air mattress according to user's morphology and position, as well as the angle of the backrest
- 1 in 2 alternating cell pressure over a complete cycle from 14 to 20 minutes
- 3 modes: dynamic, static low pressure and care
- Non-slip base
- Welded seams
- Fire standards: EN 597 PARTIES 1 & 2 GPEM D1-90 & D1-89
- Information button for technical data
- Audible and visual alarms
- Cover: Made of Promust CIC (cross infection control) – polyamide mesh coated polyurethane/polycarbonate with added silver ions
- CPC/DATA connector automatically closes on the air circuits when disconnected

Aeria® 8 Pro alternating air mattress



(A) Head zone 
Three static air cells fitted with a comfort pillow

(B) 1-in-3 alternation 
Allows more body surface to be supported at any one time for optimum healing

(C) Cell in cell design 
An inner static cell always remains inflated to prevent bottoming out and for when mattress is inclined or in the event of a power failure



(A) Two modes
Dynamic and static. Static mode is used for moving, handling and transfers. It reverts back to dynamic mode automatically after 30 mins for user safety

(B) Visual and audible alarms
Initial failure, low pressure, alternation failure, pressure too high and power failure alarm (plus mute button)

(C) Pressure adjustment controls
Firmness of the cells can be adjusted in five pressure steps to suit the weight and comfort needs of the user

Code: 2160

SWL	220kg
Size	Single
Overall dimensions	W 880mm
	L 2000mm
	H 220mm
Alternation	Type: 1 in 3 Cycle: 10 – 12 min
Air output	8 litres/minute
Number of cells	21
Pressure steps	<50kg, 70kg, 100kg, 125kg, 150+kg
Product weight	Mattress: 8.5kg
	Pump: 3.5kg

- Mattress replacement system for standard or profiling beds
- Head zone features three static air cells fitted with a comfort pillow
- Cell in cell design – an inner static cell always remains inflated to prevent bottoming out and for when mattress is inclined or in the event of a power failure
- 1-in-3 alternation allows more body surface to be supported at any one time for optimum healing
- Firmness of the cells can be adjusted in five pressure steps to suit the weight and comfort needs of the user
- Two modes: Dynamic and static. Static mode is used for moving, handling and transfers. It reverts back to dynamic mode automatically after 30 mins for user safety
- Visual and audible alarms can be set to alert of initial failure, low pressure, alternation failure, pressure too high and power failure alarm (plus mute button)
- Made from TPU coated nylon, cells are connected with 'smart snaps' and can be independently removed for cleaning or repairs
- Rapid release CPR tag for emergency deflation
- Comes with carry bag for transport or storage
- Cover: Bi-elastic protection cover with PU coating is vapour permeable and waterproof. Fully elasticised for a firm fit
- 360° zipper with welded seams for antibacterial protection
- Pro-clean base is service friendly, easy to clean and is non-slip

OPTIONS

Extra viscoelastic foam layer

Code: 2190

Aeria® 8 Pro bariatric alternating air mattress



Code: 2165

SWL	250kg
Size	Super single
Overall dimensions	W 1070mm
	L 2000mm
	H 220mm
Alternation	Type: 1 in 3 Cycle: 10 – 12 min
Air output	12 litres/min
Number of cells	21
Pressure steps	<50kg, 70kg, 100kg, 125kg, 150+kg
Product weight	Mattress: 10kg
	Pump: 4.5kg

(A) Head zone 
Three static air cells fitted with a comfort pillow

(B) 1-in-3 alternation 
Allows more body surface to be supported at any one time for optimum healing

(C) Cell in cell design 
An inner static cell always remains inflated to prevent bottoming out and for when mattress is inclined or in the event of a power failure



(A) Two modes
Dynamic and static. Static mode is used for moving, handling and transfers. It reverts back to dynamic mode automatically after 30 mins for user safety

(B) Visual and audible alarms
Initial failure, low pressure, alternation failure, pressure too high and power failure alarm (plus mute button)

(C) Pressure adjustment controls
Firmness of the cells can be adjusted in five pressure steps to suit the weight and comfort needs of the user

- Mattress replacement system for standard or profiling beds
- Head zone features three static air cells fitted with a comfort pillow
- Cell in cell design – an inner static cell always remains inflated to prevent bottoming out and for when mattress is inclined or in the event of a power failure
- 1-in-3 alternation allows more body surface to be supported at any one time for optimum healing
- Firmness of the cells can be adjusted in five pressure steps to suit the weight and comfort needs of the user
- Two modes: Dynamic and static. Static mode is used for moving, handling and transfers. It reverts back to dynamic mode automatically after 30 mins for user safety
- Visual and audible alarms can be set to alert of initial failure, low pressure, alternation failure, pressure too high and power failure alarm (plus mute button)
- Made from TPU coated nylon, cells are connected with 'smart snaps' and can be independently removed for cleaning or repairs
- Rapid release CPR tag for emergency deflation
- Comes with carry bag for transport or storage
- Cover: Bi-elastic protection cover with PU coating is vapour permeable and waterproof. Fully elasticised for a firm fit
- 360° zipper with welded seams for antibacterial protection
- Pro-clean base is service friendly, easy to clean and is non-slip

Toto Lateral system



⊖ Weighs less than 7kg and delivered fully assembled in a transport bag

Code: 66850

SWL	250kg
Overall dimensions	W 750mm L 1800mm
Product weight	6.7kg

- Includes Toto touch control unit, Platform including a fitted cover, CPR deflation valve and tubing set, Pair of air cells with quick connectors and platform transport bag
- Adaptive profiling platform designed for compatibility with any bed frame in any profiled or 'rise and recline' position
- Promoting safety by removing the need for additional manual handling aids
- Clinically effective and proven to redistribute pressure away from 'at risk' areas, while increasing user and carer compliance
- Provides gentle, consistent and controlled turning, fully supporting individuals from head to toe avoiding the risk of twisting
- Even while patients are sleeping, Toto continues to deliver frequent repositioning
- Toto inflates evenly, smoothly and consistently

Softech® Seat cushion



Code: 176

Overall dimensions	W 460mm D 460mm H 80mm
Care instructions	Machine washable to 70°C. Suitable for tumble drying

- Made from hypoallergenic and hospital-grade materials
- Reversible: breathable fabric side, waterproof side
- Fits 400mm – 460mm chairs
- Suitable for tumble drying
- Machine washable to 70°C
- Provides added comfort and protection

Posture-Temp® Pressure relieving cushion



Code: 993

Code: 995

Overall dimensions	W 450mm D 400mm H 75mm	W 510mm D 450mm H 75mm
--------------------	------------------------------	------------------------------

- Hypo-allergenic
- Dust-mite resistant
- Two-way stretch, waterproof, breathable cover

Winnicare Alova contoured cushion



	Code: 1383	Code: 1384
SWL	min. 30kg max. 120kg	min. 30kg max. 135kg
Overall dimensions	W 450mm D 440mm H min 60mm H max. 90mm	W 500mm D 440mm H min. 60mm H max. 90mm

- Made in France
- Tilted seating position reduces the risk of slipping forward
- Coccyx cut-out to decrease pressure on ischiatic regions
- Integral cover with non-slip base, fitted with carrying handle
- Promust PU (polyurethane coated jersey) cover has thermoregulation properties
- Alova viscoelastic material and anatomic contouring distributes pressure for high risk users

Repose cushion



	Code: 66753
SWL	139kg
Overall dimensions	W 450mm L 450mm
Warranty	3 years

- Lightweight for easier transport
- Low Air technology distributes weight evenly and doesn't lose its shape
- Designed to relieve pressure on soft tissue areas and provide comfort
- Helps distribute pressure evenly
- Repose can be cleaned and reused
- Easy to clean and will deflate down to a compact size

ACCESSORIES

Cover (Vapour permeable and water resistant)

Code: 66779

Replacement pump

Code: 66781

Repose Care-Sit cushion



ACCESSORIES

Replacement pump

Code: 66781

	Code: 66755	Code: 66754
SWL	139kg	139kg
Overall dimensions	W 400mm L 950mm	W 450mm L 950mm
Warranty	3 years	3 years

- Secure strap system allows for straightforward retrofit or new chair use
- Provides pressure redistribution across the whole surface for the at-risk areas of the body: sacrum, buttocks, scapulae and vertebrae
- Cushion fitted with larger cells on outside edges
- Durable outer cover with waterproof zip
- Repose tried and trusted single air cell and smart valve technologies
- Easy to clean and will deflate down to a compact size
- Adjustable straps for a secure fit on a range of wheelchair and static chair sizes

Repose Contur cushion set



MODEL OPTIONS

Repose Contur with 1 cover

Code: 66769

Repose Contur with 2 covers

Code: 66770

Repose Contur inner (no cover)

Code: 66771

Repose Contur cover (no inner)

Code: 66772

Replacement pump

Code: 66781

SWL	139kg
Inflated dimensions	W 490mm L 1715mm H 50mm
Section length	Back: 490mm Seat: 425mm Leg: 480mm
Warranty	3 year

- Provides pressure redistribution across the whole surface for the at-risk areas of the body: sacrum, buttocks, scapulae, vertebrae, shoulders, back of head
- Cost effective method to provide pressure area care to a recliner and/or care chair
- Adjustable straps for a secure fit on a range of chair sizes
- Features Repose single air cell and smart valve technologies
- The zip has an integral cover flap for added protection against fluid ingress
- Specially formulated extra resistant to chemical disinfectants, especially chlorine
- Includes unique and easy-to-use pump ensures it is quickly inflated to the correct pressure
- Lightweight and deflates down to a compact size
- For at risk to very high-risk individuals

Repose Foot protector plus



Code: 66757

SWL	139kg
Overall dimensions	L 380mm W 200mm H 180mm
Warranty	3 years

- Low Air technology distributes weight evenly and doesn't lose its shape
- Includes unique and easy-to-use pump ensures it is quickly inflated to the correct pressure
- Lightweight and deflates down to a compact size
- For at risk to very high-risk individuals
- Cost-effective solution as can be cleaned and reused
- Protects the soles of the feet by distributing pressure evenly

Repose Knee flex



Code:
66758

Code:
66759

Code:
66760

Size	Extra small	Small	Standard
SWL	139kg	139kg	139kg
Inflated dimensions	L 420mm W 700mm H 90mm	L 460mm W 700mm H 90mm	L 500mm W 700mm H 90mm

- For patients identified as being at risk of developing a DVT
- Ideal for bed-bound patients, or patients undergoing surgery
- Protecting patients at all levels of risk of developing all stages of pressure ulcers
- Repose Smart valve technology for optimum inflation levels
- Deflatable for convenient storage and transport

Repose Sole protector



Code: 66765

SWL	139kg
Overall dimensions	L 860mm H 370mm
Warranty	3 years

- Cost-effective solution as can be cleaned and reused
- Protects the soles of the feet by distributing pressure evenly
- Low Air technology distributes weight evenly and doesn't lose its shape
- Includes unique and easy-to-use pump ensures it is quickly inflated to the correct pressure
- Lightweight and deflates down to a compact size
- For at risk to very high-risk individuals

Askle Santé positioning aids



- Designed for superior in bed and seated positioning support and pressure relief
- Microbeads in self-extinguishable PES, with Vacuum Touch™ that supports stable repartition of microbeads within the cover
- Cross Infection Control (CIC) cover is resistant to odour, bacteria, fungi and dust mites, while Silver (Ag+) ions limit microorganism development. Certified Oeko-Tex class 1 for direct contact with injured skin
- PU-Polycarbonate coating on nylon mesh for greater durability



Askle Santé positioning aid starter kit

The starter kit includes core positioning aids that can be used in a wide range of applications to achieve full-body alignment and provide maximum comfort.

The Askle Santé positioning starter kit provides a complete system to support correct body alignment and redistribute pressure areas.

Includes:

- 1x Universal positioning cushion (small)
- 1x Cylindrical positioning cushion
- 2x Foot positioning cushion
- 2x Hand positioning cushion
- 2x Circular positioning cushion

Code: 4520

Code:
4500

Code:
4501

Code:
4502

Code:
4503



Product name	Knee abductor positioning cushion	Universal positioning cushion: small	Universal positioning cushion: large	Cylindrical positioning cushion
Dimensions	W 350mm L 600mm	W 370mm L 260mm	W 560mm L 400mm	Ø 210mm L 600mm
Product weight	360g	230g	580g	640g

Code:
4504

Code:
4505

Code:
4506

Code:
4507



Product name	Foot positioning cushion	Hand positioning cushion	Hip abduction positioning cushion	Lateral positioning cushion at 30°: narrow
Dimensions	W 390mm L 210mm	W 390mm L 210mm	W 280mm L 350mm	W 540mm L 1850mm
Product weight	230g	230g	430g	2.2kg

Code:
4508

Code:
4509

Code:
4510

Code:
4515



Product name	Lateral positioning cushion at 30°: wide	Half-moon positioning cushion	Circular positioning cushion	Carry bag cushion
Dimensions	W 740mm L 1700mm	W 800mm L 1370mm	W 460mm L 460mm	
Product weight	2kg	1.9kg	500g	

Askle Santé positioning aids



Helps to prevent pressure ulcers in trochanter

Pressure ulcers in trochanter area are infrequent yet dangerous. They occur mainly in users strictly confined to bed in a supine position.

Solution: Lateral positioning cushion at 30°

- Two dimensions available to fit different user sizes
- Integrated pillow for user comfort



Helps to prevent pressure ulcers in trochanter

Pressure ulcers in heel areas are common, especially in bedridden clients. They can also occur in elbow areas. Experts recommend positioning cushions for hands and feet.

Solution: Hand and foot positioning cushions

- Slight incline to encourage venous return
- Non-traumatic edges
- Relieves pressure on Achilles tendon and malleolus
- Pressure relief in elbows



Helps to prevent pressure ulcers in knees and malleolus

Pressure ulcers in knees and malleolus areas are very frequent in clients with muscle and tendons retractions of lower limbs. Experts recommend abduction of lower limbs to relieve pressure in knees, condyles, and malleolus areas as well as in sacrum, ischions and heels.

Solution: Cylindrical and circular positioning cushions

- Lower limbs in abduction
- Relief of pressure applied on condyles and internal malleolus
- No contact between knees



Helps to prevent incorrect postures of hips and knees

Solution: Universal cushions

- Suitable for all care situations (to be used alone or with other positioning cushions)
- Can be used as a pillow in keeping with prevention of cross-infection risks
- Facilitate installation or turning over during care

Askle Santé positioning aids



Helps to prevent incorrect postures of hips and knees

Knee flexion.

Solution: Cylindrical positioning cushion under knees

- Reduces lumbar lordosis
- Relieves facet joint pains

Stable position of hip abduction.

Solution: Hip abduction positioning cushion

- Recommended after hip replacement surgery
- Limits the risk of dislocation following total hip replacement when the user turns over



Helps to prevent incorrect postures of hips and knees

Solution: Universal cushions

- Suitable for all care situations (to be used alone or with other positioning cushions)
- Can be used as a pillow in keeping with prevention of cross-infection risks
- Facilitate installation or turning over during care

Softech® Heel protector



Code: 178

Overall dimensions	W 170mm
	L 260mm
	H 230mm

Care instructions	Machine washable to 70°C and suitable for tumble drying
-------------------	---

- Helps to eliminate friction and reduce shear
- Provides insulation and moderates temperature
- Lowers vulnerability of pressure injuries
- Machine washable to 70°C and suitable for tumble drying
- FDA and CE approved

Winnicare Alova heel support



Code: 1984

Length of leg section	190mm
-----------------------	-------

- Compact
- Single patient use
- Total heel support
- Allow relieving pressure points for areas at risk

Winnicare Alova foot splint



Code: 1983

Overall dimensions	W 220mm	L 510mm	H 250mm
--------------------	---------	---------	---------

- Slight inclination promotes venous return
- Provides complete heel pressure relief
- Orthopaedic alignment of lower limbs
- Alova viscoelastic moulded foam
- Non-slip Promust silicone and PU/PVC
- Lightweight and compact

Posimed Heel protector



Code: 431

Overall dimensions	W 220mm	L 510mm	H 250mm
--------------------	---------	---------	---------

Care instructions	Autoclavable according to RKI guidelines. Easy clean with disinfectant
-------------------	---

- Bi-elastic cover minimises shear forces
- Autoclavable according to RKI guidelines
- Easy clean with disinfectant
- Reduces drop foot prophylaxis
- One size fits all
- Suitable for treatment of diabetic foot ulcers
- Mesh fabric for maximum ventilation

Winnicare Alova Large heel support



Code: 1985

Length	450mm
--------	-------

- Helps in preventing heel pressure ulcers or treatment of existing heel pressure injury



Repose Wedge



Code: 66761

SWL	139kg
Overall dimensions	L 690mm W 450mm H 180mm
Warranty	3 years

- Cost-effective solution as can be cleaned and reused
- Low Air technology distributes weight evenly and doesn't lose its shape
- Designed to relieve pressure on soft tissue areas and provide comfort
- Includes unique and easy-to-use pump ensures it is quickly inflated to the correct pressure
- Lightweight and deflates down to a compact size
- For at risk to very high-risk individuals





Hygiene



Bedside commodes and raised toilet seats	50
Over toilet frames	52
Shower chairs and stools	53
Mobile shower trolleys	56
Shower commodes	57

Viking® Bedside commode



ACCESSORIES

Stainless steel waste bowl


Code: 322

Code: 565

SWL	120kg
Seat height	min. 470mm max. 620mm
Width between arms	460mm
Product weight	8kg

- Multipurpose bedside chair and commode
- Removable seat covers toilet seat when not in use
- Removable back
- Durable padded vinyl upholstery
- Non-slip rubber tips for stability
- Made of powder coated steel for rust protection

Viking® Deluxe bedside commode



Code: 571S

max. user weight	160kg
Dimensions	W 610mm D 540mm
Seat height	min. 450mm max. 600mm
Seat size	W 450mm D 440mm
Width between arms	460mm
Product weight	12.7kg

- Multi-purpose solution that can be used as a chair or bedside commode
- Height adjustable
- Curved padded back, padded seat and arms for comfort
- Comes with removable waste bowl with lid and carry handle
- Seat folds back to use the commode
- Constructed of powder-coated steel for rust protection

Viking® Maxi Deluxe bedside commode




Code: 571M550

Code: 571M650


max. user weight	175kg	225kg
Dimensions	W 610mm D 540mm	W 690mm D 540mm
Seat height	min. 450mm max. 600mm	min. 460mm max. 610mm
Seat size	W 540mm D 440mm	W 640mm D 440mm
Width between arms	550mm	650mm
Product weight	15.3kg	18.3kg

- Multi-purpose solution that can be used as a chair or bedside commode
- Height adjustable
- Curved padded back, padded seat and arms for comfort
- Comes with removable waste bowl with lid and carry handle
- Seat folds back to use the commode
- Constructed of powder-coated steel for rust protection

Etac Hi-Loo raised toilet seat



Code: 5450



Code: 5451

	Code: 5450	Code: 5451
Height	60mm	100mm
SWL	150kg	150kg
Inside aperture	W 200mm L 270mm	W 205mm L 270mm
Product weight	1.9kg	2.3kg

- Secure fit for stability
- Ergonomically shaped for comfort
- Fits common toilet types
- Recesses at the back and front provide good access for hygiene
- Easy to secure and lift off

Derby Raised toilet seat



	Code: 239-2	Code: 239-4
Height	50mm	100mm
SWL	190kg	190kg
Inside aperture	W 215mm L 260mm	W 215mm L 260mm
Product weight	1.1kg	2kg

- Deep splash guard
- Simple to clean due to high gloss finish
- Attached to the toilet using bracket and nut system

Chevron® Toilet surround



Code: 221

SWL	300kg
Dimensions	W 780mm D 610mm H 750mm
Seat height	550mm
Width between arms	650mm

- Freestanding frame placed over toilet
- Made from pre-treated anti-rust steel

Viking® Maxi Extra-wide over toilet frame



Code: 398

SWL	300kg
Dimensions	W 780mm D 610mm H 750mm
Seat height	550mm
Width between arms	650mm

- Extra-wide frame for large users
- Powder-coated, steel frame
- Flip-up seat can be removed for cleaning
- Fixed height
- Supplied with splashguard

Viking® over toilet frame



Code: 390

SWL	150kg
Dimensions	W 560mm D 620mm H min. 710mm H max. 860mm
Seat height	min. 470mm max. 620mm
Width between arms	440mm
Product weight	5kg

- Height adjustable to create a higher seat for the user
- Flip-up seat can be removed for cleaning
- Durable, powder-coated steel frame
- Supplied with splashguard
- Stackable frame

Viking® Wide over toilet frame



Code: 394

SWL	175kg
Dimensions	W 620mm D 610mm H min. 705mm H max. 855mm
Seat height	min. 470mm max. 620mm
Width between arms	500mm
Product weight	5kg

- Extra-wide frame for large users
- Height adjustable to create a higher seat for the user
- Flip-up seat can be removed for cleaning
- Durable, powder-coated steel frame
- Supplied with splashguard
- Stackable frame

Viking® Maxi over toilet frame



Code: 396

Code: 399

SWL	400kg	400kg
Dimensions	W 870mm D 470mm	W 970mm D 560mm
Seat dimensions	W 610mm D 435mm	W 710mm D 435mm
Seat height	min. 410mm max. 560mm	min. 410mm max. 560mm
Width between arms	730mm	760mm
Product weight	8.2kg	8.5kg

- Flip-up seat can be removed for cleaning
- Supplied with splashguard
- Seat height is adjustable
- Extra-wide frame for larger users up to 400kg
- Pre-treated frame for rust protection

Viking® Shower chair with arms



Code: 334

SWL	125kg
Overall dimensions	W 550mm D 590mm
Seat dimensions	W 440mm D 400mm
Seat height	min. 400mm max. 550mm
Width between arms	450mm

- Made from epoxy-coated mild steel
- Drainage slots keep the seat free of water
- Ergonomically angled arms assist transfers
- Electrophoretic surface treatment to prevent rusting
- Non-slip rubber tips
- Height adjustable

Viking® Maxi shower chair



Code: 336M500

SWL	125kg
Dimensions	W 550mm D 590mm
Seat dimensions	W 440mm D 400mm
Seat height	min. 400mm max. 550mm
Width between arms	450mm

- Made from epoxy-coated mild steel
- Drainage slots keep the seat free of water
- Frame height and seat angle are easy to adjust
- Durable non-slip feet provide excellent grip and stability in wet conditions
- Designed for larger users
- Electrophoretic surface treatment to prevent rusting
- Raised armrests support the user sit down and stand up steadily

Viking® Shower stool



Code: 383

SWL	125kg
Seat dimensions	W 350mm D 300mm H min. 490mm H max. 610mm
Product weight	3kg

- Height adjustable seat
- Non-slip plastic seat, easy to clean
- Epoxy coated mild steel frame for rust protection

Viking® Shower stool with arms



Code: 380

SWL	175kg
Seat dimensions	W 350mm D 300mm H min. 490mm H max. 610mm
Product weight	4.1kg

- Height adjustable seat
- Non-slip plastic seat, easy to clean
- Armrests for support
- Epoxy coated mild steel frame for rust protection

Viking® Maxi shower stool



Code: 370A

SWL	175kg
Seat dimensions	W 350mm D 300mm H min. 490mm H max. 610mm
Product weight	4.1kg

- Seamless seat for comfort and infection control
- Arms provide support
- Durable, epoxy-coated mild steel to withstand high usage environments
- Height adjustable seat
- Pre-treated for rust protection

Viking® Maxi plus shower stool



Code: 376

SWL	300kg
Overall dimensions	W 780mm D 610mm H 750mm
Base dimensions	W 780mm D 605mm
Seat dimensions	W 570mm D 440mm
Seat height	610mm
Width between arms	650mm
Armrest height	750mm
Product weight	8.5kg

- Seamless seat for comfort and infection control
- Arms provide support
- Durable, epoxy-coated mild steel to withstand high usage environments
- Pre-treated for rust protection

Viking® Maxi plus bariatric shower stool



Code: 375

Code: 377

SWL	400kg	400kg
Overall dimensions	W 870mm D 470mm H min. 920mm H max. 1100mm	W 970mm D 560mm H min. 920mm H max. 1100mm
Seat dimensions	W 565mm D 435mm H min. 410mm H max. 560mm	W 710mm D 435mm H min. 410mm H max. 560mm
Width between arms	660mm	760mm
Armrest height	210mm from seat	210mm from seat
Product weight	9.2kg	9.5kg

- Durable, epoxy-coated mild steel to withstand high usage environments
- Height adjustable seat
- Pre-treated for rust protection
- Seamless padded seat and arms for comfort infection control

ACCESSORIES

Backrest to suit 375

Code: 5251

W 485mm H 430mm
D min. 470mm D max. 570mm

Backrest to suit 377

Code: 5250

W 585mm H 430mm
D min. 470mm D max. 570mm

Viking® Mobile shower trolley



	Code: Junior 3690	Code: Standard 3700	Code: Maxi 3705
SWL including water	170kg	200kg	245kg
External dimensions	W 700mm L 1740mm	W 770mm L 1970mm	W 900mm L 2020mm
Internal dimensions (Top of rail)	W 600mm L 1710mm	W 710mm L 1900mm	W 800mm L 1880mm
Lying surface height	min. 610mm max. 1000mm	min. 550mm max. 950mm	min. 550mm max. 950mm
Trendelenburg angle	12°	12°	12°
Discharge hose length	1.5m	1.5m	1.5m

- Height adjustable frame with a foot pedal activated, heavy duty hydraulic piston
- Safety side rails are easily raised and lowered with the one hand release mechanism
- Lying surface can be tilted to Trendelenburg and reverse Trendelenburg positions, which also facilitates water drainage and patient handling
- Electro-welded, high-density foam mattress, with central and outer grooves to facilitate water drainage
- Made of non-corrosive epoxy coated steel 4x 125mm swivel castors: 3x braking, 1x track-lock control
- Mattress is covered with fireproof bitex, anti-bacterial, wipe clean fabric

Cobi Rehab XXL Clean commode



	Code: 9542		Code: 9543	
SWL	325kg		325kg	
Overall dimensions	W 690mm H min. 790mm D min. 800mm	max. 940mm max. 1010mm	W 790mm H min. 790mm D min. 800mm	max. 940mm max. 1010mm
Seat dimensions	W 610mm D min. 400mm	max. 520mm	W 710mm D min. 400mm	max. 520mm
Seat height	min. 440mm	max. 590mm	min. 440mm	max. 590mm
Armrest height	250mm		250mm	
Back height	370mm		370mm	
Clearance height	min. 330mm	max. 480mm	min. 330mm	max. 470mm
Product weight	15kg		16kg	

- Seat depth adjustable +/-60mm
- Polyurethane foam padded seat, backrest and armrests
- Easy to clean with a removable seat pad
- Multipurpose – can be used as a bedside commode and a shower chair
- Comes with commode pan
- Height adjustable seat
- Butterfly armrests for easier entry and exit

Cobi Rehab XXL shower commode



	Code: 9540	Code: 9541
SWL	325kg	325kg
Overall dimensions	W 680mm D 1170mm H 1000mm	W 780mm D 1170mm H 1000mm
Seat dimensions	W 610mm D 560mm	W 710mm D 560mm
Seat height	550mm	550mm
Width between arms	700mm	800mm
Armrest height	250mm	250mm
Back height	370mm	370mm
Clearance height	445mm	445mm
Product weight	27kg	30kg

- The extra 70mm between the edge of seat to the armrests and the 50mm high PU
- PU seat allows additional space for the user
- The footrests can take up to 100kg each and are covered with a tough PU
- A wide internal seat to accommodate the user, while the external width still fits through most modern doorways
- Large space between back rest and seat for space to fit a sling around the user
- Armrests extend an additional 70mm beyond at the front of the seat base for support when entering and exiting the commode
- The PU foam of the toilet seat, backrest, armrest and footrest cover is easily cleanable and can be replaced if required

Juvo Viking® Attendant propelled commode sliding footplate – open front



	Code: Standard 2340/2350
SWL	200kg
Overall dimensions	W 540mm D 800mm H 1020mm
Seat dimensions	W 490mm D 490mm
Seat height	595mm
Armrest height	200mm or 240mm
Braking	Individual braking
Castors	4x 125mm
Warranty	Frame: 7 years, Other: 2 years

OPTIONS

Closed front seat

Code: 2340/2351

ACCESSORIES

See page 62

- Swing back front locking armrests to assist in side transfer and patient access
- Two position height adjustable armrests
- Safety arms provide user security and safety
- Stainless Steel 125mm castors (4x braking)
- Sliding footrests
- Durable total stainless steel frame

Juvo Viking® Attendant-propelled shower commode – open front seat



OPTIONS

Closed front seat

Code: 2346/2351

ACCESSORIES

See page 62

Code: Standard 2346/2350

SWL	200kg
Width between arms	480mm
Overall dimensions	W 590mm D 760mm H 1015mm
Seat height	580mm
Seat size	W 460mm D 435mm
Armrest height	200mm or 240mm
Back height	340mm

- Swing-away, removable and height adjustable legrests with flip-up footplates
- Swing back front locking armrests to assist in side transfer and patient access
- Patented tear safe design, no protrusions
- Two position height adjustable armrests
- Urethane padded open front seat
- Stainless Steel 125mm castors (4x braking)

Juvo Viking® Maxi attendant-propelled shower commode



ACCESSORIES

See page 62

Code: Maxi plus 2343/75POM600

SWL	300kg
Width between arms	630mm
Overall dimensions	W 735mm D 820mm H 1015mm
Seat height	575mm
Seat size	W 610mm D 490mm
Armrest height	200mm or 240mm
Back height	340mm

- Patented tear safe design, no protrusions
- Armrests adjustable to two heights
- Durable stainless steel frame
- Swing back armrests assist in side-transfers and access
- Footrest slides out of the way
- Safety arms can swivel 360° so that they can lock in front to provide user security
- Removable, seamless urethane seat
- Easy front access for hygiene
- 4x 125mm stainless steel braking castors
- Open from seat

Juvo Viking® attendant propelled shower commode



ACCESSORIES

See page 62

Code: Maxi plus 2346M600/75POM600

SWL	300kg
Width between arms	630mm
Overall dimensions	W 745mm D 930mm H 1015mm
Seat height	580mm
Seat size	W 610mm D 490mm
Armrest height	200mm or 240mm
Back height	350mm

- Non-woven, open comfort back strap design
- Durable stainless steel frame
- Swing back armrests assist in the side-transfers and access
- Armrests adjustable to two heights
- Swing away, removable and height adjustable legrests with flip-up footplates
- Removable, seamless urethane seat
- 4 x 125mm stainless steel braking castor

Juvo Viking® Self-propelled shower commode – open front



ACCESSORIES

See page 62

Standard 2348/2350

SWL	200kg
Width between arms	490mm
Overall dimensions	W 660mm D 1020mm H 1015mm
Seat size	W 440mm D 440mm
Seat height	580mm
Armrest height	220mm or 240mm
Back height	350mm

- Patented tearsafe design, no protrusions
- Swing away, removable and height adjustable legrests with flip-up footplates
- Two position height adjustable armrests
- Swing back independent armrests to assist in side transfer and patient access
- Four braking stainless steel 125mm castors
- Can be positioned over the toilet
- Safety arms provide user security and safety
- Urethane padded open front seat

Juvo Viking® Attendant-propelled junior shower commode



OPTIONS

Open front seat

Closed front seat

ACCESSORIES

See page 62

	Code: Junior 2346J360	Code: Junior 2346J400
SWL	200kg	200kg
Width between arms	360mm	400mm
Overall dimensions	W 460mm D 850mm H 1020mm	W 460mm D 850mm H 1020mm
Seat height	595mm	595mm
Seat size	W 440mm D 400mm	W 440mm D 400mm
Armrest height	200mm or 240mm	200mm or 240mm
Back height	350mm	350mm

- Easy front access for hygiene 4x 125mm stainless steel braking castors
- Non-woven, open comfort back strap design
- Swing back armrests assist in side transfers and access
- Armrests adjustable to two heights
- Swing away, removable and height adjustable legrests with flip-up footplates
- Patented tear safe design, no protrusions
- Safety arms can swivel 360° so that they can lock in front to provide user security

Etac Clean shower commode



	Code: 2680
SWL	130kg
Overall dimensions	W 500mm D 565mm H 1070mm
Seat height	550mm
Seat size	W 480mm D 440mm
Seat aperture	W 360mm D 215mm
Width between arms	435mm
Toilet bowl clearance	480mm
Product weight	14.5kg

- Comes complete with a pan and pan holder
- Compact overall dimensions, yet offers comfortable and wide seating
- Upright operating handle allows this commode to fit over most toilets, including wall mounted toilets
- Rear-opening seat offers good access for hygiene
- Superior infection control and easy to clean
- Durable, single tube powder-coated steel frame 4x 125mm lockable castors

OPTION



⊖ Padded seat

Code: 2685

Etac Swift-2 shower commode



OPTION



⊖ Padded seat,
rear opening

Code: 2687

Code: 2693

SWL	160kg
Overall dimensions	W 580mm D 1040mm H min. 1000mm max. 1150mm
Seat height	min. 500mm max. 650mm
Seat size	W 500mm D 465mm
Seat aperture	W 300mm D 210mm
Width between arms	Three settings: 420mm, 480mm, 540mm
Toilet bowl clearance	min. 427mm max. 575mm
Product weight	20.4kg

- Tilt bar is easy to reach from either side +5° to -35° tilt function can be operated from either side of the chair
- Seat with rear opening provides ease of access for the carer and comfort for the user
- Etac's unique surface balances friction and cleanliness, non-slip and hygiene
- Adjustable backrest for posture, body shape and maximum comfort, fitted with two fasteners around the pushbars. Soft and quick-drying material
- Height and width adjustable armrests
- Seat is height adjustable without tools
- Ergonomically curved foot supports with protective side covers
- 4x 125mm lockable castors

Juvo Viking® Tilt-in-space shower commode – open front



OPTION

Closed front seat

Code: 2390/2351

Standard 2390/2350

SWL	200kg
Width between arms	490mm
Overall dimensions	W 570mm D 900mm H min. 1465mm max. 1615mm
Seat width	460mm
Seat height	Anterior: min. 510mm max. 575mm Posterior: min. 480mm max. 635mm
Back height	900mm
Toilet bowl clearance	410mm

- Removable seat for easy cleaning
- Multi position 35° tilt
- Urethane arm pads
- Patented tearsafe design, no protrusions
- Assists transportation of the patient for showering and toileting
- Two position height adjustable armrests
- Can be positioned over the toilet
- Gas strut tilt mechanism for smooth and easy tilting
- Swing away, removable and height adjustable legrests with flip up footplates
- Safety arms provide user security and safety
- Swing back independent armrests to assist in side transfer and patient access

ACCESSORIES

See page 62

Juvo Viking® mobile shower commodes accessories



Code: 75PO

Open front padded toilet seat
Fits 2340, 2346



Code: 75PC

Closed front padded toilet seat
Fits 2340, 2346



Code: 75POM600

Open front padded toilet seat for 600mm commodes
Fits 600mm wide Juvo Viking® commodes.



Code: 2359

Pan carrier
Fits Juvo Viking® commodes



Code: 325

Bowl and lid



Code: 211

Bedpan



Code: 75CFST

Calf strap support



Code: 2357

Pan carrier
Fits Juvo Viking® tilt-in-space commode (code: 2390)



Code left: ZZ2346015


Code right: ZZ2346016

Stump support
Fits all Juvo Viking® commodes



Code: 2364

Single leg extension (170mm wide)
Fits all Juvo Viking® commodes



Code left: 2354

Code right: 2355

Elevating leg support
Fits all Juvo Viking® commodes

RAZ® tilt-in-space shower commode



Width between arms	450mm
SWL	181kg
Overall dimensions	W 580mm D 1030mm
Seat width	450mm
Seat height	min. 555mm max. 655mm
Product weight	28kg

- Seat frame tilts 40° for pressure reduction and comfort
- Pressurised springs help lift seat frame to an upright position
- Conveniently located tilt triggers provide smooth tilt control
- Contoured moulded seat
- Removable, adjustable footrests can swing in/out and flip up
- Ischial Pelvic Alignment System IPAS) provides 50mm of fore/aft adjustment so the seat can be aligned with the pelvis

RAZ® heavy duty attendant-propelled shower commode



Width between arms	610mm
SWL	275kg
Overall dimensions	W 670mm D 1100mm
Seat dimensions	W 580mm D min. 480mm D max. 500mm
Seat height	min. 480mm max. 580mm
Clearance height	min. 410mm max. 510mm

- High user weight and wide seat for bariatric users
- Swing away, adjustable footrests, removable for transfers and cleaning
- Can be adjusted to suit leg lengths without tools
- Removable moulded seat, contoured for pressure reduction and pelvic stability
- 150mm front and rear castors

RAZ® shower commodes accessories



Code: 2950

Reclining back kit


- Suits tilt-in-space models
- Provides 30° of dynamic recline
 - Reduces sitting pressure
 - Improves access for bathing



Code: 2933

Waste pan with lid

- Angled grip, anti-splash ridge and angled front



Code left: 2980

Code right: 2981

Arm trough

- Adjustable support and positioning for forearms and hands
- Protects skin integrity



Code left: 2990

Code right: 2992

Lateral support

- 170mm x 110mm
- Padded trunk support
- Adjustable



Code left: 2963

Code right: 2964

Elevating legrest

- For 400mm seats:
- High pivot points help eliminate shear
 - Allow legrest to be elevated without folding up the footplates





Seating



Rehab chairs	66
Rest and relax chairs	68
Care chairs and lift chairs	76
Sofa beds	79

Viking® Support stool with arms



746

746A

	Code: 746	Code: 746A
SWL	120kg	120kg
Overall dimensions	W 573mm D 468mm	W 573mm D 468mm
Seat dimensions	W 330mm D 310mm	W 330mm D 310mm
Seat height	min. 550mm max. 700mm	min. 550mm max. 700mm
Backrest height	390mm	390mm
Width between arms	N/A	475mm
Product weight	2.5kg	6.5kg

- Provides stability and support
- Adjustable seat height and angle to suit an individual
- Padded seat and backrest for comfort

Viking® rehab chair




609S

609M550

	Code: 609S	Code: 609M550	Code: 609M650
SWL	200kg	250kg	250kg
Overall dimensions	W 600mm D 590mm	W 685mm D 615mm	W 785mm D 615mm
Seat width	445mm	550mm	650mm
Seat depth	455mm	455mm	455mm
Seat height	min. 480mm max. 650mm	min. 465mm max. 635mm	min. 465mm max. 635mm
Back height	450mm	450mm	450mm
Width between arms	455mm	560mm	660mm
Product weight	11kg	13.3kg	15kg

- Ergonomically designed curved back
- Height adjustable legs
- Padded seat, back and arms for comfort
- Durable vinyl fabric
- Robust powder-coated frame

Viking® Euro high back rehab chair



	Code: 626S
SWL	200kg
Overall dimensions	W 690mm D 840mm
Seat dimensions	W 500mm D min. 480mm max. 520mm H min. 450mm max. 600mm
Back height	670mm
Width between arms	510mm
Product weight	16kg

- Contoured lower back for additional lumbar support
- Padded seat, back and armrests for comfort
- Lightweight yet durable
- Mobility wheels to easily move the unoccupied chair
- Seat height, depth and angle are adjustable to meet an individual's requirements

Viking® Hilite chair



610S

610M650

	Code: 610S	Code: 610M600	Code: 610M650
SWL	200kg	250kg	250kg
Overall dimensions	W 690mm D 700mm	W 800mm D 700mm	W 850mm D 700mm
Seat width	520mm	520mm	550mm
Seat depth	min. 480mm max. 520mm	min. 480mm max. 580mm	min. 480mm max. 580mm
Seat height	min. 400mm max. 550mm	min. 430mm max. 580mm	min. 430mm max. 580mm
Back height	700mm	700mm	700mm
Width between arms	520mm	600mm	650mm
Product weight	19.5kg	21kg	21.6kg

- Contoured backrest with lumbar and neck support
- Seat height, depth and angle are adjustable to meet an individual's requirements
- Padded seat, backrest and arms for comfort
- Mobility wheels to easily move the unoccupied chair

Viking® Legrest



Code: 60L-SLATE

SWL	200kg
Overall dimensions	W 690mm D 700mm
Seat width	520mm
Seat depth	min. 480mm max. 520mm
Seat height	min. 400mm max. 550mm
Back height	700mm
Width between arms	520mm
Product weight	19.5kg

- Height adjustable to suit the user's requirements
- Positioned at a 10° angle
- Padded for comfort and support

Haelvoet Lima shell chair



COLOUR OPTIONS

● Deep sea blue

Code: 30141

● Graphite grey

Code: 30145

● Olive green

Code: 30144

● Stormy blue

Code: 30146

SWL	135kg
Overall dimensions	W 640mm D 790mm H 1170mm
Seat dimensions	W 540mm D 460mm H 470mm
Armrest height	670mm

- Armrests are rounded and bent forward to make getting in and out of the chair easier
- Rounded seat front to stimulate blood circulation
- Comfortable seat height of 470mm
- Upholstered with fire-retardant foam
- Designed to withstand high use/hospital environments
- Integrated transport wheels in the back legs

Haelvoet Fero® wooden recliner chair



Code: 31032

SWL	135kg
Overall dimensions	W 680mm D 650mm H 1150mm
Seat dimensions	W 535mm D 510mm H 455mm
Armrest height	650mm
Warranty	10 years

- Ergoline mechanism: the backrest, seat and legrest simultaneously tilt into a 'Zero-Gravity' position when reclining
- Thanks to a lever on both sides, it is possible to lock the chair in every position
- The ergonomic front design of the armrests makes it easy to stand up or sit down
- Comfortable seat height of 455mm
- The rounded seat in front stimulates blood circulation
- Upholstered with fire-retardant foam in 3 different density zones
- The chair can be easily moved due to auxiliary wheels on the rear legs

Haelvoet Mauro® Rest chair



Code: 31091

SWL	150kg
Overall dimensions	L 740mm H 1280mm D 780mm
Footrest to seat height	460mm
Seat dimensions	W 530mm D 510mm
Armrest height	min. 500mm max. 705mm
Castors	65mm

- Height adjustable legs, ranging from 460 to 560mm
- Dropdown armrests can be set to four different positions
- Removable for easy cleaning
- Armrests lower to the same level as the seat, supporting rehabilitation and safe transfers
- Rounded seat designed to stimulate blood circulation
- Ergonomic front design with synthetic armrests

Haelvoet Mauro® Ergoline chair with height adjustable legs



Code: 31092

SWL	200kg
Overall dimensions	L 720mm H 1250mm D min. 780mm D max. 1550mm
Seat dimensions	D 510mm W 535mm
Seat height	min. 460mm max. 560mm
Armrest height	min. 500mm max. 705mm
Castors	65mm

- Height adjustable legs, ranging from 460 to 560mm
- Ergonomically shaped backrest
- Reclines simultaneously to a zero-gravity position
- Lock into position using the levers located on either side of chair
- Seat and the backrest ranges from 97° to 120°
- Seat inclines to a 24° angle
- Armrests lower to the same level as the seat, supporting rehabilitation and safe transfers
- Dropdown armrests can be set to four different positions
- Removable seat for easy cleaning

Haelvoet Mauro® Ergoline chair with central braking



Code: 31093

SWL	200kg
Overall dimensions	L 720mm H 1250mm D min. 780mm D max. 1550mm
Footrest to seat height	460mm
Height without footrest	500mm
Seat dimensions	D 510mm W 535mm
Armrest height	min. 500mm max. 705mm
Castors	125mm

- 4x 125mm castors, 2x with direction lock and central braking
- Reclines simultaneously to a zero-gravity position
- Lock into position using the levers located on either side of chair
- Seat and the backrest ranges from 97° (seating position) to 120° (zero-gravity position)
- When the relax mechanism is activated, the seat inclines to a 24° angle
- Ergonomically shaped backrest
- Dropdown armrests can be set to four different positions
- Armrests lower to the same level as the seat, supporting rehabilitation and safe transfers
- Removable seat for easy cleaning

Haelvoet Mauro® Duo-line Relax chair



ACCESSORIES



⊖ **Haelvoet Mauro® chair IV pole**
Suitable for: 31090, 31091, 31092, 31093

Code: 31094

Code: 31090

SWL	150kg
Overall dimensions	L 720mm H 1250mm D min. 780mm D max. 1500mm
Seat dimensions	H 500mm W 535mm D 510mm
Rise angle	7° to 20°
Braking	Rear wheel braking
Castor size	125mm

- Duo-line mechanism allows the backrest and legrest to be adjusted independently
- Ergonomically shaped backrest
- Three different density foam zones, designed to stimulate blood circulation
- Seat and the backrest ranges from 97° to 120°
- Seat inclines to a 24° angle
- Dropdown armrests can be set to four different positions
- Armrests lower to the same level as the seat, supporting rehabilitation and safe transfers
- Removable seat for easy cleaning

Haelvoet Avento® High-Low chair



ACCESSORIES

See page 71

Code: 31041

SWL	150kg
Overall dimensions	W 730mm D 810 – 1570mm H min. 1210mm H max. 1510mm
Seat dimensions	W 535mm D 500mm H min. 490mm H max. 790mm
Armrest height	min. 530mm max. 1035mm
Braking	Individual braking castors
Castor size	100mm

- Designed for exceptional patient support
- Seat angle ranges from 97° (seated position) to 120° (Zero-Gravity position)
- Features a high/low system and a relax mechanism
- Designed to for hospital environments
- In their lowest position the armrests are on the same level as the seat
- The rounded seat front stimulates blood circulation
- Ergonomic push bar at the back

Haelvoet Avento® High-Low chair with central braking



Code: 31040

SWL	200kg
Overall dimensions	W 730mm D 810 – 1570mm H min. 1250mm H max. 1550mm
Seat dimensions	W 535mm D 510mm H min. 530mm H max. 830mm
Armrest height	min. 530mm max. 1035mm
Braking	Central braking

- Seat angle ranges from 97° (seated position) to 120° (Zero-Gravity position)
- The backrest, seat and legrest simultaneously tilt into a zero gravity position
- Features a high/low system
- Height adjustment via 2 hydraulic foot pedals
- In their lowest position the armrests are on the same level as the seat
- The rounded seat front stimulates blood circulation
- Ergonomic push bar at the back

ACCESSORIES



⊖ Removable upholstered armrest

Code: 30160



⊖ Anatomical reduction cushion

Code: 30151



⊖ Extra-wide swivelling armrest – Stormy blue

Code: 31180-1

Haelvoet Avento® E-Move high-low chair



Code: 31044

SWL	150kg
Overall dimensions	L 710mm D min. 810mm D max. 1570mm H min. 1250mm H max. 1550mm
Seat dimensions	W 535mm D 500mm H min. 530mm H max. 830mm
Armrest height	min. 530mm max. 735mm
Braking	Central braking
Castor size	125mm

- Seat height adjustable from 530 to 830mm
- Relax position ensures less pressure points on the body and promotes good circulation
- Design: The mechanism is completely hidden by a design cover cap in synthetic material
- 4 castors with central braking: The chair is extremely manoeuvrable and mobile
- The backrest, seat and legrest simultaneously tilt into a zero gravity position
- The armrests are on the same level as the seat in their lowest position
- When the relax mechanism is activated, the seat inclines to a 24 degree angle

Haelvoet Fero® bariatric chair



Code: 30001

SWL	350kg
Overall dimensions	W 1000mm D 855mm H 1250mm
Seat dimensions	W 790mm D 470mm H 470mm
Braking	Braking castors

- Designed for a range of patient treatment applications and/or visitors
- For rehabilitation and extra comfort, the back rest reclines using hand remote
- Excellent seat foam in three different density zones to guarantee comfort
- The rounded seat in front stimulates a fluent blood circulation
- Dropdown arms for side transfers, correct shoulder support and/or larger patients
- Comfortable seat height of 470mm
- The large 125mm castors with attachable footplate means the chair can also be used to transport patients

ACCESSORIES



⊖ Removable footrest

Code: 30191



⊖ Removable legrests on castors – Dove grey

Code: 30190

Haelvoet Ellia® Bariatric armchair



Code: 30140

SWL	350kg
Overall dimensions	W 780mm D 620mm H 920mm
Seat dimensions	W 700mm D 450mm H 460mm

- Angled armrests offer optimum support for getting in and out of the chair
- Designed specifically for bariatric patients
- High user weight for bariatric users
- Integrated castors on the back legs make it easier to move the chair

Haelvoet Mido® chair




Code: 30142

SWL	135kg
Overall dimensions	W 570mm D 560mm H 820mm
Seat dimensions	W 450mm D 440mm H 470mm

- High-quality chair suitable for a range of hospital applications
- Lightweight steel construction is made to withstand high-use hospital environments
- The armrests angle outwards to offer excellent support while getting up or sitting down
- The chair can be easily stacked
- Upholstered with fire-retardant foam

Haelvoet Domus® Classic Flex chair



COLOUR OPTIONS

● Stormy blue

Code: 31054

● Espresso brown

Code: 31057

● Graphite grey

Code: 31055

SWL	135kg
Overall dimensions	W 620mm D 730mm H 1150mm
Seat dimensions	W 520mm D 510mm H 485mm
Armrest height	640mm

- 3 comfort positions: Seating, reading and relaxing (Zero-Gravity position)
- Intuitive and easy to use – users can simply lie back and allow the chair to adjust to their desired comfort position
- High back for extra stability and support
- Ergonomically designed backrest promotes good posture and keeps users central and upright
- Removeable head/neck cushion offers additional support and comfort
- Contoured comfort armrests
- Optimal height for safe entry/exit
- Removeable seat cushion for cleaning and future replacement
- Slide out footplate reduces the risk of foot entrapment
- Slimline design for narrow doorways and spaces
- Standard Sanitized® fabric treatment provides anti-microbial hygiene protection and is easy clean
- 100mm castors make this easy to move where needed

Custom options available

Custom order options such as wooden armrests, lateral headrest and upholstery colours available, please get in touch.

Haelvoet Domus® Classic soft chair with 100mm castors



Code: 31051

SWL	135kg
Overall dimensions	W 760mm D 790mm H 1150mm
Seat dimensions	W 520mm D 510mm H 550mm
Armrest height	660mm

- Contoured comfort and wide armrests
- 3 comfort positions: seating, reading and relaxing (Zero-Gravity position)
- High back for extra stability and support
- Ergonomically designed backrest promotes good posture and keeps users central and upright
- Optimal height for safe entry/exit
- Ergonomic push handle
- Intuitive and easy to use – users can simply lie back and allow the chair to adjust to their desired comfort position
- Removeable seat for cleaning and future replacement
- Standard Sanitized® fabric treatment provides anti-microbial hygiene protection and is easy clean
- Slimline design for narrow doorways and spaces

Custom options available

Haelvoet Domus® Classic Soft chair



COLOUR OPTIONS

● Stormy blue

Code: 31050

● Brick red

Code: 31052

SWL	135kg
Overall dimensions	W 760mm D 790mm H 1150mm
Seat dimensions	W 520mm D 510mm H 450mm
Armrest height	660mm

- Easy to move with concealed castors
- 3 comfort positions: seating, reading and relaxing (Zero-Gravity position)
- High back for extra stability and support
- Ergonomically designed backrest
- Intuitive and easy to use
- Optimal height for safe entry/exit
- Removeable seat for cleaning and future replacement
- Removeable head/neck cushion offers additional support and comfort
- Standard Sanitized® fabric for anti-microbial hygiene protection and easy cleaning
- Contoured comfort and wide armrests
- Slimline design for narrow spaces

Custom options available

Haelvoet Domus® e-move chair



Code: 31069

SWL	135kg
Overall dimensions	W 620mm D 730mm H 1150mm
Seat dimensions	W 520mm D 510mm H 450mm
Armrest height	630mm

- Built-in handcontroller
- The chair can be adjusted by means of a built-in hand control at the right side of the chair or by means of an intuitive hand set (option)
- Two different density zones guarantee optimal comfort
- Rounded seat in front stimulates a fluent blood circulation
- Equipped with an adjustable and removable head/neck cushion
- The backrest and legrest are individually adjustable
- When the relax mechanism is activated, the seat inclines to a 24° angle
- Removeable cushion for cleaning and future replacement
- Easy to move with 65mm with braking castors
- Standard Sanitized® fabric treatment provides antimicrobial hygiene protection and is easy clean
- Comfortable seat height of 450mm
- Ergonomically designed backrest provides good postural support and comfort
- Two actuators make sure that the backrest, seat and legrest tilt into a Zero-Gravity position
- The angle between the seat and the backrest ranges from 97° seating position to 120° Zero-Gravity position
- When the chair is put in the seat position, the leg rest is turned inwards, allowing users to stand easily

Custom options available

Haelvoet Domus® Classic Soft E-Move chair



Code: 31085

SWL	135kg		
Overall dimensions	W 760mm	D 790mm	H 1150mm
Seat dimensions	W 520mm	D 510mm	H 550mm
Armrest height	660mm		

- Intuitive and easy to use with an electrical hand control
- Two different density zones guarantee optimal comfort
- Rounded seat in front stimulates a fluent blood circulation
- Equipped with an adjustable and removable head/neck cushion
- The backrest and legrest are individually adjustable
- When the relax mechanism is activated, the seat inclines to a 24° angle
- Removeable cushion for cleaning and future replacement
- Easy to move with 100mm with braking castors
- Standard Sanitized® fabric treatment provides antimicrobial hygiene protection and is easy clean
- Ergonomically designed backrest provides good postural support and comfort
- Two actuators make sure that the backrest, seat and legrest tilt into a Zero-Gravity position
- The angle between the seat and the backrest ranges from 97° seating position to 120° Zero-Gravity position
- When the chair is put in the seat position, the leg rest is turned inwards, allowing users to stand easily

La-Z-Boy® Pinnacle mobile recliner



Code: 40140

Code: 40120

	Large	Standard
SWL	135kg	120kg
Overall dimensions	W 930mm D 1050mm H 1250mm	W 830mm D 960mm H 1020mm
Seat width	500mm	500mm
Seat depth	580mm	520mm
Seat height	550mm	470mm
Armrest height	690mm	600mm

- Mobile base for easy transport, complete with central braking and track lock
- Convenient handle on the outside arm enables a user to raise the legrest
- Smooth, graceful rocking motion which can also be locked
- Back and legrest work together or independently
- Elevates the feet in any seating position not just in recline
- Full recline position stimulates blood circulation
- Stain resistant: Innovative technology surrounds each fibre, repelling spills before they turn into stains
- Easy to clean: For most spills, simply blot with a paper towel or use mild soap and water on tougher spills
- Soft to touch: Luxurious feel and exceptional comfort

La-Z-Boy® Pinnacle platinum powerlift recliner



Code: 40060

SWL	160kg
Overall dimensions	W 830mm D 990mm H 1040mm
Seat width	510mm
Seat depth	530mm
Seat height	560mm
Product weight	66.7kg

- Twin motor designed for lift and recline functions
- When fully reclined the user reaches zero-gravity position
- Back and legrest work together or independently
- Each chair function operates independently to achieve the best position for the resident
- Elevates the feet in any seating position not just in recline
- Easy-to-use wired controller and side storage pocket
- Full recline position stimulates blood circulation
- Safe working load of 160kg


Viking® Air comfort chair



	Code: 3101	Code: 3102	Code: 3103
Chair size	Small	Medium	Large
SWL	140kg	140kg	140kg
Overall dimensions	W 750mm H 1060mm	W 750mm H 1060mm	W 820mm H 1060mm
Back height	680mm	740mm	800mm
Seat dimensions	W 480mm D 440mm	W 500mm D 510mm	W 600mm D 510mm
Seat height	H 520mm	H 520mm	H 520mm
Product weight	65kg	65kg	65kg

- Electric chair lift and recline functionally provides superior positioning and aids entry/exit to the chair
- Air comfort cushion seating system for optimal pressure relief
- Removable seat and back cushions for cleaning
- Easy to move front wheels and rear castors
- Made with waterproof Carrflex extreme fabric that offers multi-directional elasticity
- Washable up to 90°C and sanitised. Resistant to harsh cleaners and disinfectants
- Battery back-up

Viking® Air comfort chair bed



	Code: 3110	Code: 3108
SWL	180kg	180kg
Overall dimensions	W 680mm L 1130mm H 1260mm	W 670mm L 1000mm H 1130mm
Seat width	470mm	430mm
Seat height	570mm	570mm
Product weight	45kg	40kg

- Total surface air pressure system with no gaps in seating surface. Proven pressure relief for long-term seating
- Detachable and adjustable headrest
- Gas assisted tilt of backrest, seat and leg rests
- Adjustable seat (tilt in space)
- Adjustable back from seated to full recline sleep position
- Durable powder-coated metal frame
- Adjustable wings and drop-down arms which can be locked in multiple positions for easy side transfers
- Adjustable leg support with optional foot rest
- Easy to clean, repair and maintain
- Replaceable cover
- Easy for carers to operate and manoeuvre with 3x locking castors, 1x directional

OPTION



🕒 Viking® Air comfort deluxe footrest

Code: 3131

Cobi Rehab XXL chair



	Code: 9544	Code: 9545
SWL	325kg	325kg
Overall dimensions	W 690mm D min. 800mm D max. 1010mm H min. 790mm H max. 940mm	W 790mm D min. 800mm D max. 1010mm H min. 790mm H max. 940mm
Seat dimensions	W 610mm D min. 400mm D max. 520mm	W 710mm D min. 400mm D max. 520mm
Seat height	min. 440mm max. 590mm	min. 440mm max. 590mm
Width inside arms	635mm	735mm
Arm height	230mm	230mm
Back height	370mm	370mm
Product weight	16.6kg	16.6kg

- Height adjustable seat
- Butterfly armrests angle outwards for easier entry and exit
- Seat depth adjustable +/-60mm
- Long armrests protrude forward beyond the front of the seat for support
- Polyurethane foam padded seat, backrest and armrests
- Easy to clean with a removable seat pad

Viking® Monarch power lift dual motor chair



	Code: 6510VBL-2
SWL	130kg
Width	W 820mm
Seat dimensions	W 550mm D 460mm
Seat height	500mm
Back height	680mm

- Electric power lift and recline armchair
- A fully-padded chaise and legrest provides optimal support and comfort
- The padded legrest is independent from the backrest
- Seamed backrest provides additional lumbar support
- For safety, the rise and recline motion stops at any point when button is released
- Hand held controller is simple to use
- Features a magazine pocket

Haelvoet Domus® sofa bed



	Code: 31066	Code: 30070
Size	Small	Medium
SWL	135kg	135kg
Overall dimensions	W 900mm	W 1000mm
	D 790mm	D 790mm
	H 800mm	H 800mm
Folded out length	2340mm	2340mm
Seat depth	500mm	500mm
Seat height	450mm	450mm
Mattress dimensions	W 700mm	W 800mm
	L 1980mm	L 1980mm
Mattress thickness	80mm	80mm
Bed height	460mm	460mm

- Folding and unfolding the bed is quick and easy for anyone to do in three simple movements
- Backrest cushion is fixed while the seat cushion is removed when converting the sofa into a bed
- Comes ready to use with mattress and mattress cover
- Easy to move with dual wheel castors
- Standard Sanitized® fabric treatment provides antimicrobial hygiene protection. It's also waterproof and easy to clean
- Removable fire-retardant mattress cover with polyurethane coating






Lifting, transferring and standing equipment



Overhead lifting solutions	82
Sit-to-stand hoists	86
Full body hoists	88
Transfer aids	91
Full body slings	92
Stretcher slings	101
Transfer boards	102
Repositioning aids	103

Efficient and effective overhead lifting solutions



Our in-built overhead lifting solutions are the most effective and safe way to lift and move an individual. Mounting all the lifting equipment at ceiling height frees up floor space and makes it much easier to get around.

Everything you need to carry out a lift or a move is always close to hand. Our solutions are designed for heavy lifting with capacities of 175kg – 500kg. They are effortless to operate and provide exceptional freedom of movement. In addition to reducing the strain on carers and minimising the risk of moving and handling injuries, these solutions make it possible for a single carer to complete a range of safe and secure transfers without assistance.

Benefits at a glance

Speed More time for care	Safety Simple, intuitive operation; emergency functions
Efficiency Always ready for use	Ergonomic Supports good posture and provides space and freedom to move
Comfort Runs effortlessly, is quiet and gentle	


Key design considerations

Needs assessment <ul style="list-style-type: none">• How many lifts?• Moving and handling procedures	Equipment solutions <ul style="list-style-type: none">• What equipment and accessories will work best with your system?
Room design <ul style="list-style-type: none">• What rail system would work best?• How will it look?• Architectural considerations	Training and support <ul style="list-style-type: none">• Best practice training• Ongoing servicing




Maximising your room space


Single rail system




XY system with door connector and junction turntable



XY system



XY systems with door connector



Get in touch

We will work with you to define your needs and deliver a complete solution that will help your client to achieve the specific outcomes they're looking for. A robust overhead lifting design is an integral part of a complete range of lifting equipment that includes rails, lifting modules, slings and lifting accessories – all designed to fit together.

Our equipment can be combined in many different ways, making it possible to accommodate just about any requirement in any building. Whether it's being retrofitted in the client's home or included in plans for a new build, our solutions can be configured to comply with the specific needs of your client and environment.

Etac® Molift Quattro gantry



Code: 66547

SWL	300kg
Overall dimensions	W 3160mm D 3160mm H 2330mm
Internal dimensions	W 3000mm D 3000mm
Internal height without feet	2190mm
Product weight	110.95kg
Warranty	2 years
Material	Steel


- Molift Quattro is a gantry system which has supreme stability and provides access in all lifting situations
- Designed to be installed in a short time by one or (preferably) 2 persons
- The hoist motor can easily be charged through the hand control or through the in-rail charging option
- The traverse has a lightweight aluminum frame and four steel posts that provides excellent stability
- Operate together with the Molift Air or Molift Nomad hoist motor and a sling (ordered separately)

Etac® Molift Air 300 overhead lifter



Code: 66828

SWL	300kg
Overall dimensions	W 190mm L 360mm
Battery charge time	6 hours
Rated performance	50 hoists at 75kg
Hoist interval	3000mm
Battery	26.4 V NiMh 2.2 Ah
Product weight	8.56kg
Material	Aluminium, plastic



OPTIONS



- ⌚ **Etac Molift Air 4-point spreader bar**
Molift 4pt Spreader Bar 450mm for Molift Air

Code: 66832

- Service and maintenance are easy due to the innovative quick release function
- With its standard 3 metre lifting strap Molift Air has one of the largest standard hoisting intervals on the market
- Combined with Molift Rail System and Molift slings, Molift Air solves most day-to-day hoisting situations in health care and other moving and handling environments
- Molift Air works very quietly and has a soft start and stop operation
- Easy to handle during installation and servicing, due to a very low weight and the clever quick release function. With a simple grip, the motor is disconnected from its trolley and removed

Ergolet® Mobile flex transfer system



	Code: 2m to 3m wide 10200	Code: 3m to 4m wide 10201
SWL	275kg	275kg
Width	min. 2160mm max. 3160mm	min. 3160mm max. 4160mm
Height	min. 1890mm max. 2540mm	min. 1890mm max. 2540mm
Depth	1150mm	1150mm

- Telescopic width adjustment
- Mounted on compact, wheeled base
- Easy assembly and adjustment
- Easy height adjustment with gas spring
- Utilises full functionality of the Luna portable lifting unit


Ergolet® Luna fixed lifter



	Code: 10001	Code: 10003
SWL	200kg	275kg
Overall dimensions	W 320mm H 130mm	W 320mm H 130mm
Lifting height	1950mm	1950mm
Warranty	5 years	5 years

- Class leading design and functionality
- IPx4 protection class. Tolerates splashing
- Fixed lifter. Also available in a portable version
- Patented Ergolet hooks on spreader bar, simple and safe to use, with a range to suit standard, paediatric and bariatric needs
- Clean and simple state-of-the-art-design
- Easy charging via hand control

ACCESSORIES



(A) Ergolet®
spreader bar

(B) Ergolet® strap

(C) Ergolet®
charger

(D) Ergolet®
handcontroller

Code: 10041

Code: 10033

Code: 10035

Code: 10021

Etac® Molift Quick Raiser 2 sit-to-stand hoist



Code: 66821/ 66832

SWL	160kg
Lifting method	Electric
Lifting height	min. 990mm max. 1730mm
Turning radius	1450mm
Base spread method	Electric
Emergency lowering	Manual
Overall dimensions	L 1265mm H 1280mm
Base dimensions	L 1150mm H 100mm
Width inside base	min. 245mm max. 1105mm
Width outside base	min. 360mm max. 1200mm
Product weight	37.5kg

OPTIONS



- ⊖ **V-shape arms**
Easy to use and fits most users

Code: 66832



- ⊖ **U-shape arms**
Has more space between the attachment points

Code: 66821

- Sit-to-stand hoist with electrically adjustable leg base
- Compact design, stable and easy to use
- Ideal for users with some weight-bearing capacity
- Unique wheel position and near perfect weight distribution of the base provides a small turning radius with easy manoeuvrability, even in narrow spaces
- Imitates natural pattern of movement
- Knee pads that are height adjustable and can be rotated for a better fit and to give more support to the legs
- Low base, 100mm fits under most beds and chairs while the electrically adjustable legs enable accessibility almost everywhere

ACCESSORIES



- ⊖ **Adjustable footboard**
Adjustable height foot base, ideal for shorter users or children. SWL: 75kg

Etac® Molift Quick Raiser 205 sit-to-stand hoist




Code: 66507

SWL	205kg
Lifting method	Electric
Lifting height	min. 615mm max. 1652mm
Knee support adjustment	min. 390mm max. 500mm
Turning radius	970mm
Base spread method	Electric
Emergency lowering	Manual
Overall length	1297mm
Base dimensions	L 950mm H 120mm
Width inside base	min. 540mm max. 940mm
Width outside base	min. 665mm max. 1065mm
Product weight	44kg



- Ideal for users who can stand and weight bear, yet require more assistance
- Active 4-point lifting arm provides extra support
- Mimics the natural pattern of sit to stand
- Electrically adjustable legs enables accessibility around toilets, lift-out chairs and wheelchairs
- The unique wheel position, angled push bar and excellent weight distribution provide a small turning radius and easy manoeuvrability, even in narrow spaces
- 75mm leg height fits under most beds and chairs

Etac® RgoSling active sling



	Code: 66622	Code: 66623	Code: 66624	Code: 66625	Code: 66626
Belt size	Extra small	Small	Medium	Large	Extra large
Waist circumference	550mm – 600mm	600mm – 750mm	750mm – 1000mm	1000mm – 1500mm	1500mm – 1750mm

- Designed for active transfers with Molift QuickRaiser 205,
- Provides lumbar support and is the ideal sling solution for hoisting and moving between different sitting positions
- Anti-slip lining
- Wide back-support distributes weight and pressure evenly
- The sliding loops self adjust to the size of the user and provide additional grip and support around the hips when standing
- Machine washable up to 85°
- Suits Etac sit-to-stand hoists

Etac® RgoSling StandUp sling



	Code: 66627	Code: 66628	Code: 66629	Code: 66630	Code: 66631
Belt size	Extra small	Small	Medium	Large	Extra large
Waist circumference	550mm – 600mm	600mm – 750mm	750mm – 1000mm	1000mm – 1500mm	1500mm – 1750mm

- Designed for active hoisting with Molift Quick Raiser 2
- Provides lumbar support and is the ideal sling solution for hoisting and moving between different sitting positions
- Quickly and easily placed around the user
- Anti-slip lining
- Wide back-support distributes weight and pressure evenly over a large surface, for comfort
- Suitable for toileting
- Machine washable up to 85°
- Suits Etac sit-to-stand hoists

Etac® Molift Smart 150 mobile hoist



ACCESSORIES

Travel suitcase Travel bag

Code: 66510

Code: 66509

For our full range of slings

See pages 92 – 99

Code: 66508

SWL	150kg
Lifting method	Electric
Lift from floor	Yes
Lifting height	min. 210mm max. 1665mm
Turning radius	1300mm
Base spread method	Manual
Emergency lowering	Manual/electric
Overall dimensions	L 1200mm H 1315mm
Base dimensions	L 1180mm H 105mm
Width inside base	min. 545mm max. 925mm
Width outside base	min. 660mm max. 1030mm
Product weight	25.8kg

- Lightweight foldable portable full body hoist
- Lifts from floor
- 4-point suspension means sling is more open to reduce pressure and patient has no barriers to visual communication with carer
- Unique push bar provides the best possible natural grip and many grip possibilities
- Folds without tools and is very compact for storage when not in use

Ergolet® Solar 185 mobile hoist



ACCESSORIES

Weigh scale

Code: 6398

Ergolet® Spreader bar – 360mm

Code: 10045

Ergolet® Spreader bar – 580mm

Code: 10043

For our full range of slings

See pages 92 – 99

Code: 6430-2

SWL	185kg
Lifting method	Electric
Lift from floor	Yes
Lifting height	min. 510mm max. 1810mm
Turning radius	1430mm
Base spread method	Electric
Emergency lowering	Manual/electric
Overall dimensions	L 1330mm H 1290mm
Base dimensions	L 1105mm H 116mm
Width inside base	min. 550mm max. 905mm
Width outside base	min. 680mm max. 1030mm
Product weight	47.6kg

- Easy to manoeuvre, with ergonomic hand grip design and smooth rolling wheels
- Compact and stable base can accommodate narrow 700mm doors
- Curved legs give a wide spread to access large chairs
- Patented Ergolet spreader bar hooks ensure simple and safe use
- Smooth surface making it easier to clean and for infection control
- The design and shape of the lifting arm provides the user with more space
- Castors: 2x 75mm at front, 2x 100mm braking at rear
- Meets ISO standard 10535
- Emergency stop function located on top for easy access and to avoid unintended activation
- LED indication on control box
- Easily accessible handle on top of battery for easy removal
- Electrical leg adjustment
- Up/down buttons easy to activate on both the front panel and hand control

Oxford Presence mobile hoist



Code: 6530

SWL	225kg
Lifting method	Electric
Lift from floor	Yes
Lifting height	min. 430mm max. 1460mm
Turning radius	1630mm
Base spread method	Electric
Emergency lowering	Manual/electric
Overall dimensions	W 670mm L 1400mm H 1460mm
Base dimensions	L 1350mm H 120mm
Width inside base	min. 550mm max. 1020mm
Width outside base	min. 670mm max. 1150mm
Product weight	40kg

ACCESSORIES



- ⌚ **6-point spreader bar with uniscale to suit Presence**
Class III certified providing highly accurate measurements

Code: 6540

For our range of bariatric slings available
See pages 95 – 99

- Smart™ monitor diagnostic and service controls
- Powered base spread for excellent access around furniture
- Twin pivoted front castors offer good manoeuvrability
- Lifts from floor
- 6-point cradle provides improved comfort for larger clients
- Tested to AS/NZ ISO 1 0535, the global standard for patient hoists
- Castors: 2x 100mm twin at front, 2x 100mm braking at back

Etac® Molift Partner 255 mobile hoist



Code: 66523

SWL	255kg
Lifting method	Electric
Lift from floor	Yes
Lifting height	min. 210mm max. 1665mm
Turning radius	1300mm
Base spread method	Electric
Emergency lowering	Manual/electric
Overall dimensions	L 1200mm H 1315mm
Base dimensions	L 1180mm H 105mm
Width inside base	min. 545mm max. 925mm
Width outside base	min. 660mm max. 1030mm
Product weight	25.8kg

ACCESSORIES



- ⌚ **4-point spreader bar**

450mm: 66524

550mm: 66525

650mm: 66527

OPTIONS

Extra low base
Support arms

- Ideal for complex situations in acute and critical care areas
- Excellent hoisting range of 370mm – 1790mm allows easy hoisting from the floor as well as high surfaces
- Straight vertical column with a fixed sling bar provides excellent stability and maintains the user at a good distance from the column
- 4-point sling bar ensures a comfortable and spacious hoisting position
- With a total weight of 42.5kg this is one of the lightest in its category
- Excellent construction design and wheels make it very easy to manoeuvre
- Safe working load of 255kg
- Equipped with environmentally friendly NiMH-battery

Etac® Molift Mover 300 mobile hoist



Code: 66516

SWL	300kg
Lifting method	Electric
Lift from floor	Yes
Lifting height	min. 375mm max. 1775mm
Turning radius	1400mm
Base spread method	Electric
Emergency lowering	Manual/electric
Overall dimensions	L 1285mm H 1395mm
Base dimensions	L 1250mm H 115mm
Width inside base	min. 550mm max. 1065mm
Width outside base	min. 690mm max. 1205mm
Product weight	39.3kg

OPTIONS



⌂ Extra low base



⌂ Support arms

ACCESSORIES

⌂ 4-point spreader bar
with inbuilt weight scale

⌂ Stretcher scale

For our full range of slings
See pages 92 – 99

- High hoisting capacity of 300kg
- Ideal solution for hospitals and care facilities with bariatric clients who have frequent and everyday moving and handling needs
- Lightest hoist in its category
- Provides good free hoisting space and possibility for gait training
- Unique construction and wheel positioning provides excellent manoeuvrability
- Hoists easily from the floor, reaching down to 370mm at the lowest. Excellent maximum hoisting height at 1770mm
- The hoist is equipped with an environmentally friendly NiMH-battery
- Comes with a 4-point sling bar. Can be interchanged with another easily without tools

Koval Transfer aid



Code: 3594

SWL	150kg
Overall dimensions	L 910mm H 1060mm
Seat height from floor	620mm
Knee pad height from base	560mm
Base width	Open: 915mm Closed: 570mm
Width inside base	min. 450mm max. 830mm
Product weight	33kg

- Easy to grip crossbar
- Comfortable padded split seats
- Knee support provides extra stability and support
- Compact design great for indoor use
- Hand-operated, with adjustable base
- Pivoting seat makes it easier for a person to get into
- Rear locking castors for security

Etac® Molift Raiser Pro transfer aid



Code: 66553

SWL	170kg
Knee pad height (Top of pad)	min. 300mm max. 510mm
Overall dimensions	W 540mm L 630mm H 1200mm
Foot plate height	57mm
Product weight	14.2kg

- Two soft padded leg supports can be height adjusted
- Designed and manufactured in Norway
- Low step with non-slip surface for ease of use
- The front of the platform is curved to fit closer to the toilet
- On the handlebar there are two attachment point for assisting accessories
- Central brake mechanism is activated by one foot on either side
- Made from steel, plastic alloy
- Sit-to-stand and small distance transfer aid
- Ideal for users who have the ability to stand and weight bear
- Good for use in confined spaces and for short transfers, such as between beds, wheelchairs/shower chairs and in toilets
- Stable and easy to manoeuvre
- Multiple grips for both the user and carer
- 2 year warranty

OPTIONS



Raiser strap

Small/medium: 66554


Large/extra large: 66555



Raiser strap with sliding sleeve

Small/medium: 66557

Large/extra large: 66558



Raiser belt

Small/medium: 66559

Large/extra large: 66560



Raiser Pro block

Code: 66863



Raiser Pro heel strap

Code: 66864

Silvalea Fastfit mesh padded leg sling




	Code: 6457S	Code: 6451S	Code: 6452S
Size	Extra small	Small	Medium
Shoulder circumference	760mm – 860mm	860mm – 960mm	960mm – 1080mm
Top of head to base of spine	600mm – 660mm	660mm – 740mm	740mm – 800mm

	Code: 6453S	Code: 6454S	Code: 6455S
Size	Large	Extra large	Extra extra large
Shoulder circumference	1080mm – 1300mm	1300mm – 1440mm	1440mm – 1600mm
Top of head to base of spine	800mm – 880mm	880mm – 1000mm	960mm – 1040mm

- Full body general client transfers, suitable for a range of scenarios
- Attachment type: loops
- Divided leg which can be used in a hammock position
- High density open weave mesh fabric is durable and fast drying. Suitable for bathing
- Leg sections have additional padding for greater comfort
- Good back and leg support
- Machine washable up to 85°

Silvalea Universal deluxe sling with head support



	Code: 6549S	Code: 6550S	Code: 6551S
Size	Extra small	Small	Medium
Shoulder circumference	760mm – 860mm	860mm – 960mm	960mm – 1080mm
Top of head to base of spine	600mm – 660mm	660mm – 740mm	740mm – 800mm

	Code: 6453S	Code: 6454S
Size	Large	Extra large
Shoulder circumference	1080mm – 1300mm	1300mm – 1440mm
Top of head to base of spine	800mm – 880mm	880mm – 1000mm

- Suitable for active users and those with asymmetrical body shapes
- High density open weave mesh fabric is durable and fast drying. Suitable for bathing
- Shaped leg sections provide more support to hip and thigh
- Full body sling
- Attachment type: loops
- Some access for personal hygiene
- Machine washable up to 85°

Silvalea High easy sling with clips



	Code: 6248S	Code: 6242S	Code: 6243S
Size	Extra small	Small	Medium
Shoulder circumference	660mm – 760mm	760mm – 860mm	860mm – 960mm
Top of head to base of spine	620mm – 690mm	660mm – 770mm	770mm – 850mm

	Code: 6244S	Code: 6245S
Size	Large	Extra large
Shoulder circumference	960mm – 1080mm	1080mm – 1300mm
Top of head to base of spine	850mm – 920mm	920mm – 980mm

- Attachment type: clips
- Supports full body transfers in a slightly reclined position
- Features universal D-anserclip® for greater hoist compatibility
- Suits pivot frames
- Made of quilted polyester
- Easy to apply
- Comfortable and supportive, with additional padding on the leg sections
- Machine washable up to 85°

Silvalea Toileting mesh sling



	Code: 6468S	Code: 6469S	Code: 6470S	Code: 6471S
Size	Extra extra small	Extra small	Small	Medium
Shoulder circumference	590mm – 770mm	770mm – 870mm	870mm – 1070mm	970mm – 1170mm
Armpit to waist	200mm (or more)	220mm (or more)	250mm (or more)	270mm (or more)

	Code: 6472S	Code: 6473S	Code: 6474S
Size	Large	Extra large	Extra extra large
Shoulder circumference	1120mm – 1320mm	1250mm – 1450mm	1380mm – 1580mm
Armpit to waist	280mm (or more)	300mm (or more)	340mm (or more)

- Attachment type: loops
- Used for dressing and toileting
- Ideal for users with good upper body control
- High density open weave mesh is durable and quick drying. Suitable for bathing
- Fully padded throughout for maximum comfort
- Features padded under arm rolls
- Machine washable up to 85°

Silvalea Plus In-situ recline sling



Code: 6607S

Code: 6608S

Size	Medium	Large
Chest circumference	960mm – 1080mm	1080mm – 1300mm
C7 to back of knee	1040mm – 1160mm	1160mm – 1280mm

- Non-slip panel
- Waist support with clunk-click buckle for extra safety
- Made from quilted polyester
- Fully padded
- Extra long back with rigid bones for added support
- Machine washable up to 71°

Silvalea Stretcher sling



Size	Extra small	Small	Medium	Large	Extra large
Shoulder circumference	550mm – 700mm	700mm – 900mm	900mm – 1100mm	1100mm – 1300mm	1300mm – 1500mm
Full height	800mm – 1000mm	1000mm – 1200mm	1200mm – 1600mm	1600mm – 1900mm	1700mm – 2000mm
Top of head to base of spine	400mm – 500mm	500mm – 600mm	600mm – 750mm	750mm – 900mm	850mm – 1000mm

- One piece full body supportive stretcher sling for when a supine position is required for transfer. Ideal for orthopaedic departments
- Removable plastic boarding so a stretcher frame isn't needed – stabilises the torso, legs and feet
- Boards can be removed for washing
- Comes with removable soft neck roll and waist support, fully adjustable for positioning of the user
- Made with durable, breathable mesh that is fast drying and suitable for bathing
- Attachment type: loops
- Machine washable up to 85°

Silvalea In-Situ Repositioning Sheet




Code: 6619S

SWL	454kg
Overall dimensions	W 1320mm D 2470mm
Attachment type	Loops

- Ergonomic design and construction: great for repositioning and lateral transfers while providing superior pressure management
- Reinforced tapes making it suitable for those with skin integrity issues
- In-situ fabric: can be used as part of the bed makeup when used with a draw sheet
- Machine washable up to 85°

Silvalea Birthing pool evacuation sling




- Emergency transfer sling specifically for birthing pools
- Designed to quickly evacuate a user from the pool should an emergency situation arise
- Secure and safe
- Made with high density open weave mesh, that is durable and quick drying
- Attachment type: colour coded grab handles
- Machine washable up to 85°

Etac® Molift RgoSling medium-back bariatric sling



	Code: 66861	Code: 66862
Size	Large	Extra large
Overall dimensions (See diagram below)	A 650mm B 910mm	A 680mm B 1070mm
Recommended user weight	160kg – 350kg	300kg – 500kg



- Provides full body support
- Designed for users weighing over 160kg
- Split leg opening and six straps with fixed loops at four heights
- Padded comfortable leg-support with dual straps
- Colour-coded hoisting loops helps to find an individual fit
- Machine washable up to 85°

Etac® Molift EvoSling net/padded low-back sling



Padded Code	66679	66680	66681	66682	66683	66684
Net Code	66691	66692	66693	66694	66695	66696
Size	Extra small	Small	Medium	Large	Extra large	Extra extra large
Recommended user weight	17kg – 25kg	25kg – 50kg	45kg – 95kg	90kg – 165kg	160kg – 240kg	230kg – 300kg

- Provides a comfortable sitting position and users can place their arms inside or outside the sling
- The polyester net sling has a red seam in the middle of the back to help ensure that it is positioned symmetrically
- A pocket in the lower back and pockets on the leg supports facilitate application of the sling
- Provides shoulder-height support for active users with good core stability
- Machine washable up to 85°

Etac® Molift RgoSling net/padded high-back sling



Padded Code	66568	66569	66570	66571	66572
Net Code	66582	66583	66584	66585	66586
Size	Extra extra small	Extra small	Small	Medium	Large
Recommended user weight	12kg – 17kg	17kg – 25kg	25kg – 50kg	45kg – 95kg	90kg – 165kg
Padded Code	66573		66574		
Net Code	66587		66588		
Size	Extra large		Extra extra large		
Recommended user weight	Padded 350kg Net 160kg – 240kg		Padded 350kg Net 230kg – 300kg		

- It is especially suitable for hoisting to and from a lying position and hoisting from the floor
- Provides good support for the body and head
- Machine washable up to 85°
- Allows users to have a slightly inclined position which is suitable for users with impaired trunk and head stability
- All-round slings that fits most users and hoisting situations

Etac® Molift RgoSling padded medium-back sling



Padded Code	66561	66562	66563	66564	66565
Net Code	66575	66576	66577	66578	66579
Size	Extra extra small	Extra small	Small	Medium	Large
Recommended user weight	12kg – 17kg	17kg – 25kg	25kg – 50kg	45kg – 95kg	90kg – 165kg
Padded Code	66566		66567		
Net Code	66580		66581		
Size	Extra large		Extra extra large		
Recommended user weight	Padded 350kg Net 160kg – 240kg		Padded 350kg Net 230kg – 300kg		

- Provides support for the body and is suitable for those with head control
- All-round sling that fits most users and hoisting situations
- Machine washable up to 85°
- Features sliding loops, application pocket in the back and legrests and straps for increased weight distribution in the legs

Etac® Molift RgoSling high-back toilet sling



	Code: 66596	Code: 66597	Code: 66598	Code: 66599	Code: 66600	Code: 66601	Code: 66602
Size	Extra extra small	Extra small	Small	Medium	Large	Extra large	Extra extra large
Recommended user weight	17kg – 25kg	17kg – 25kg	25kg – 50kg	45kg – 95kg	90kg – 165kg	160kg – 240kg	230kg – 300kg

- Features alternative loops on both the shoulder and leg straps in order to adjust the sitting angle according to the user's needs, including an upright sitting position
- Has belt-buckles that can be adjusted along it's length in order to get weight and pressure in optimal position whilst maintaining good stability and safety
- Machine washable up to 85°
- Provides an exceptional trunk support and is secured by double belt-buckles
- The sling provides exceptional support in the sitting position
- Flexible leg supports facilitate individual fitting and can be positioned in different ways to accommodate the user's functions and needs
- A flexible sling with optimal functions for toilet situations


Etac® Molift RgoSling low-back toilet sling



	Code: 66589	Code: 66590	Code: 66591	Code: 66592	Code: 66593	Code: 66594	Code: 66595
Size	Extra extra small	Extra small	Small	Medium	Large	Extra large	Extra extra large
Recommended user weight	17kg – 25kg	17kg – 25kg	25kg – 50kg	45kg – 95kg	90kg – 165kg	160kg – 240kg	230kg – 300kg

- A flexible sling with optimal functions for toilet situations
- Belt can be lengthened to balance weight and pressure while maintaining good stability
- Flexible leg supports facilitate fitting and can be positioned in different ways to suit the user's needs
- Provides an exceptional trunk support and is secured by double belt-buckles. Exceptional support in the sitting position
- Alternative loops on both the shoulder and leg straps to adjust the sitting angle, including an upright sitting position
- Machine washable up to 85°

Etac® Molift RgoSling amputee high-back sling



	Code: 66610	Code: 66611	Code: 66612	Code: 66613	Code: 66614	Code: 66615	Code: 66616
Size	Extra extra small	Extra small	Small	Medium	Large	Extra large	Extra extra large
Recommended user weight	17kg – 25kg	17kg – 25kg	25kg – 50kg	45kg – 95kg	90kg – 165kg	160kg – 240kg	230kg – 300kg

- The sling can be used for hoisting to and from horizontal and sitting positions
- Narrow opening for increased safety
- Divided legs with extra length for application under both legs
- Provides additional support necessary for hoisting and transferring users with impaired muscle tone or amputated limbs
- Machine washable up to 85°
- Extra safety with the built-in waist belt
- HighBack provides additional support for users with reduced trunk tone and head stability
- Additional straps to avoid the legs from sliding out of position, and therefore helping the confidence of the individual
- Features an anatomical cut and padding that provides exceptional support through the entire hoist and transfer situation

Etac® Molift RgoSling amputee medium-back sling



	Code: 66603	Code: 66604	Code: 66605	Code: 66606	Code: 66607	Code: 66608	Code: 66609
Size	Extra extra small	Extra small	Small	Medium	Large	Extra large	Extra extra large
Recommended user weight	17kg – 25kg	17kg – 25kg	25kg – 50kg	45kg – 95kg	90kg – 165kg	160kg – 240kg	230kg – 300kg

- Narrow opening for increased safety
- Provides additional support necessary for hoisting and transferring users with impaired muscle tone or amputated limbs
- Extra safety with the built-in waist belt
- Features an anatomical cut and padding that provides exceptional support through the entire hoist and transfer situation
- Machine washable up to 85°
- HighBack provides additional support for users with reduced trunk tone and head stability
- Divided legs with extra length for application under both legs
- Additional straps to avoid the legs from sliding out of position, and therefore helping the confidence of the individual
- The sling can be used for hoisting to and from horizontal and sitting positions

Etac® Molift RgoSling high-back comfort sling



	Code: 66617	Code: 66618	Code: 66619	Code: 66620	Code: 66621
Size	Small	Medium	Large	Extra large	Extra extra large
Recommended user weight	25kg – 50kg	45kg – 95kg	90kg – 165kg	160kg – 240kg	230kg – 300kg

- Full body support sling that provides support for the entire back
- Particularly suitable when the sling is to be left underneath the user in a chair or wheelchair, and for users with muscular or skeletal pain
- Places the user into a more posteriorly tilted position
- The shoulder straps have the unique sliding loop, which provides smooth transition from lying to sitting position and vice versa. Must be applied with the user in a lying position
- Made of a mesh polyester material that breathes and dries quickly
- Machine washable up to 85°

Etac® Molift RgoSling shadow sling



	Code: 66649	Code: 66650	Code: 66651	Code: 66652	Code: 66653	Code: 66654
Size	Extra extra small	Extra small	Small	Medium	Large	Extra large
Recommended user weight	12kg – 17kg	17kg – 25kg	25kg – 50kg	45kg – 95kg	90kg – 165kg	160kg – 240kg

- Suitable for users that require total support and especially suitable for users in moulded seats
- Designed to be left under the user after transfer
- No straps or seams on the surface that is supposed to be in contact with the user
- High back, head support to support the entire core
- Split leg support with a medium sized opening
- Can be used for lifting from a lying position to a sitting or lying position
- Not suitable for double leg amputees
- Machine washable up to 85°

Etac® Molift RgoSling ambulating vest



Code: 66637

Code: 66638

Code: 66639

Code: 66640

Code: 66641

Code: 66642

Size	Extra extra small	Extra small	Small	Medium	Large	Extra large
Recommended user weight	17kg – 25kg	25kg – 50kg	45kg – 95kg	90kg – 165kg	160kg – 240kg	230kg – 300kg

- The self-tightening suspension loops prevent users from slipping or falling down
- The front buckle system provides increased possibilities for the user to more independently perform gait training or toileting, maybe even without assistance
- Developed for safe and secure rehabilitation such as gait training, standing exercise as well as balance exercise
- Features a double buckled wide padded belt that distributes pressure evenly over a larger surface
- The padded groin straps limit the vest from sliding up and out of position
- Has adopted features from professional climbing equipment to provide the best possible comfort and safety for the user
- Machine washable up to 85°

Etac® Molift RgoSling repositioning sheet



SWL 500kg

Overall dimensions W 1300mm L 1340mm

- An in-bed lift and positioning sheet
- Reduces the risk of injury and contributes to a higher quality of care by during strenuous lifts and transfers
- As the sheet is always positioned in the bed, a multitude of care situations are made faster and easier for both carer and patient
- Supports the user's body, ensuring maximum comfort and a secure feeling in connection with transfers, turns and repositioning
- Suitable for bariatric care, turning bed-bound patients and lifting patients higher in the bed
- The sheet is also suitable when transferring users from bed to bed and to and from supine surfaces
- Useful when changing bed linen

Etac® Molift EvoSling FlexiStrap



Code: 66715

Code: 66716

Size	Standard		Wide	
Overall dimensions	W 150mm	L 950mm	W 250mm	L 950mm

- Easily and comfortably lifts a leg or arm to avoid heavy lifting

Etac® Molift RgoSling fabric stretcher



Code: 66643

Code: 66644

Size	Medium		Extra large	
Overall dimensions	W 450mm	L 1750mm	W 920mm	L 1850mm

- A soft fabric hoisting device for horizontal transfers
- Suitable when hoisting in a normal sling would be inappropriate due to medical conditions, for example comatose or sedated clients that require a stable recumbent position
- Multiple hoisting points provide an open and stable horizontal hoist
- Hoisting with this product requires an 8-point sling bar. The sling bar is compatible with Molift Partner 255 and Molift Air
- Has integrated hoisting straps that are hooked directly to the sling bar, with some possibilities to adjust in length by using the loops
- Alternative to the stretcher

ACCESSORIES



⌚ Molift 8-point spreader bar

Code: 66540

Etac® Molift stretcher



Code: 66549

Overall dimensions	L 1980mm	W 630mm	H 126mm
--------------------	----------	---------	---------

- Flexible scoop design stretcher ideal for horizontal hoisting situations
- Makes moving the patient safe and efficient all the way; from admittance to the emergency ward, to X-ray, CCT, MRI and surgery table
- Optimal solution for transfer of clients who are comatose or sedated, as well as clients with suspected spinal injuries and/or multiple fractures
- Ideal for emergency care
- Flexible and easy to use
- Can be divided in two parts in length and is therefore easy to place under the individual
- Has five handles along each side, which provides a manual hoisting alternative from the floor and allows horizontal and lateral transfer between beds and surfaces

ACCESSORIES



⌚ Set of safety belts (3 pcs)

Code: 66552



⌚ Set of lifting straps (4 pcs)

Code: 66550



⌚ Set of lifting straps with auto-return

Code: 66551

Etac® Immedia 3B transfer board




Code: 66438

SWL	150kg
Overall dimensions	W 230mm L 770mm
Material	Polyethylene

- A stable transfer board with a traditional curved shape
- Support transfers from bed to wheelchair and transfers in and out of the car
- Can also be used for transfers between wheelchair, chair, toilet, shower chair, and commode
- Non-slip surface on the underside

Hull® Transfer board



Code: 193

SWL	120kg
Overall dimensions	W 520mm L 1500mm
Product weight	4.6kg

- Features 6 large cut out handles that are well positioned to make it easier for carers to hold in an optimal position
- Made from lightweight PVC
- Supports smooth transitions and positioning

Patient slide 800 / 1200 / 1800

Code:
0275-1200-05Code:
0275-1100-05Code:
0275-1000-05

Length	800mm	1200mm	1800mm
Width	560mm	560mm	560mm
Depth	4.5mm	4.5mm	4.5mm

- Smooth surfaced, flexible, and extremely durable
- After being placed under a patient, personnel can effortlessly slide the patient from one gurney or table to another

Etac® Immedia MiniBoard



Code: 66487

SWL	150kg
Overall dimensions	W 540mm L 1500mm
Material	
Top and underside	Nylon
Inside	Polyethylene
Handles	Polyester

- The Immedia MiniBoard is used for horizontal transfers and lifts from the floor
- Suitable for transfers between bed and operating table, turning and positioning in bed and when lifting from the floor
- Six handles for good grip and stability

Softech® Slide transfer sheet



Code: 195

Code: 195XL

Overall dimensions	W 1100mm L 1400mm	W 1500mm L 2000mm
--------------------	-------------------	-------------------

- Super slippery, low friction material
- Machine washable

Etac® Immedia MultiGlide glove



Code: 66495

SWL	200kg
Material	Polyester, PU

- Used for positioning, small re-positioning adjustments and hand check of anti-decubitus cushions and mattresses
- Multi-functional aid for small transfers

Etac® Immedia positioning wedge



Code: Small 66491

Code: Large 66492

SWL	200kg	200kg
Overall dimensions	W 300mm L 530mm H 200mm	W 300mm L 800mm H 200mm
Inner material	Polyurethane foam	
Cover material	Polyester with polyurethane coating	

- Supports the user on the side after turning, when resting or when performing hygiene or wound care, saving the caregiver from maintaining a static holding position
- It can be used alone or in combination with other positioning aids





Medical and respiratory equipment



Respiratory equipment	106
Diagnostic instruments	109
Scales	112

DeVilbiss Pulmo-Aide compressor nebuliser



Includes a nebuliser kit and 1x adult mask

Code: 805

Dimensions	W 260mm D 170mm H 270mm
Maximum air pressure	≥30PSIG
Compressor free air flow	≥12LPM
Product weight	3.2kg

- Comes with 1 nebuliser kit and 1 adult mask
- Designed for multiple uses daily
- In-built compartment for storing parts

MAIN ACCESSORIES/SPARE PARTS

Adult mask

Code: 5021

2m tubing

Code: ZZ0802003

Air filter

Code: ZZ0805001

Filter cover

Code: ZZ0805011

Tube connector

Code: ZZ0805002

Internal connecting tube

Code: ZZ0805008

DeVilbiss Pulmo-Aide compact compressor nebuliser



Includes a nebuliser kit and 1x adult mask

Code: 802

Dimensions	W 190mm D 183mm H 100mm
Maximum air pressure	≥35PSIG
Compressor free air flow	≥13LPM
Product weight	4.8kg

- Comes standard with 1 nebuliser kit and 1 adult mask
- Small, compact design
- Easily portable with carry handle
- Reliable pressure and flow
- In-built compartment for storing parts

MAIN ACCESSORIES/SPARE PARTS

Nebuliser kit

Code: 5020

Air filter

Code: ZZ0802001

Adult mask

Code: 5021

2m tubing

Code: ZZ0802003

DeVilbiss Compact oxygen concentrator




Code: 815

Flow rate	0.5LPM – 5LPM
Dimensions	W 342mm D 304mm H 622mm
Oxygen percentage	0.5LPM – 5LPM = 87 – 96%
Power consumption	310W average; 275W at ≤1.2 LPM
Sound level	48 dBA
Product weight	16.3kg

OPTIONS



 Oxygen concentrator humidifier bottle

Code: 5016

- Oxygen sensing device is standard, ensuring patient safety and reliability for longer service intervals
- Audible and visual alarms indicate high/low pressure, low flow, low oxygen, power fail, and service required. This helps to keep patients as safe as possible
- Easy access patient controls for easier use
- Flame-retardant cabinet
- Protected cannula fitting for addition safety
- Recessed humidifier nook to prevent damage
- Pressure-compensated flow meter to ensure accurate flow display
- Pressure-relief valve and thermal protection on the compressor
- Convenient handles for easy transport

Drive DeVilbiss 10L oxygen concentrator



Code: 813

Flow rate	2LPM – 10 LPM
Dimensions	W 342mm D 304mm H 622mm
Oxygen percentage	2LPM – 10 LPM = 87 – 96%
Sound level	<57 dBA
Product weight	19kg

- Comes with the Drive DeVilbiss Healthcare OSD (oxygen sensing device) to monitor the oxygen levels and ensures user safety
- Oxygen outlet incorporating a fire protection adapter for added safety
- Visual and audible alarms to indicate power failure, high gas temperature, high pressure, low/high flow, low oxygen and service required
- An auxiliary oxygen port is included at the back of the concentrator which can be used to fill cylinder transfill systems
- Small, lightweight and compact design, weighing only 19kg
- Durable and reliable; tested under a number of conditions like high temperatures and high humidity
- Bright LED panel for patient controls, with a protected cannula fitting and recessed humidifier nook to prevent damage
- Lockable flowmeter that can accommodate up to 15m of oxygen tubing plus 2.1m of cannula

DeVilbiss iGo2 Portable oxygen concentrator



Code: 814

Dimensions	W 89mm D 218mm H 213mm
Oxygen output	90% +/-3
Maximum O2 production	1014mL
Measured sound level	<37dBA (setting 2) 20BPM
Battery run time	min. 3.5 hours (setting 2)
Trigger sensitivity	0.05cmH2O

OPTIONS

Power cord

Code: DV51D-607

Car adapter

Code: DV6X-619

Rechargeable battery

Code: 125D-613

Charging station

Code: 25CH-614

Carry case

Code: 125D-670

- SmartDose™ technology automatically adjusts oxygen production & delivery in real time to meet patient demand
- Unmatched converter trigger sensitivity (0.05 cmH2O)
- Durable, high-quality overmold design provides an extra layer of protection against impact
- Federal Aviation Administration (FAA) compliant for in-flight use
- Patient user friendly – battery, LCD screen and unit controls are located on top of the concentrator and easily accessible while in the carry case
- Lightweight and easy to carry in its convenient over-the-shoulder carry case

Oxygen delivery settings 1 to 5:

Setting	Fixed minute volume (mL)	Bolus volume at 20BPM
1	260	13.0
2	440	22.0
3	725	36.3
4	880	44.0
5	1014	50.7

DeVilbiss SleepCube auto adjust



Code: 801

Dimensions	W 165mm D 178mm H 108mm
Operating	5°C to 40°C; 0% to 95% R.H. non-condensing
Atmospheric conditions	Sea level to 2,700m
Storage and transportation	-40°C to 70°C; 0% to 95% R.H. non-condensing
Measured sound level	<26dBA
Electrical requirements	100 – 240VAC, 50/60Hz
Max. power consumption	65W from AC power source (PAP device only)
CPAP pressure range	3 – 20cmH2O
Product weight	1.18kg

- Automatically adjusts its pressure in response to apnoea, hypopneas and snoring, finding the optimum pressure settings throughout the night
- SmartFlex and flow rounding provide added comfort for the patient, ensuring a good night's rest
- Integrated heated humidification system offers added comfort during the night
- An auto-adjusting PAP device with SmartFlex expiratory relief comfort feature

DeVilbiss Suction unit



Code: 806

Dimensions	W 200mm D 235mm H 215mm
Vacuum range	80mmHg – 550mmHg
Container capacity	800ml
Product weight	2.9kg

- Made in USA
- Battery or mains powered; rechargeable battery has approx. 60 mins run time (requires up to 17hrs charging initially). Mains power cord included
- Compact, lightweight design for portability
- Comes with a carry case
- Easy-to-read, built-in regulator and vacuum gauge for quick, accurate adjustments
- Convenient 800mL easy clean canister
- Meets ISO suction and emergency standards
- Comes with 1x spare filter. Replacement filters available

MAIN ACCESSORIES/SPARE PARTS

Collection lid and canister

Code: 5018

Suction tubing elbow

Code: ZZ0806009

Inline bacteria filter

Code: 5019

Filter (in lid)

Code: ZZ0806016

Suction unit tubing – 1.8m

Code: ZZ0806004

Tubing piece – suction port to lid

Code: ZZ0806017

KaWe Aneroid sphygmomanometer



Code: 4421

Dial diameter	60mm
Cuff circumference	Adult size 275mm – 365mm

- Shock protected in accordance with DIN EN ISO 81060-1
- Protection against over-inflation
- Biocompatible in accordance with DIN EN ISO 10993
- Extremely resilient: up to 50,000 uses
- One-piece cuff without bladder
- Metal protection ring
- Cuff made of 70D Nylon fabric, easy cleaning

KaWe Mobile aneroid sphygmomanometer



Code: 4422

Adjustable height	min. 850mm max. 1300mm
Hose range	3m
Gauge diameter	150mm
Dial diameter	150mm
Scaling	0 – 300mmHg
Compliance	DIN EN ISO 81060-1

- Numbered instrument dial reduces the risk of parallax
- One-piece cuff without rubber bladder
- Plug-in adapter for quicker cuff exchange
- Aneroid blood pressure measuring device
- Stable 5-foot roller stand made of high-quality stainless steel and sturdy plastic juncture for the feet
- Large gauge with thin, red dial for exact measurement readings
- Incorporated cuff holder for maximum ease of use and efficiency

KaWe Cuff and single tube system



	Code: 4423	Code: 4424	Code: 4425	Code: 4426
Size	Infant	Child	Adult	Large adult
Arm circumference	138mm – 215mm	205mm – 285mm	275mm – 365mm	355mm – 460mm

- Latex free
- Biocompatible in accordance with DIN EN ISO 10993
- 1-tube-system, black
- 70D Nylon fabric
- Easy cleaning
- Up to 50,000 uses
- One-piece cuff with bladder

KaWe Cuff and double tube system



	Code: 4427	Code: 4428	Code: 4429	Code: 4430
Size	Infant	Child	Adult	Large adult
Arm circumference	138mm – 215mm	205mm – 285mm	275mm – 365mm	355mm – 460mm

- Latex free
- Biocompatible in accordance with DIN EN ISO 10993
- 1-tube-system, black
- 70D Nylon fabric
- Easy cleaning
- Up to 50,000 uses
- One-piece cuff with bladder

KaWe Dual-head stethoscope – single tube



Code: 4435

Product weight Approx. 183g

- Dual-head, stainless steel stethoscope
- Reversible
- Connecting piece with simple and precise positioning aid
- No lost time due to incorrect setting on the chest piece
- 2 pairs of ear tips, screw-on
- 1 spare diaphragm

KaWe Dual-head stethoscope – double tube




Code: 4436

Total length	Approx. 720mm
Diaphragm diameter	40mm
Product weight	Approx. 216g

- Dual-head, stainless steel stethoscope
- Reversible
- Connecting piece with simple and precise positioning aid
- No lost time due to incorrect setting on the chest piece
- 2 pairs of ear tips, screw-on
- 1 spare diaphragm

KaWe Otoscope



Code: 4420

Magnification	3x
Ear funnel diameter	10x 2.5mm 10x 4.0mm
Illumination	2.5V standard vacuum bulb
Batteries	2x AA batteries

- Pocket-size, light-weight, handy, modern design
- Optimal light strength (centric)
- Pivoting magnifying glass with 3-fold magnification
- Integrated clip shutoff function
- Blower connection
- Comes in a cloth bag

Genius™ 3 tympanic thermometer with base



Code: 4305

Accuracy	+/- 0.3°C
Measurement response time	1–2 seconds
Ambient operating range	16°C – 33°C
Temperature measurement range	-25°C – 42°C
Storage temperature range	-25°C – 55°C
Battery life (3x AAA batteries)	15,000 temperatures

ACCESSORIES



Probe covers
Pack of 96

Code: 4306

- Accuracy within +/- 0.3°C
- Peak select technology takes multiple readings and selects the highest temperature within 1 to 2 seconds to display
- Fits in an existing base and comes with silicone eject button cover
- Redesigned plastic base that allows for an IP22 rating for protection against dust and liquid ingress
- Single-use non-touch probe covers available to prevent infection and cross-contamination

Shekel Digital scale



Code: 782

SWL	310kg
Platform size	W 840mm L 970mm H 820mm

- Updatable firmware
- RS232 Communication port
- Auto power off
- Low battery indication
- Tare Reweigh Zero Hold kg/lb option
- Movement compensation technology
- BMI (body mass index) function
- Platinum indicator 6 digit 1" LCD

Shekel Digital chair scale



Code: 781

SWL	270kg
Dimensions	W 630mm D 850mm H 965mm
Seat size	W 430mm D 420mm H 80mm
Graduation	0.1kg/0.2lb
Product weight	18kg

- Platinum indicator 5 digit 3/4" LCD
- Updatable firmware
- RS232 Communication port
- Auto power off
- Low battery indication
- Tare, reweigh, zero, hold, kg/lb options
- Movement compensation technology
- BMI (body mass index) function

Notes





Theatre equipment



Lights and pendants	116
Operating tables	119
Operating table accessories	122
Patient positioning and pressure care	124
Warming cabinets	149
Theatre stools	152
Foot stools and floor mats	155

Amico Mira 50 examination light



MOUNTING

Ceiling mounted – single Wall mounted

Code: 0320-1986-05

Code: 0320-1983-05

Ceiling mounted – dual Mobile base

Code: 0320-1988-05

Code: 0320-1980-05

Illuminance	50,000 lux at 1 metre
Colour temperature	4500K
Color Rendering Index (Ra)	95
Warranty	5 years

- Light intensity of 50,000 lux at 1 metre
- Twist handle for focusing light beam from 165mm to 305mm
- Control pad on light head for easy access to light functions
- Slim design to reduce clutter in small workspaces
- Lightweight long reach arms allow for easy positioning
- Removable/sterilisable handle

Amico Mira 65 procedure light



MOUNTING

Ceiling mounted – single Wall mounted

Code: 0320-1996-05

Code: 0320-1993-05

Ceiling mounted – dual Mobile base

Code: 0320-1998-05

Code: 0320-1990-05

Illuminance	65,000 lux at 1 metre
Colour temperature	4500K
Color Rendering Index (Ra)	95
Warranty	5 years

- A range of fixtures available
- Twist handle for focusing light beam from 165mm to 305mm
- Control pad on lighthhead for easy access to light functions
- Slim design to reduce clutter in small workspaces
- Lightweight long reach arms allow for easy positioning
- Removable/sterilisable handle

Amico Mira 90 procedure light



MOUNTING

Ceiling mounted – single Wall mounted

Code: 0320-2006-05

Code: 0320-2003-05

Ceiling mounted – dual Mobile base

Code: 0320-2008-05

Code: 0320-2000-05

Illuminance	90,000 lux at 1 metre
Colour temperature	4500K
Color Rendering Index (Ra)	95
Warranty	5 years

- Light intensity of 90,000 lux at 1 metre
- Twist handle for focusing light beam from 165mm to 305mm
- Control pad on lighthhead for easy access to light functions
- Slim design to reduce clutter in small workspaces
- Lightweight long reach arms allow for easy positioning
- Removable/sterilisable handle

Burton Nova LED examination light



MOUNTING

Floor stand

Code: 0320-1610-05

Table mounted

Code: 0320-1620-05

Wall mounted

Code: 0320-1630-05

Ceiling mounted

Code: 0320-1640-05

Illuminance	low level 25,000 lux at 46cm high level: 90,000 lux at 46cm
Colour temperature	4500K
Color Rendering Index (Ra)	95
Warranty	5 years

- The LED source provides a virtually heat-free light so the patient remains comfortable
- Dual handles are easily accessible to position the light head
- Delivers a uniform beam pattern that aids the examination process
- The LED source offers 10x the operational life of traditional halogen solutions
- Choice between two illumination levels

Burton Super Exam LED examination light



MOUNTING

Floor stand

Code: 0320-1450-05

Table mounted

Code: 0320-1460-05

Wall mounted

Code: 0320-1470-05

Ceiling mounted

Code: 0320-1480-05

Illuminance	35,000 lux at 1 metre
Colour temperature	4000K
Color Rendering Index (Ra)	95
Warranty	5 years

- Fully dimmable for the perfect amount of light
- High performing energy efficient LED components are virtually maintenance free
- SteriTouch antimicrobial coating
- Powder-coated metal construction for durability
- Light source covered with tempered glass
- Smooth surface design for easy wipe down with hospital-grade disinfectants

Skytron Spectra LED examination light – ceiling mount



MOUNTING


Ceiling mount

Code: 0320-1924-05

Illuminance	51,000 lux at 1 metre
Colour temperature	4300K
Color Rendering Index (Ra)	96
Warranty	5 years

- LED technology provides brilliant white light with no bulbs to change
- Low profile design for ease of movement and easy storage
- Light head diameter: 305mm
- Total reach of 1800mm

Skytron Aurora Astro procedure light



ARM LENGTH

895mm arm

Code: 0350-1560-05

1090mm arm

Code: 0350-1520-05

1285mm arm

Code: 0350-1540-05

1090 and 895mm arms

Code: 0350-1605-10

Illuminance	131,000 lux at 1 metre
Colour temperature	4141K
Color Rendering Index (Ra)	97
Warranty	5 years

- Utilising the same superior technology as Skytron's major surgical lights, the Aurora Astro provides optimal shadow control and depth perception
- Simple and efficient positioning is accomplished with Aurora Astro's 360 degrees rotation on all axes and 355 degrees lighthouse pitch
- 1170mm depth of field
- Vertically separated reflector technology
- Sterile control handle with intensity control

Universal light handle covers



PACK SIZE

Box of 50 single packs

Code: 0350-1760-05

Box of 25 dual packs

Code: 0350-1765-05

- Fits most light handles
- Single use
- Supplied in sterile packs
- Single and dual pack options available

Burton handheld LED UV and white magnifier light



ACCESSORY



UV magnifier light
wall bracket

Code: 0330-1090-05

Code: 0330-1085-05

Illuminance	3266 lux at 1 metre
Colour temperature	3800K
Color Rendering Index (Ra)	95

- Professional-grade smart magnifier light
- LED UV 365nm UVA / White light operating in one device
- Viewing area 40mm x 100mm
- 36,000+ hours (White LED), 30,000+ hours (UV LED)
- Mains/battery operation
- 4 hours run time on battery

Wave LED magnifier light



MOUNTING

Floor stand

Code: 0330-1010-05

Table mounted

Code: 0330-1015-05

- Shadow-free magnification using symmetrical lighting or 3-D magnification using asymmetrical magnification
- Self-balancing shade and hands-free neck assembly make precise adjustments easy
- 227mm x 224mm rectangular white crown optical-quality glass lens
- No drift spring-balanced arm allows complete freedom of movement
- Standard 1.9x magnification accessories for 2.9x, 3.4x or 4.3x

ACCESSORY



Wall mounting bracket for Wave LED magnifier light

Code: 0330-1015-25

Skytron 3503 EZ Slide operating table




Code: 0105-1020-05

Top slide	530mm
Slide to head	190mm
Slide to foot	330mm
Weight capacity	318kg
Articulated weight capacity	272kg
Height range	635-1092mm
Lateral tilt	20 degrees
Trendelenburg	30 degrees
Reverse trendelenburg	30 degrees

- Featuring a convenient top slide and the highest table height in our portfolio, the 3503 EZ slide is designed with the surgical team in mind
- Imaging and surgical access is easy with 530mm of top slide, allowing for movement of the patient through the imaging window with just the click of a button
- 318kg lift and 272kg articulation weight capacity
- Removable leg section for quick accessory attachment and positioning
- Durable stainless steel base is easy to clean
- 635mm – 1092mm adjustable table height

Skytron 3603 UltraSlide operating table




Code: 0105-2020-05

Top slide	660mm
Slide to head	254mm
Slide to foot	419mm
Weight capacity	454kg
Articulated weight capacity	363kg
Height range	508-991mm
Lateral tilt	35 degrees
Trendelenburg	40 degrees
Reserve trendelenburg	30 degrees

- 254mm slide to head and 419mm slide to foot
- 454kg lift and 363kg articulation weight capacity
- Removable back and leg sections for quick accessory attachment and positioning
- Power beach chair positioner for one-touch setup
- Durable stainless steel base is easy to clean
- Hand control has a Bluetooth option

Skytron GS70 Salus surgical table



Code: 7015-GS70

Top slide	660mm
Slide to head	250mm
Slide to foot	420mm
Weight capacity	454kg
Articulated weight capacity	363kg
Height range	520-1000mm
Lateral tilt	35 degrees
Trendelenburg	40 degrees
Reserve trendelenburg	30 degrees

- 250mm slide toward head and 420mm slide toward head
- 454kg lift and 363kg articulation capacity
- Program up to five user-defined positions
- New accessory connections ensure a solid and secure connection between the accessory and the table
- One-touch setting for beach chair and flex
- Durable stainless-steel base is easy to clean

Mattress set for Skytron 3502/3602 – 80mm pressure care



- Manufactured in-house to fit your requirements
- Made from durable material that is easy to clean and has anti-microbial and anti-bacterial properties
- Superior pressure care memory foam for the best outcome in patient safety and comfort
- All seams are sealed to prevent any fluid ingress
- Vinyl and dartex options available
- Three-piece set

MATERIAL

Dartex

Code: 0110-1010-05

Vinyl

Code: 0110-1010-06

Mattress set for Skytron 3502/3602 – 50mm standard



- Manufactured in-house to fit your requirements
- Made from durable material that is easy to clean and has anti-microbial and anti-bacterial properties
- All seams are sealed to prevent any fluid ingress
- Three-piece set

Code: 0110-1012-05

Table width extender set for 3602/3603 UltraSlide



- Bariatric width extenders for UltraSlide operating table
- Fast and efficient to attach and remove via direct rail attachment
- Rail extensions ensure table and positioning accessories connect to width extenders
- Easy to clean
- Replaceable pads

RAIL

A Rail

Code: 0120-1010-05

B Rail

Code: 0120-1010-10

D Rail

Code: 0120-1010-15

E Rail

Code: 0120-1010-20

Table width extender set for 3502 EZ Slide



- Bariatric width extenders for EZ Slide operating table
- Fast and efficient to attach and remove via direct rail attachment
- Easy to clean
- Replaceable pads

RAIL

B Rail

Code: 0120-1020-10

D Rail

Code: 0120-1020-15

E Rail

Code: 0120-1020-20

Operating table accessories



Skytron hand control

Associated operating table	Codes
EZ Slide 3502	0120-3000-05
UltraSlide 3602/3603	0120-3000-10
1602 Essentia	0120-3000-15
Wireless hand control for UltraSlide 3603	0120-3000-20
Wired hand control for UltraSlide 3603	0120-3000-18



Code: 0120-2950-05

Table foot control for 3502/3602 – lift/trend/tilt



Code: 0120-3050-05

Gynae fill in section for 3502/3602 operating table

Perfect to fill the gynae cutout when performing hip replacements



Code left: 0120-3110-05

Stainless steel gynae tray – drop down rail mount

Suits Skytron operating tables



Code: 0120-3115-05

Stainless steel gynae shelf – drop down rail mount

Suits Skytron operating tables



Code: 0120-3250-05

Narrow head section for Skytron operating tables

Fits in place of standard head section



Code: 0120-3500-05

Carbon fibre leg extension for UltraSlide 3602 Skytron operating tables

- Fits Skytron EZ Slide and UltraSlide operating tables
- Fully radio translucent
- 1015mm long

Code left: 0120-3500-10

80mm pressure care mattress for carbon fibre leg extension



Code left: 0120-3505-05

Clamp on rail for carbon fibre leg extension

Negates the need for metal within the imaging platform ensuring a clear imaging window



Code left: 0120-3515-05

Universal split leg for UltraSlide and EZ Slide operating tables

- Transform your solid leg table for the procedures where you require a split leg
- Suits UltraSlide and EZ Slide operating tables



Code left: 0120-3560-05

Foot rests for universal split leg



Code left: 0120-3520-05

Heavy duty split leg for UltraSlide 3602 operating table

Code left: 0120-3520-20

Mattress set for heavy duty split leg

Code: 0120-3560-10

Foot rests for heavy duty split leg



Code: 0120-3525-05

Short back section for 3602 UltraSlide and 6702 Hercules operating table

- Short back section for use in Gynae procedures and paediatrics
- Provides excellent access to the patient's head for the anaesthetist



Code: 0120-3540-05

Pelvic tilt seat

Suits: Skytron operating tables

Code: 0120-3540-20

Mattress for pelvic tilt seat



Code: 0120-3580-05

Knee rest - 450mm

Code: 0120-3580-10

50mm pad for knee rest

Code: 0120-3580-15

80mm pressure care pad for knee rest



Code: 0120-6000-05

EZ Roll operating table accessories cart

- Help protect your investment and make storage easier
- Made with a strong anodized aluminium frame, tough conductive castors and edge guards
- Multiple kits available to hold a range of accessories



Code: 0235-3450-05

Multi position arm board with clamp

- Arm board with "one hand" ball joint release
- Length 605mm, Post 140mm
- Standard clamp with "hook on" function included

Code: 0235-3450-15

Moulded pad

Code: 0235-3450-30


Dartex pad

Code: 0235-3450-40

Arm board clamp - A rail (US)

Code: 0235-3450-45

Arm board clamp - B rail (UK)



Code: 0245-2000-05

Anaesthetic screen support with pad

- 500mm wide x 750mm high
- Stainless steel construction
- Replaceable pad included

Schure socket XL



	Code: 0205-1800-05	Code: 0205-1800-10	Code: 0205-1800-15
Rail	A Rail	B Rail	D Rail

- Quickly connects and disconnects securely anywhere along the side rail
- Accepts round posts and rectangular posts 16mm round bar and 25 x 10mm flat bar
- Infinite rotation

Universal rail clamp – direct-on



	Code: 0205-1900-05	Code: 0205-1900-10
Rail	A Rail	B Rail

- Spring-loaded and attaches to operating table side rail anywhere along rail
- Holds all accessories in the vertical position
- Accepts both up to 16mm round bar and 25 x 10mm flat bar

Deluxe rail clamp



	Code: 0205-1920-05	Code: 0205-1920-10	Code: 0205-1920-15	Code: 0205-1920-20
Rail	A Rail	B Rail	D Rail	E Rail

- Aluminium construction
- Accepts both 16mm round and 25x10mm flat bar accessories
- Direct on where slots are fitted to the side rail

Simple clamp



	Code: 0205-2200-05	Code: 0205-2200-10	Code: 0205-2200-25	Code: 0205-2200-20
Rail	A Rail	B Rail	D Rail	E Rail

- Aluminium construction
- Accepts (25x10mm) flat bars
- Suits most stirrups
- Accessories can mount horizontally or vertically

Skytron EZ grip bar clamp



- Accepts 1" x 1/4" (25.4mm x 6.4mm) flat bars
- Ideal for Skytron levitator stirrups

Code: 0205-2300-05

Springloc stirrup clamp



Code: 0205-2420-05

Code: 0205-2420-20

Rail

A Rail

E Rail

- Clamp expands to fit over rail at any point
- Accepts 25x6mm flat bar

Clark socket stainless steel



Code: 0205-1700-05

- Stainless steel construction
- Accepts up to 16mm round post accessories

Knee crutches



- Knee crutches adjust vertically from 300mm to 480mm and rotate 360° to provide precise positioning with a simple ergonomic locking handle
- Extremely soft and comfortable crutch liners prevent superficial nerve damage to the patient
- Stainless steel construction

Code: 0225-1900-05

Bi-lateral leg prepper



- Stainless steel construction
- Optional pad available
- Requires one round bar clamp or similar to attach to side rail

Code: 0225-3200-05

Multi-foot support with four pads



- Stainless steel construction
- Four positions for easy positioning during knee procedures
- Requires rotary round post clamp

Code: 0225-3300-05

Operating table foot extension



- Use as a table extension in the horizontal position to lengthen size of the operating table
- Mounts vertically as foot support when using reverse trendelenburg
- Fits all operating tables
- Completely radiolucent
- Requires flat bar clamps

Code: 0225-2400-05

Light leg for 3502/3603 operating table



- Supports legs during transfer
- Fits EZ Slide and UltraSlide operating tables
- Slides into leg section receptacles
- Weighs less than 5kg

Code: 0225-2600-05


Light leg for Skytron 3502/3602 – Leg pin mount



- Light leg fits onto table leg pins in place of standard leg section

Code: 0225-2610-05

Popliteal support with standard pad




Code: 0225-2720-05

Code: 0225-2720-10

Type	16mm round pole	25x8mm bar mount
Pad dimensions	290mm long, 125mm outside diameter, 50mm inside diameter	
Post dimensions	510mm long	

- Stainless steel construction
- Requires one multi-clamp to attach to the side rail
- Round pole or flat bar design available

Popliteal support with large pad



Code: 0225-2720-05

Code: 0225-2720-10

Type	16mm round pole	25x8mm bar mount
Pad dimensions	Pad: 290mm long, 125mm outside diameter, 50mm inside diameter	
Post dimensions	510mm long	

- Stainless Steel Construction
- Requires one multi clamp to attach to side rail
- Round Pole or Flat Bar design available

Blue fin stirrups with fin boot and pads



ACCESSORY

Storage cart for stirrups

Code: 0225-1210-50

Code: 0225-1210-05

Code: 0225-1220-05

Type	Regular	Bariatric
SWL	180kg	230kg

- Stirrups for Lithotomy surgery are adjustable in all directions
- The stirrups will fully cater for the positioning requirements of patients throughout the surgery
- The stirrups help to reduce the workload of clinical staff, enhancing surgery efficiency and safety
- Designed for gynaecological, urological, colorectal, laparoscopic, robotic and other surgeries
- All direction adjustment

Hourglass major procedure table



Code: 0235-1020-05

Code: 0235-1000-05

Mount	Direct on mount	Pin mount
Width at middle	375mm	
Width at edges	800mm x 575mm	

- Carbon fibre technology produces incredibly solid components that are invisible to X-rays
- Hourglass shape enables surgeons to rest both arms easily
- Comes complete with adjustable leg
- Table adjusts up or down to be level with O.R. table via twist locking handle

PAD OPTIONS

25mm pad for hourglass major procedure table

Code: 0235-1000-12

50mm pad for hourglass major procedure table

Code: 0235-1000-15

80mm pad for hourglass major procedure table

Code: 0235-1000-20

Locking armboard – A rail



Code: 0235-3120-05

Dimensions	660mm x 150mm
------------	---------------

- Direct connect to rail – does not require clamps
- Lightweight Aluminium & Stainless Steel construction
- Phenolic Board
- Rotates 180 degrees

Minor plus arm table – pin mount



Code: 0235-1320-05

Overall dimensions	380mm x 740mm
--------------------	---------------

- Easy-to-use durable surgical table
- Carbon fibre technology produces incredibly solid components that are invisible to X-rays
- Adjusts up or down to be level with the O.R. table

ACCESSORIES

25mm pad for Minor plus arm table

Code: 0235-1320-30

50mm pad for Minor plus arm table

Code: 0235-1320-40

80mm pad for Minor plus arm table

Code: 0235-1320-50

Minor plus arm table – direct on mount



- Light leg fits onto table leg pins in place of standard leg section

Code: 0235-1330-05

Carbon fibre minor arm table – pin mount



Code: 0235-1350-05

Dimensions	390mm x 590mm
------------	---------------

- Lightweight, solid, radiolucent table
- Adjusts up or down to be level with the operating table

50mm pad for carbon fibre minor arm table

Code: 0235-1350-25

Carbon fibre minor arm table – direct on mount



Code:
0235-1400-05

Code:
0235-1400-10

Code:
0235-1400-20

Rail	A/E Rail	B Rail	E Rail
Overall dimensions	390mm x 590mm		

- Carbon fibre technology produces incredibly solid construction that is invisible to X-rays
- Easy-to-use
- Direct on rail attachment means no need for clamps

Right angled support with slip-on vinyl pad



Code: 0235-1450-05

Overall dimensions	L 250mm	W 190mm	H 200mm
--------------------	---------	---------	---------

- Tough Poly-carbonate material
- Mounts by sliding under table pad
- Supports patients arm or leg on the theatre table

Slip in arms support with pad



Code: 0235-2500-05

Width of support	100mm
------------------	-------

- Durable perspex construction
- Slips behind table side rail
- Includes one replaceable vinyl-covered foam pad

Multi-axis arm positioner



Code: 0235-3400-05

Arm platform	150mm x 400mm
--------------	---------------

- Perfect for seated, lateral, prone, neuro and park bench positions
- Versatile and comfortable positioning with the new ball socket locking system
- Requires one round bar clamp or similar to attach to side rail
- Comes with 50mm softcare concave foam pad

Fisso arm support lateral complete with pad



- Articulated arms with quick central fixation for secure arm positioning during surgical interventions
- Supplied with clamp that fits US and Euro rails
- Arm board 450mm long

Code: 0235-3600-05

Fisso arm support vertical complete with pad



- Articulated arms with quick central fixation for secure arm positioning during surgical interventions
- Supplied with clamp that fits US and Euro rails
- Arm Board 450mm long

Breathing circuit holder



Code: 0245-1100-05

Code: 0245-1100-10

Size	280mm	400mm
------	-------	-------

- Simple to position
- Secure fixing
- Great flexibility and stability
- Mechanical tightening system

Straight tube holder



Code: 0245-1700-05

Code: 0245-1750-05

Tube dimensions accepted	2 x 20mm	25mm (adult)
Size	300mm x 100mm	400mm x 140mm

- Flat anaesthesia tube holder with two tube places
- Slips under mattress

Epidural positioning device



- Allows you to position patients correctly and comfortably by encouraging cervical, thoracic and lumbar flexion while maintaining a solid and stable position
- Simple adjustments make the device appropriate for a wide range of body sizes
- Designed for improved efficiency, this tool allows staff to position patients without help
- Adjustable armrest allows patient to rest arms comfortably; provides added stability
- Adjustable face rest tilts to attain and maintain proper cervical flexion
- 272kg patient weight capacity

Code: 0250-1000-05

Bolster hip positioner set



Small pads	80mm
Large pads	115mm
Risers	650mm and 560mm

- Stainless steel construction
- Easily adjustable vertically and horizontally
- Requires two round post clamps to attach to side rails
- Includes three permanently fitted vinyl covered foam pads

SET OPTIONS

Complete set
– 300mm bolster rods

Code: 0265-1000-05

Double side with small pads
– 300mm bolster rods

Code: 0265-1000-10

Double side with large pads
– 300mm bolster rods

Code: 0265-1000-12

Single side with large pads
– 300mm bolster rod

Code: 0265-1000-15

Complete set
– 400mm bolster rods

Code: 0265-1000-20

Double side with small pads
– 400mm bolster rods

Code: 0265-1000-25

Single side with large pads
– 400mm bolster rod

Code: 0265-1000-30

Lateral hip positioner set




Code: 0265-1020-05

Code: 0265-1020-10

Post type	Round post	Square post
Blaster dimensions	80mm	80mm
Pin length	300mm	300mm
Riser	650mm	650mm

- Stainless Steel construction
- Easily adjustable vertically and horizontally
- Requires two round post clamps to attach to side rails
- Includes three permanently fitted vinyl-covered foam pads

Lateral Support with fixed pad



Code: 0265-1100-05

Code: 0265-1100-10

Post type	Round post mount	Flat bar mount
Pad dimensions	H 190mm x W 100mm	H 190mm x W 100mm

- Stainless Steel construction
- Adjusts vertically and horizontally
- Requires one multi-clamp to attach to side rails

Curved lateral support with pad



Pad for curved lateral support

Code: 0265-1800-30

Code: 0265-1800-05

Code: 0265-1800-10

Mount	Round post	Flat bar
Pad dimensions	H 220 x W 170mm	H 220 x W 170mm

- Stainless Steel & aluminium construction
- Adjusts vertically and horizontally
- Includes replaceable vinyl pad
- Requires one rectangular bar clamp or multi clamp to attach to side rails

Z bar positioner



- Stainless Steel and aluminium construction
- Adjusts vertically and horizontally
- Includes one replaceable vinyl pad
- Requires one rectangular bar clamp or multi clamp to attach to side rails

SET OPTIONS

Z bar positioner with small diameter bolster

Code: 0265-1300-05

Z bar positioner with large diameter bolster

Code: 0265-1300-10

Hip bolster with pad



Code: 0265-1400-05

Code: 0265-1400-10

Pad size	Small pad	Large pad
Bolster dimensions	80mm	115mm
Pin length	300mm	300mm

- Stainless steel and aluminium construction
- Adjusts vertically and horizontally
- Includes replaceable vinyl pad
- Requires rectangular bar clamp or multi clamp to attach to side rails

Lateral braces set



- Secure and comfortable positioning for total hip replacement, and any other procedure requiring total lateral stability
- Three multi axis braces easily accommodate any size patient for perfect lateral positioning
- Pressure relief foam with Deluxe cover provide extreme protection for the patient
- Clamps sold separately

Code: 0265-2400-05

Tubular body support with pad



Pad for tubular body support

Code: 0265-1900-15

Code: 0265-1900-05

Code: 0265-1900-10

Mount	Round post	Flat bar

- Stainless Steel construction
- Vertical and horizontal adjustment
- Replaceable vinyl pad included
- Requires one round post clamp to attach to side rails

Slip in side support with pad – reversible



Frame for slip in side support

Code: 0265-2300-10

Code: 0265-2300-05

Pad dimensions	200mm x 160mm
----------------	---------------

- Reverse for bariatric patients

Bariatric restraint strap with buckle



Code: 0265-2520-05

Pad dimensions	300mm x 760mm
Length	2.4m

- Synthetic rubber double conductive straps
- 2.4m long with two airplane-style buckles
- Very durable, easy to clean and disinfect
- Mounts to surgical table with or without hooks
- Latex free

Shoulder support - trendelenburg



- Provides comfortable support for trendelenburg positioning
- Deluxe pads on a broad support surface with ball and socket adjustments provide optimal positioning for any size patient
- Adjusts vertically to accommodate x-ray tops

Code: 0265-2440-05

Restraint strap with two hooks



Padded sleeve for restraint strap

Code: 0265-2500-15

Code: 0265-2500-05

Code: 0265-2500-10

Padded sleeve	Included with	Without
Length	2.4m	2.4m

- Synthetic rubber conductive strap
- Very durable, easy to clean and disinfect
- Mounts to the surgical table with or without hooks

Sand bag



	Code: 0265-3000-05	Code: 0265-3000-20	Code: 0265-3000-30	Code: 0265-3000-40	Code: 0265-3000-50
Size	Extra small	Small	Medium	Large	Extra large
Dimensions	260 x 100mm	340 x 120mm	325 x 150mm	340 x 140mm	400 x 180mm
Weight	1kg	2kg	3kg	4kg	5kg

Sand bag with eyelet



	Code: 0265-3100-05	Code: 0265-3100-20	Code: 0265-3100-30	Code: 0265-3100-40	Code: 0265-3100-50
Size	Extra small	Small	Medium	Large	Extra large
Dimensions	260 x 100mm	340 x 120mm	325 x 150mm	340 x 150mm	400 x 180mm
Weight	1kg	2kg	3kg	4kg	5kg

Bariatric airway positioning system



- Allows for easy and consistent airway access
- Makes it suitable for many types of patients
- Enhanced patient comfort
- Easy manual ventilation
- Comfortable working position for clinicians
- Improved laryngoscopy


Code: 0265-3200-05

ACCESSORY

Carry bag for bariatric airway positioning system

Code: 0265-3200-10

Twaddle pillow



Code: 0265-3950-05

Pad dimensions	750mm x 240mm x 130mm
----------------	-----------------------

Wedge



Code:
0265-3500-05

Code:
0265-3500-20

Code:
0265-3500-30

Code:
0265-3500-40

Size	Small	Medium	Large	Extra large
Dimensions	260 x 100mm	340 x 120mm	325 x 150mm	400 x 180mm

- Vinyl covered foam
- All seams sealed

Maternity wedge



Code: 0265-3900-05


Code: 0265-3900-10

Code: 0265-3900-15

Size	Small	Medium	Large
Dimensions	260 x 100mm	340 x 120mm	400 x 180mm

- Vinyl covered foam
- All seams sealed

Caesarean side support and Bariatric caesarean side support



(A)



(B)

(A) Caesarean side support

- Support size 780mm x 110mm
- 16mm round post mounting

Code: 0265-5500-05

(B) Bariatric caesarean side support

- Support size 780mm x 200mm
- 16mm round post mounting

Code: 0265-5520-05

EZ lift shoulder chair



Code: 0270-1020-05

SWL	227kg
Articulation range	0° – 90°

- Provides a lightweight and cost-effective option
- Significantly reduces the effort to lift patients over manual systems
- Adjusts to fit any operating table with our integrated adjustable mounting clamps
- Lateral brace included
- Double-ball joint head system safely secures patient's head

Disposable head support for shoulder chair




Code: 0270-1057-05

Code: 0270-1057-10

Quantity	48	12
Box size	350mm x 440mm x 270mm	350mm x 440mm x 270mm

- Foam Head Support for use with beach shoulder chair
- Single-use disposable
- Adaptable to fit all beach shoulder chairs
- 12 supports per box

SchureLoc shoulder positioner



Code: 0270-1110-05

SWL	4.5kg
Patient weight	272kg


- The SchureLoc permits simple intra-operative adjustments of the operative limb
- Designed for shoulder surgery in the beach chair or lateral position
- 6 articulating joints, 1120mm long
- Does not require air or power

ACCESSORY

Sterile cover for SchureLoc
shoulder positioner

Code: 0270-1110-15

Skytron lift assist beach chair



Shoulder chair for
3602 operating table

Code: 0120-3550-05

- Quickly attaches to the table side rails
- Offers comfortable support of the patient's head and back during shoulder manipulations
- Compatible with the Skytron 3602 operating table

SchureSpine spinal frame with premium pad set



ACCESSORY

Case for SchureSpine
spinal frame

Code: 0270-1220-10

Code: 0270-1220-05

Patient weight	230kg
Equipment weight	12kg

- Carbon Fibre construction
- Convenient and stable for patients with a full flexion range
- Unrestricted radiolucency and C-arm integration
- Ideal for laminectomies, decompressions and disk surgery

Patient transfer roller board



Code: 0275-1800-05

Dimensions	750mm x 360mm
------------	---------------

- Designed to assist staff with patient transfer
- Eliminates physical lifting of patients
- Allows effortless patient transfer between hospital beds, operating room tables, exam table and more
- Smooth operating rollers make transfer of patients

Vac-pac positioners

- A safe, fast method of positioning patients for surgery
- Vac-Pacs are soft, rubberized vinyl bags filled with thousands of tiny plastic beads
- Moulded around a patient, and then a suction line is attached to the special valve
- As a vacuum is created, atmospheric pressure forces the beads together in the exact moulded shape
- When the suction line is disconnected, the Vac-Pac retains this moulded shape
- After surgery, the valve is opened and the Vac-Pac becomes soft, ready for use again

Size 11 Neck



Code: 0280-1000-05

Dimensions	300mm x 400mm
------------	---------------

Size 23 Small with U shape cut-out



Code: 0280-1100-05

Dimensions	450mm x 500mm
------------	---------------

Size 30 Medium with U shape cut-out



Code: 0280-1200-05

Dimensions	730mm x 900mm
------------	---------------

Size 31 Large with U shape cut-out



Code: 0280-1300-05

Dimensions	980mm x 900mm
------------	---------------

Size 32 Bariatric, U shape cut-out



Code: 0280-1400-05

Dimensions	1180mm x 900mm
------------	----------------

Size 35 T shape with flaps



Code: 0280-1500-05

Dimensions	870mm x 710mm
------------	---------------

Size 40 Full body rectangle



Code: 0280-1600-05

Dimensions	1930mm x 760mm
------------	----------------

Gel armboard



	Code: 0285-1000-05	Code: 0285-1000-10	Code: 0285-1000-15	Code: 0285-1000-20	Code: 0285-1000-25
Dimensions	380mm x 100mm x 6mm	330mm x 120mm x 6mm	630mm x 120mm x 10mm	380mm x 150mm x 10mm	660mm x 150mm x 10mm

- Use on standard arm board extensions
- Protects hand, forearm, elbow and bicep

Geltech pad for right-angled support



Code: 0285-1450-05

Dimensions	200mm x 150mm x 50mm
------------	----------------------

- Gel pad with pocket on reverse side

Gel trapezoid positioner



Code: 0285-6800-05

Dimensions	270mm x 180mm x 85mm
------------	----------------------

Weight	2.4kg
--------	-------

- Used for general positioning for patients comfort

Gel armboard contoured pad



Code: 0285-1100-05

Dimensions	530mm x 150mm x 50mm
------------	----------------------

Weight	2.8kg
--------	-------

- Contoured for multi direction support

Geltech hand wrap



Code: 0285-1500-05

Dimensions	240mm x 330mm x 3mm
------------	---------------------

- Used for general positioning for patients comfort

Geltech ulnar/brachial protector with hook and loop



Code: 0285-1900-05

Code: 0285-2000-05

Shape	Oval	Rectangle
Dimensions	400 x 150 x 13mm	460 x 330 x 60mm
Weight	0.45kg	1.4kg

- Protects the forearm, wraps around the patients arm and secured with hook and loop
- When patient's arm are tucked to their sides, helps to prevent ulnar nerve damage

Geltech bariatric knee crutch pad



Code: 0285-2300-10

Dimensions	430mm x 280mm x 25mm
------------	----------------------

Gel armboard contoured pad



Code: 0285-2700-05

Dimensions	L 630mm x W 50mm
------------	------------------

- Protects patients during urology, gynaecology and lithotomy positions involving lengthy procedures

Geltech gel heel cup



Code: 0285-2800-05

Dimensions L 150mm x W 80mm x H 40mm

Weight 0.9kg

- Holds the foot securely and protects the heel and Achilles Tendon area

Geltech fracture table foot pad



Code: 0285-3000-05

Dimensions L 305mm x W 100mm H x 6mm

- Use with fracture table foot holders and other stands

Geltech clam shell heel protector



Code: 0285-3300-05

Dimensions L 310mm x W 190mm x H 12mm

Weight 0.9kg

- Place the patient's foot in the pad to protect the heel
- Easy to use and clean
- Uses hook and loop to secure the pad around the patient's foot

Geltech gel donut head pad



Code: 0285-3400-05

Code: 0285-3400-10

Code: 0285-3400-20

Type	Adult	Paediatric	Bariatric
Outside Diameter	203mm	140mm	203mm
Inside Diameter	76mm	57mm	76mm
Height	51mm	32mm	76mm
Weight	1.5kg	680g	2.3kg

Geltech gel horseshoe head pad



	Code: 0285-3700-05	Code: 0285-3700-10	Code: 0285-3700-15
Type	Adult	Paediatric	Bariatric
Outside Diameter	203mm	140mm	203mm
Inside Diameter	76mm	57mm	76mm
Height	51mm	32mm	76mm
Weight	1.4kg	454g	2.3kg

Geltech prone gel headrest with interchangeable base



Code: 0285-4020-05

Gel Pad size	270mm x 270mm x 75mm
Base one height	35mm
Base two height	50mm
Base three height	70mm

- Gel Prone Head Rest including 3 foam bases to alter height of gel

Geltech richard type head rest



Code: 0285-4050-05

Code: 0285-4050-10

Type	Adult	Extra large
Dimensions	400 x 150 x 13mm	460 x 330 x 60mm
Weight	0.45kg	1.4kg

Geltech prone/supine head rest



Code: 0285-4100-05

Dimensions	230mm x 280mm x 152mm
Weight	6.35kg

- This head positioner allows the patient to be positioned with respiration tubes in place
- The unique design provides superior head control and stability

Geltech gel head pad-supine with centre dish



Code: 0285-4300-05

Dimensions 250mm x 230mm x 50mm

Type Adult

- This self centering dish conforms to the patients head while offering support

Geltech flat pad



Code:
0285-4900-05

Code:
0285-4900-10

Code:
0285-4900-15

Code:
0285-4900-20

Size	Small	Medium	Large	Extra large
Dimensions	280mm x 230mm x 10mm	430mm x 280mm x 6mm	510mm x 510mm x 13mm	680mm x 280mm x 13mm
Weight	1.33kg	1.4kg	3.6kg	2.7kg

- Flat gel pads, can be used as knee crutch pads

Geltech gel pad paediatric isolette



Code: 0285-5900-05

Dimensions 660mm x 400mm x 12mm

Weight 3.17kg

Geltech mayo stand cover



Code: 0285-6000-15

Dimensions 750 x 530 x 16mm

- Prevents nerve damage while limbs are positioned using a mayo stand

Geltech table hip pad



Code: 0285-6400-05

Dimensions 500mm x 500mm x 13mm

Weight 3.6kg

- To be used with most procedures where hip protection is needed

Geltech gel flat bottom chest roll



Code:
0285-7100
-05

Code:
0285-7100
-10

Code:
0285-7100
-15

Code:
0285-7100
-20

Code:
0285-7100
-25

Code:
0285-7100
-30

	300mm x 100mm x 100mm	300mm x 150mm x 150mm	450mm x 100mm x 100mm	450mm x 150mm x 150mm	500mm x 100mm x 100mm	500mm x 150mm x 150mm
Dimensions						

- Used to protect the patient's chest while in prone position

Geltech gel chest positioners set



Code: 0285-7700-05

Dimensions 710mm x 200mm x 76mm

Weight 15.9kg

- The contoured shape conforms to the patient's chest and shoulder

Geltech gel sandbag positioner



Code:
0285-8300-15

Code:
0285-8300-25

Code:
0285-8300-30

Code:
0285-8300-35

Code:
0285-8300-45

	190 x 100 x 30mm	300 x 100 x 40mm	250 x 100 x 40mm	300 x 100 x 50mm	350 x 130 x 60mm
Dimensions					
Weight	0.5kg	0.9kg	1.0kg	1.2kg	2kg

Geltech table pad three piece set



Code: 0285-9000-12

Dimensions	1000mm x 510mm x 13mm
------------	-----------------------

Geltech full table pad



Code: 0285-9300-05

Dimensions	1830mm x 510mm x 13mm
------------	-----------------------

Gel 3/4 table pad



Code: 0285-9400-05

Code: 0285-9400-10

Dimensions	1160mm x 510mm x 13mm	1160mm x 510mm x 13mm
Style	With cutout	Without cutout

CBM warm air incubator – fluid/blanket warmer – 20 litre



Code: 0560-1120-05

Overall dimensions	H 360mm	W 560mm	D 380mm
Internal dimensions	H 218mm	W 385mm	D 235mm
Volume	20 litre		

- Made entirely from stainless steel
- Large tempered glass lockable door
- Temperature range 30 to 70 degrees
- Temperature and time displayed on the front of the unit
- PID temperature control together with the fan that circulates forced air, guarantees that temperatures are reached and maintained

CBM warm air incubator – fluid/blanket warmer – 58 litre



Code: 0560-1140-05

Overall dimensions	H 470mm	W 700mm	D 480mm
Internal dimensions	H 360mm	W 500mm	D 320mm
Volume	58 litre		

- Made entirely from stainless steel
- Large tempered glass lockable door
- Temperature range 30 to 70 degrees
- Temperature and time displayed on the front of the unit
- PID temperature control together with the fan that circulates forced air, guarantees that temperatures are reached and maintained

CBM warm air incubator – fluid/blanket warmer – 104 litre



Code: 0560-1160-05

Overall dimensions	H 600mm	W 885mm	D 570mm
Internal dimensions	H 420mm	W 620mm	D 400mm
Volume	104 litre		

- Made entirely from stainless steel
- Large tempered glass lockable door
- Temperature range 30 to 70 degrees
- Temperature and time displayed on the front of the unit
- PID temperature control together with the fan that circulates forced air, guarantees that temperatures are reached and maintained

Skytron warming cabinet



- Designed to thoroughly heat and maintain IV fluids, irrigation fluids and blankets to healthcare or manufacturer temperature guidelines
- Maintain accurate temperatures with our robust magnetic door closure system
- Perforated shelves enhance airflow to ensure contents are equally warmed
- Touch screen option allows the user to easily control the temperature permissions
- LED temperature display with keyed lockout
- Made from durable 300 series stainless steel throughout



Code:
0560-1502-05

Code:
0560-1502-10

Overall dimensions	H 622mm W 610mm D 521mm	H 622mm W 610mm D 521mm
Approximate capacity	9 blankets or 9 1 litre fluid bottles	9 blankets or 9 1 litre fluid bottles
Volume	85 litre	85 litre
Door type	Glass	Solid



Code: 0560-1508-05

Overall dimensions	H 622mm W 762mm D 673mm
Approximate capacity	18 blankets or 20 1 litre fluid bottles
Volume	149 litre
Door type	Glass



Code: 0560-1516-05

Overall dimensions	H 914mm W 610mm D 673mm
Approximate capacity	16 blankets or 25 1 litre fluid bottles
Volume	190 litre
Door type	Glass



Code:
0560-1518-05

Code:
0560-1518-10

Overall dimensions	H 915mm	H 915mm
	W 762mm	W 762mm
	D 673mm	D 673mm
Approximate capacity	32 blankets or 40 1 litre fluid bottles	32 blankets or 40 1 litre fluid bottles
Volume	245 litre	245 litre
Door type	Glass	Solid



Code:
0560-1528-05

Code:
0560-1528-10

Overall dimensions	H 1645mm	H 1645mm
	W 762mm	W 762mm
	D 670mm	D 670mm
Approximate capacity	80 blankets or 120 1 litre fluid bottles	80 blankets or 120 1 litre fluid bottles
Volume	500 litre	500 litre
Door type	Glass	Solid



Code:
0560-1538-05

Code:
0560-1538-10

Overall dimensions	H 1892mm	H 1892mm
	W 762mm	W 762mm
	D 673mm	D 673mm
Approximate capacity	80 blankets or 120 1 litre fluid bottles	80 blankets or 120 1 litre fluid bottles
Volume	598 litre	598 litre
Door type	Glass	Solid



Code:
0560-1568-05

Code:
0560-1568-10

Overall dimensions	H 1892mm	H 1892mm
	W 762mm	W 762mm
	D 673mm	D 673mm
Approximate capacity	52 blankets or 120 1 litre fluid bottles	52 blankets or 120 1 litre fluid bottles
Volume	150/338 litre	150/338 litre
Door type	Dual Glass	Dual Solid

Milano® Hand or foot operated surgeon stool



SWL	160kg
Top diameter	395mm

- Anti-microbial and anti-bacterial vinyl covering
- Three height options available
- Assembled to order

Hand operated models

Code: 0505-1020-06

Milano® Surgeon stool hand operated – Low lift

Height range
min. 440mm
max. 520mm

Code: 0505-1020-05

Milano® Surgeon stool hand operated – Standard lift

Height range
min. 530mm
max. 730mm

Code: 0505-1020-07

Milano® Surgeon stool hand operated – High lift

Height range
min. 610mm
max. 860mm

Foot operated models

Code: 0505-1100-06

Milano® Surgeon stool foot operated – Low lift

Height range
min. 490mm
max. 570mm

Code: 0505-1100-05

Milano® Surgeon stool foot operated – Standard lift


Height range
min. 580mm
max. 780mm

Code: 0505-1100-07

Milano® Surgeon stool foot operated – High lift

Height range
min. 660mm
max. 910mm

Milano® Surgeon stool



SWL	90kg
Product weight	7kg
Seat dimensions	Diameter 380mm Thickness 90mm
Castors	50mm

- Choice of occupied or unoccupied braking
- Hands free, foot operated pneumatic seat height control
- Chrome-plated stool base and foot ring

Code: 0505-1800-10

**Milano® Surgeon stool
– Low lift**

Height range
min. 500mm
max. 660mm

Code: 2082

**Milano® Surgeon stool brake
unoccupied – Low lift**

Height range
min. 500mm
max. 660mm

Code: 2083

**Milano® Surgeon stool brake
occupied – Low lift**

Height range
min. 500mm
max. 660mm

Code: 0505-1800-15

**Milano® Surgeon stool
– Standard lift**

Height range
min. 570mm
max. 750mm

Code: 2084

**Milano® Surgeon stool brake
unoccupied – Standard lift**

Height range
min. 570mm
max. 750mm

Code: 2085

**Milano® Surgeon stool brake
occupied – Standard lift**

Height range
min. 570mm
max. 750mm

Code: 0505-1800-20

**Milano® Surgeon stool
– High lift**

Height range
min. 620mm
max. 880mm

Code: 2086

**Milano® Surgeon stool brake
unoccupied – High lift**


Height range
min. 620mm
max. 880mm

Code: 2087

**Milano® Surgeon stool brake
occupied – High lift**

Height range
min. 620mm
max. 880mm

Milano® Surgeon stool with backrest



SWL	90kg
Product weight	10kg
Height	min. 570mm max. 750mm
Backrest dimensions	W 260mm L 490mm
Seat dimensions	Diameter 380mm Thickness 90mm
Castors	50mm

- Adjustable backrest
- Hands free, foot operated pneumatic seat height control
- Chrome-plated stool base and foot ring
- Five castors with 360° swivel

Code: 0505-1800-05

**Milano® Surgeon stool with
backrest – Standard lift**

Code: 2080

**Milano® Stool brake
unoccupied with backrest –
Standard lift**

Code: 2081

**Milano® Stool brake occupied
with backrest – Standard lift**

Milano® Anti-microbial theatre chair



Code: 0505-0980-05

SWL	160kg
Height min.	470mm
Height max.	670mm

- Seat cushion with a waterfall front edge to encourage circulation
- Offers quick adjustment of seat height and backrest height and angle
- Anti-microbial and anti-bacterial vinyl covering
- Comes in black colour only
- Assembled to order

Haelvoet Airlift stool



Code: 30143

Height	min. 520mm	max. 700mm
Seat diameter	330mm	
Base diameter	550mm	
Materials	Fire retardant foam	
Castor size	50mm	

- Height variation from 520mm to 700mm
- This gas spring is activated by a lever situated under the seat
- Wide and stable 5- legged synthetic base with 50mm castors
- The support has a high-low mechanism with a gas spring
- Upholstered with fire-retardant foam (thickness: 20mm; density: 50kg/m³)
- Finished with imitation leather

Milano® Hydraulic surgeon stool with water drop seat



Code: 0505-2050-05

SWL	136kg
Height min.	530mm
Height max.	710mm

- Comfortable and ergonomic water drop cushion
- Hydraulic foot pedals with locking mechanism
- Adjustable contoured backrest
- Dual-density foam seat cushion
- 180° rotatable arm rest support
- Adjustable and 360° rotatable armrest pads

Schurefoot Comfort mat



Code: 0510-1000-05

Code: 0510-1000-10

Size	Standard	Large
Dimensions	510mm x 830mm	910mm x 1520mm

- Absorbent-resistant closed-cell foam
- Bevelled, low-profile edges
- Non-slip surface, ideal for hospital environments
- Withstands high pressure water cleaning up to 121°C

Stainless steel stacking step stool



Code: 0510-2500-05

Overall dimensions	L 475mm W 325mm H 120mm
SWL	225kg
Product weight	4.8kg

- Stools lock together side-by-side or end-on-end
- Stools can be stacked on transport dolly
- 225kg weight capacity

Dolly for stainless steel step stool




Code: 0510-2510-05

- Provides easy transport for our stainless step stools
- Stainless steel construction
- Carry up to four stools





CSSD equipment



Height adjustable packing trolleys	158
Height adjustable packing stations	159
Height adjustable cleaning stations	159
Loanset management	160
Cleaning guns	161

Electric height adjustable packing trolleys

Electric height adjustment via mains or battery operation gives the user height control at their fingertips. The table without accessories can be used as a height adjustable transfer trolley or alternatively accessorised with scout racks and wrap racks.

Electric height adjustable transfer trolley



Code: 0805-4110-05

Overall dimensions	W 1200mm D 600mm
Height range	765mm – 1050mm

- Electric height adjustment
- Height range of 765mm – 1050mm
- Stainless steel top
- Complete with battery operation

Electric height adjustable packing trolley



Code:
0805-4120-05

Code:
0805-4124-05

Code:
0805-4130-05

Height range	765mm – 1050mm	765mm – 1050mm	765mm – 1050mm
Overall dimensions	1200 x 600mm	1200 x 750mm	1800 x 700mm

- Electric height adjustment
- Height range of 765mm – 1050mm
- Stainless steel top and subframe
- Includes wrap rack and scout rack
- Mains operation
- Battery operation optional

ACCESSORIES



⌵ Wrap rack

Code: 0805-4145-05



⌵ Keyboard holder

Code: 0805-4150-05



⌵ Scout rack
A: 1200 Trolley B: 1800 Trolley

A Code: 0805-4170-05

B Code: 0805-4175-05



⌵ Swivel desk clamp mount

Code: 0805-4155-05



⌵ Magnifier light

Code: 0330-1010-05



⌵ Battery Operation kit

Code: 0805-4140-05



⌵ Under bench drawer unit

Code: 0805-4155-05

Electric height adjustable packing stations

Electric height adjustment via mains or battery operation gives the user height control at their fingertips. The table without accessories can be used as a height adjustable transfer trolley or alternatively accessorised with scout racks, wrap racks, louvre panels, a work station light, power outlets, and under bench baskets. The packing station comes in three sizes and is manufactured from quality stainless steel with solid underlay. Alternative Corian tops are available.

Electric height adjustable packing station



Code:
0805-4210-05

Code:
0805-4220-05

Code:
0805-4230-05


Height range	765 – 1050mm	765 – 1050mm	765 – 1050mm
Overall dimensions	1200 x 750mm	1668 x 750mm	2136 x 750mm

- Electric height adjustment
- Height range of 765mm – 1050mm
- Stainless steel top and subframe
- Includes wrap rack and scout rack
- Mains operation
- Battery operation optional

Electric height adjustable cleaning stations

The electric height adjustable cleanup stations have single or dual bowl configurations and are manufactured from quality stainless steel. Electric height adjustment is controlled by the user via a foot switch with an adjustment set from 850-1050mm. A clever flexi water and waste system enables the height adjustment without causing issues with the pipe work.

Electric height adjustable cleaning station



Type	Overall dimensions
Bench top dimensions	L 2100mm x W 700mm
Height range	800mm – 1000mm
Large square bowl	W 605mm D 460mm H 250mm
Small square bowl	W 305mm D 460mm H 170mm
Round bowl	500mm Diameter 175mm deep

- Made in New Zealand from quality stainless steel
- Electric height adjustment
- Height range of 800mm – 1000mm
- We can manufacture custom size sinks to suit your department

⊖ ⊖ ⊖ Round Bowls Left

⊖ ⊖ Large Bowls Centre

⊖ Round Bowls Right

Milano mobile loanset lifter



Code: 0820-1200-05

Overall dimensions	W 860mm	D 800mm	H 1980mm
--------------------	---------	---------	----------

- Adjustable width forks for accommodating different load sizes
- Fold-down platform for easy loading and unloading
- Robust weight capacity of 150kg

Milano loanset dolly trolley



Code: 0820-1600-05

Overall dimensions	W 600mm	D 400mm	H 140mm
--------------------	---------	---------	---------

- For use with loans cases without wheels
- Two locking castors, two free wheel castors

Milano 8 way dolly trolley stacking rack – fixed



Code: 0820-1610-05

Frame dimensions	W 432mm	D 308mm	H 1422mm
------------------	---------	---------	----------

- Dolly trolley stacker for loanset dollies
- Holds up to eight dollies
- Provision for bolting to the floor

Milano 8 way dolly trolley stacking rack – mobile



Code: 0820-1620-05

Frame dimensions	W 492mm	D 350mm	H 1520mm
------------------	---------	---------	----------

- Dolly trolley stacker for loanset dollies
- Holds up to eight dollies

Nova cleaning kit with Prof. Set Including 8 Attachments



Code: 0822-2100-05

- Specifically designed professional cleaning kit for medical and laboratory applications
- Set includes rinsing gun with nozzle holder and 8 quick connectable nozzles
- 3m PVC hose with fabric reinforcement and ½" connection included
- Gun allows precise dosing and ensures highly satisfactory results with water or air cleaning/drying

Medella EasySeal heat sealer



Code: 0830-2010-05


Overall dimensions	W 690mm D 520mm H 1010mm
Product weight	15kg
Sealing speed	10m/min
Seal width	12mm
Power supply	220V – 230V, 50Hz
Power	500W

- Simple to use, auto-sensing heat sealer
- Operating temperature range of 60-220°C
- High sealing speed of 10m/min and 12mm seal width
- Fully validable to EN ISO 11607-2 standards





Storage



Compactor shelving	164
Chrome wire shelving	164
ISO 60-40 open rack system	165
Container and sterile pack storage system	165
Service carts	166
Storage carts	167

A well designed storage system can...



Cubro® are market leaders in the design, supply and installation of medical storage solutions

We have significant experience in department layout, storage designs, the standards and installation of both modular and chrome wire shelving and transport systems. Runs effortlessly, is quiet and gentle

Contact one of our friendly team for an evaluation of your existing sterile storage areas, we will be pleased to provide you with a free design and proposal to maximise your storage capacity and increase the efficiency of your workflows.

Compactor shelving



- Chrome wire compactor units offer a high-density mobile storage system that optimises the use of your storeroom
- Designed and manufactured to meet standards for sterile stock storage AS/NZS4187
- Ideal for dry storage areas, particularly in sterile hospital environments where cleanliness is essential
- Available in a range of sizes to meet your requirements
- A large selection of shelf widths and depths ensure the Compactor can be fitted to any storeroom
- Ball-bearing wheels and top guides ensure the system will not bind up and remains easy to roll even when very heavily loaded

Chrome wire shelving



- Chrome wire shelving is self-cleaning and compliant with AS/NZS4187
- Ideal for both bulk storage, steriliser cassette storage and consumable storage
- Clean edges won't snag or tear sterile wrap
- Open mesh doesn't get dusty and wipes clean
- Can be fitted with castors for movable storage
- Range of different heights available

...increase storage capacity by up to 50% within the same footprint area.



ISO 60-40 enclosed cabinets

- A modular cabinet system designed for 600mm x 400mm modular baskets
- Manufactured from stainless or melamine. These standard modules are customised to suit customer requirements
- Baskets are fully retractable so no gaps are needed between the baskets. This maximises the available space and enables easy access to supplies at the back of the basket
- Clear line of sight, easy and ergonomic access to all baskets at the higher levels
- Can be decreased into 0.65m² footprint of dense storage

ISO 60-40 open rack system



- Efficiently utilises floor space
- Simple colour-coding technology to locate items
- Baskets can be permanently angled or stored horizontally and tilted while in use
- Tool-free repositioning of basket configuration
- Easy-to-clean, smooth surfaces
- Pull-out modules for easy cleaning

Container and sterile pack storage system



Code: 0920-1700-05

- Stainless steel container/pack beds will not rust and are scratch resistant. Unlike plastic or powder-coated shelves, our stainless steel beds will not release unwanted particles into your sterile environment
- A complete modular system: spacing between shelves can be reconfigured by the end-user without using any tools
- Access to the entire container/pack via 110% retractable extension slides
- Beds have raised side and back walls to assure containers/trays will not fall while beds are moved in and out
- Load capacity per shelf: 37kg

Pegasus hera service cart



Single
E type



Double
U type

Code: 0920-1800-05

Code: 0920-1810-05

Configuration	Single E type	Double UU type
Overall dimensions	W 739mm	W 985mm
	D 486mm	D 686mm
	H 1055mm	H 1055mm

- Lighter than most steel carts, flexible and easily maneuverable
- Built with an aluminium structure, HPL working surface and dual push handles
- Prevents the growth of bacteria by using a fully sealed structure, therefore it is very easy to clean
- Fully adjustable
- Available in two configurations

Pegasus salus transport cart



- Designed to provide a light weight durable cart for transport of medical supplies around the hospital
- Combines high-quality anodised aluminum, nylon – aluminum rails and ABS baskets
- Easy to clean and disinfect
- Available in a variety of configurations

Code: 0920-1850-05

Single E type

Code: 0920-1855-05

Double EE type

Code: 0920-1860-05

Single U type

Code: 0920-1865-05

Double UU type

Code: 0920-1870-05

Triple UUU type



Apollo tambour door storage carts



- Useful in small rooms and corridors where a standard door would be impractical
- New counter-balanced system for smooth operation of roller shutter
- Simple, tool-free removal of the roller shutter for cleaning purposes
- A variety of locks including: code locks, key locks, network locks, offered on the top or middle part of the doors
- Mid-height handle eliminates the need to bend down to open the door
- Protective back wall prevents supplies from blocking the door


E type




Type	Panels	Width	Height
Single	2 panels cart	750mm	1090mm
Double	3 panels cart	1460mm	1460mm
			1840mm
Triple	4 panels cart	2170mm	2090mm



Single cart E
W 750mm
H 590mm



Double cart EE
W 1460mm
H 590mm




Triple cart EEE
W 2170mm
H 590mm


U type




Type	Panels	Width	Height
Single	2 panels cart	550mm	1090mm
Double	3 panels cart	1060mm	1460mm
			1840mm
Triple	4 panels cart	1570mm	2090mm



Single cart U
W 550mm
H 790mm



Double cart UU
W 1060mm
H 790mm



Triple cart UUU
W 1570mm
H 790mm





Trolleys, carts and laundry

Procedure carts	172
Narrow procedure carts	174
Emergency and resuscitation carts	174
Narrow emergency carts	176
Anaesthetic carts	177
Narrow anaesthetic carts	178
Isolation carts	178
ICU carts	179
Mini carts	179
Medication carts	180
Instrument and dressing trolleys	180
Plaster trolleys	185
Rubbish bins	186
Linen trolleys and bags	187
Utility trolleys	189
File carts	190
Equipment carts	192
Mobile workstations	193
Keyboards and IT accessories	195
Milano® cart accessories	196

Your cart, how you need it

Width options




Height options



Drawer options



Drawer internal dimensions



Get in touch

Our Milano® carts are configurable to your particular needs and those of your department. Choose your width, height and drawer size and select from our extensive range of add-on accessories from pages 196 – 199. Get in touch with us today for more info.



KEY FEATURES



- (A) ASB top surface**
Light, easy to clean
- (B) Push handle**
Height adjustable, easy add on
- (C) Sliding table top extension**
Easy to use, space saving
- (D) Central lock**
Secures all drawers


DIVIDER SYSTEM



- ① Clearly sorts and organises

Colour options

Standard range



Other colours available on order



Rail options




- ① Auto-return (standard)



- ① Soft close – light and quiet

Castor options



- ① Twin wheel TPR castor



- ① Plastic medical TPR castor



- ① Dustproof medical TPR castor



- ① Iron medical TPR castor (standard)

Milano® Procedure cart



	Code: MX28PRO-CT	Code: MX31PRO-CT	Code: MX34PRO-CT	Code: MX37PRO-CT
Overall dimensions	W 690mm D 520mm H 850mm	W 690mm D 520mm H 930mm	W 690mm D 520mm H 1010mm	W 690mm D 520mm H 1085mm
Total drawers	4	4	5	5
Drawer configuration	2x 76mm (3") 1x 155mm (6") 1x 234mm (9")	1x 76mm (3") 2x 155mm (6") 1x 234mm (9")	2x 76mm (3") 2x 155mm (6") 1x 234mm (9")	1x 76mm (3") 3x 155mm (6") 1x 234mm (9")

- ABS top with slide-out work surface
- Dividers in two drawers
- Central key lock control
- Push handle
- Auto-return drawers
- Available in four heights
- 4x 125mm twin swivel castors: 2x braking, 1x directional

MAIN ACCESSORIES AS SHOWN

(See pages 196 – 199 for more)

Multi-storage basket

Code: VMS+VPR-2

Sharps container set

Code: VSC+VPR-2

Adjustable IV pole

Code: VIV

Waste container with lid

Code: 689

Milano® Standard procedure cart



Code: SC32PRO

Overall dimensions	W 690mm D 542mm H 970mm
Total drawers	5
Drawer configuration	2x 76mm (3") 2x 155mm (6") 1x 234mm (9")

- Push handle
- ABS top
- 4x 125mm twin swivel castors: 2x braking

(See pages 196 – 199)

Milano® Wide procedure cart



ACCESSORIES

(See pages 196 – 199)

Code: VI34W (2.2.1)

Overall dimensions	W 932mm D 542mm H 1018mm
Total drawers	5
Drawer configuration	2x 76mm (3") 2x 155mm (6") 1x 234mm (9")

- ABS top with slide-out work surface
- Central key lock control
- Push handle
- Auto-return drawers
- 4x 125mm twin swivel castors: 2x braking, 1x directional

Milano® Double medical cart



ACCESSORIES

(See pages 196 – 199)

Code: DX34

Overall dimensions	W 1125mm	D 545mm	H 1018mm
Drawer width	Left 569mm	Right 399mm	
Total drawers	11		
Left side drawer configuration	2x 76mm (3")	2x 155mm (6")	1x 234mm (9")
Right side drawer configuration	4x 76mm (3")	1x 155mm (6")	1x 234mm (9")

- ABS top – easy to clean
- Push handle – height adjustable, easy to set up
- Inbuilt sliding table – can slide back into the cart when not in use
- 2x Central locks (1 on each half of cart) – secures all drawers

Milano® Narrow procedure cart



ACCESSORIES

(See pages 196 – 199)

	Code: NC3104-WH	Code: NC3405-CT	Code: NC3706-CT	Code: NC3104-P
Overall dimensions	W 510mm D 542mm H 900mm	W 510mm D 542mm H 977mm	W 510mm D 542mm H 1056mm	W 510mm D 542mm H 900mm
Colour	White	White	White	Purple
Total drawers	4	5	6	4
Drawer configuration	0x 76mm (3") 4x 155mm (6") 0x 234mm (9")	2x 76mm (3") 2x 155mm (6") 1x 234mm (9")	3x 76mm (3") 2x 155mm (6") 1x 234mm (9")	0x 76mm (3") 4x 155mm (6") 0x 234mm (9")

- Central key lock control
- Push handle and soft close drawers
- ABS top with slide-out work surface
- ABS protection bumpers
- Smaller overall dimensions for areas where space is limited
- Available in 3 heights
- 4x 100mm castors: 2x braking

Milano® Emergency cart



	Code: MX28EMG-CT	Code: MX31EMG-CT	Code: MX34EMG-CT	Code: MX37EMG-CT
Overall dimensions	W 690mm D 520mm H 850mm	W 690mm D 520mm H 930mm	W 690mm D 520mm H 1010mm	W 690mm D 520mm H 1085mm
Total drawers	4	5	5	6
Drawer configuration	2x 76mm (3") 1x 155mm (6") 1x 234mm (9")	3x 76mm (3") 1x 155mm (6") 1x 234mm (9")	2x 76mm (3") 2x 155mm (6") 1x 234mm (9")	3x 76mm (3") 2x 155mm (6") 1x 234mm (9")

- Top narcotics drawer with lockable lid
- ABS top with slide-out work surface
- Dividers in two top drawers
- Central key lock control
- Push handle
- Auto-return drawers
- Available in four heights
- 4x 125mm twin swivel castors: 2x braking, 1x directional

MAIN ACCESSORIES AS SHOWN

(See pages 196 – 199 for more)

Adjustable IV Pole

Code: VIV

Oxygen tank holder

Code: VO2+VPR-2

Sharps container set

Code: VSC+VPR-2

Defibrillator shelf
Rotates 360°

Code: VDS

CPR cardiac board
(on back of cart)

Code: VCPR

Milano® Paediatric emergency cart



Code: MX37EMGP1-CT

Overall dimensions	W 690mm D 520mm H 1085mm
Total drawers	9
Drawer configuration	8x 76mm (3") 1x 155mm (6")

- Individual break-away lock
- Central key lock control in addition to tab locks
- 4x 125mm swivel castors; 2x loading, 1x directional
- ABS top with slide-out work surface
- Drawers: 8x 76mm and 1x 155mm drawer
- Drawers are colour coded using Broselow method for emergency paediatric care

ACCESSORIES

See pages 196 – 199

Juvo® Resuscitation trolley



Code: 304-900DD-DD

Overall dimensions	W 900mm D 500mm H 900mm
Total drawers	4

- Fully welded joints leaving no crevasses to harbour infection
- Shelf and top are surrounded with 3 rails
- Auto-return drawer runners
- 304 grade stainless steel construction – satin finish
- 4x 125mm stainless steel castors, 2x braking

Milano® Narrow emergency cart



	Code: NC3104-EMG		Code: NC3405-EMG		Code: NC3706-EMG	
Overall dimensions	W 510mm	D 545mm	W 510mm	D 542mm	W 510mm	D 545mm
	H 900mm		H 977mm		H 900mm	
Colour	Red		Red		Red	
Total drawers	4		5		4	
Drawer configuration	1 x 76 (3")		2x 76mm (3")		1 x 76mm (3")	
	0 x 155 (6")		2x 155mm (6")		0 x 155mm (6")	
	1 x 234 (9")		1x 234mm (9")		1 x 234mm (9")	

- Central key lock control
- Push handle and soft close drawers
- ABS top with slide-out work surface
- ABS protection bumpers

- Smaller overall dimensions for areas where space is limited
- Available in 3 heights
- 4x 100mm castors: 2x braking

MAIN ACCESSORIES AS SHOWN

(See pages 196 – 199 for more)

Adjustable IV pole

Code: VIV

Defibrillator shelf
Rotates 360°

Code: VDS

CPR cardiac board
(on back of cart)

Code: VCPR

Oxygen tank holder

Code: VO2+VPR-2

Sharps container
set

Code: VSC+VPR-2

Milano® Anaesthetic cart



	Code: MX28ANE-CT	Code: MX31ANE-CT	Code: MX34ANE-CT	Code: MX37ANE-CT
Overall dimensions	W 690mm D 520mm H 850mm	W 690mm D 520mm H 930mm	W 690mm D 520mm H 1010mm	W 690mm D 520mm H 1085mm
Total drawers	4	5	5	6
Drawer configuration	2x 76mm (3") 1x 155mm (6") 1x 234mm (9")	3x 76mm (3") 1x 155mm (6") 1x 234mm (9")	2x 76mm (3") 2x 155mm (6") 1x 234mm (9")	3x 76mm (3") 2x 155mm (6") 1x 234mm (9")

- Top narcotics drawer with lockable lid
- ABS top with slide-out work surface
- Dividers in two top drawers
- Central key lock control
- Push handle
- Auto-return drawers
- Available in four heights
- 4x 125mm twin swivel castors: 2x braking, 1x directional

MAIN ACCESSORIES AS SHOWN

(See pages 196 – 199 for more)

Accessory mount posts

Code: P-AB

Sharps container set

Code: VSC+VPR-2

Tilt bin organiser – 12 small compartments

Code: VTB-2

Adjustable IV pole

Code: VIV

Tilt bin organiser – 5 large compartments

Code: VTB-1

Waste container with lid

Code: 689

Glove dispenser

Code: VGD+VPR-2

SECURITY OPTIONS

Key lock (standard)

Proximity lock

Breakaway seal lock

Pin pad

Milano® Narrow anaesthetic cart



	Code: NC3706-ANE		Code: NC3104-ANE		Code: NC3405-ANE	
Overall dimensions	W 510mm	D 542mm	W 510mm	D 542mm	W 510mm	D 542mm
	H 1056mm		H 900mm		H 977mm	
Colour	Blue		Blue		Blue	
Total drawers	6		4		5	
Drawer configuration	3x 76mm (3") 2x 155mm (6") 1x 234mm (9")		0x 76mm (3") 4x 155mm (6") 0x 234mm (9")		2x 76mm (3") 2x 155mm (6") 1x 234mm (9")	

- Central key lock control
- Push handle and soft close drawers
- ABS top with slide-out work surface
- ABS protection bumpers
- Smaller overall dimensions for areas where space is limited
- Available in 3 heights
- 4x 100mm castors: 2x braking

Milano® Isolation cart



	Code: MX28ISO-CT		Code: MX31ISO-CT		Code: MX34ISO-CT	
Overall dimensions	W 690mm	D 520mm	W 690mm	D 520mm	W 690mm	D 520mm
	H 850mm		H 930mm		H 1010mm	
Total drawers	3		3		3	
Drawer configuration	1x 76mm (3") 0x 155mm (6") 2x 234mm (9")		0x 76mm (3") 1x 155mm (6") 2x 234mm (9")		0x 76mm (3") 0x 155mm (6") 3x 234mm (9")	

- ABS top with slide-out work surface
- Dividers in two drawers
- Central key lock control
- Push handle
- Auto-return drawers
- Available in four heights
- 4x 125mm twin swivel castors: 2x braking, 1x directional

MAIN ACCESSORIES AS SHOWN

(See pages 196 – 199 for more)

Adjustable IV pole

Defibrillator shelf
Rotates 360°

CPR cardiac board
(on back of cart)

Code: VIV

Code: VDS

Code: VCPR



Milano® ICU cart



ACCESSORIES

(See pages 196 – 199)

Special order

Overall dimensions	W 1125mm D 545mm H 1010mm
Drawer width	Left 569mm Right 399mm
Total drawers	8
Left side drawer configuration	2x 155mm (6")
Right side drawer configuration	3x 76mm (3") 3x 155mm (6")

- ABS top with slide-out work surface
- 2x central key lock controls
- Adjustable open shelves
- Push handle
- 4x 125mm twin swivel castors: 2x braking, 1x directional

Milano® mini cart



ACCESSORIES

(See pages 196 – 199)

Code: MI3405A-12I

Overall dimensions	W 520mm D 540mm H 946mm
Total drawers	5
Drawer configuration	2x 76mm (3") 2x 155mm (6") 1x 234mm (9")

- Designed with smaller overall dimensions for areas where space is limited
- ABS top
- ABS protection bumpers
- Central key lock control
- Push handle
- 4x 100mm twin swivel castors: 2x braking

Milano® Four drawer robotics medication cart



Code: 688

Overall dimensions	W 690mm
	D 520mm
	H 1010mm

Total drawers	4
---------------	---

Drawer configuration	3x 155mm (6")
	1x 234mm (9")

- ABS top with slide-out work surface
- Dividers in each drawer
- Central key lock control
- Push handle
- Auto-return drawers
- 4x 125mm twin swivel castors: 2x braking, 1x directional

ACCESSORIES

(See pages 196 – 199)

Milano® Secure drug cabinet



Code: 0515-4020-05

Code: 0515-4040-05

Overall dimensions	W 300mm	W 400mm
	D 150mm	D 250mm
	H 350mm	H 600mm

Product weight	20kg	51kg
----------------	------	------

- 6mm plate steel body and door
- Hinges protected by internal 'dogging bar'
- Rebated door
- Ross 600 six lever lock

Code: 0515-4020-05

Milano® Instrument and dressing trolley



Code: 3660

Overall dimensions	W 500mm	D 500mm	H 900mm
--------------------	---------	---------	---------

- Powder coated steel
- Shelves have guardrails on 3 sides
- 4x 75mm castors, 2x braking

ACCESSORIES

ABS plastic top

Code: 3665

Milano® Instrument and dressing trolley with single drawer



Code: 3661

Overall dimensions W 500mm D 500mm H 900mm

Drawer dimensions W 420mm D 400mm H 155mm

- Powder coated steel
- Shelves have guardrails on 3 sides
- 4x 75mm castors, 2x braking

ABS plastic top

Code: 3665

With fold-up shelf

Code: 3661/3658-1



Optional ABS plastic top and fold-up shelf

Milano® Instrument and dressing trolley with double drawers



Code: 3662

Overall dimensions W 500mm
D 500mm
H 900mm

Drawer dimensions W 420mm
D 400mm
H 155mm

- Powder coated steel
- Shelves have guardrails on 3 sides
- 4x 75mm castors, 2x braking

Milano® Drawer divider set

Code: 6 inches: 3630

ABS plastic top

Code: 3665

With fold-up shelf

Code: 3662/3658-1



Optional ABS plastic top and fold-up shelf

Milano® Wide instrument and dressing trolley with double drawers



Code: 3669

Overall dimensions W 1000mm D 500mm H 900mm

Drawer dimensions W 420mm D 400mm H 155mm

- Powder coated steel
- Shelves have guardrails on 3 sides
- 4x 75mm castors, 2x braking

ACCESSORIES



⌂ ABS plastic top

Code: 3670



⌂ Fold-up shelf

Code: 3664

Juvo® Instrument trolley with rails



Code: 304-500

Code: 304-700

Code: 304-900

	W 500mm	W 700mm	W 900mm
Overall dimensions	D 500mm	D 500mm	D 500mm
	H 900mm	H 900mm	H 900mm

- Two shelves, with rails on three sides
- Full under bracing support for all shelves providing maximum stability and strength
- Double safety folds to all shelf edges
- Rounded corners to reduce impact damage
- 304 grade stainless steel construction – satin finish
- 4x 75mm castors, 2x braking

Juvo® Instrument trolley with rails – large



Code: 304-1100

Overall dimensions W 1100mm D 500mm H 900mm

- Two shelves, with rails on three sides
- Full under bracing support for all shelves providing maximum stability and strength
- Double safety folds to all shelf edges
- Rounded corners to reduce impact damage
- 304 grade stainless steel construction – satin finish
- 4x 75mm castors, 2x braking

Juvo® Instrument trolley no rails



Code: 304-500NR

Code: 304-900NR

Overall dimensions	W 500mm	W 900mm
	D 500mm	D 500mm
	H 900mm	H 900mm

- Two shelves
- Full under bracing support for all shelves providing maximum stability and strength
- Double safety folds to all shelf edges
- Round corners to reduce impact damage
- 304 grade stainless steel construction – stain finish
- 4x 75mm, 2x braking

Juvo® Instrument trolley no rails – large



Code: 304-1100NR

Overall dimensions	W 1100mm	D 500mm	H 900mm
--------------------	----------	---------	---------

- 2 shelves
- Full under bracing support for all shelves providing maximum stability and strength
- Double safety folds to all shelf edges
- Round corners to reduce image damage
- 304 grade stainless steel construction – stain finish
- 4x 75mm, 2x braking

Juvo® Dressing trolley – 1 drawer



Code: 304-500D

Code: 304-700D

Code: 304-900D

Overall dimensions	W 500mm	W 700mm	W 900mm
	D 500mm	D 500mm	D 500mm
	H 900mm	H 900mm	H 900mm

- 1x 125mm high drawer with full extension runners
- Full under bracing support for all shelves providing maximum stability and strength
- Work surface with 3 rails
- 304 grade stainless steel construction – satin finish
- 4x 100mm castors, 2x braking

Juvo® Dressing trolley – 2 drawer



	Code: 304-500DD	Code: 304-700DD	Code: 304-900DD
Overall dimensions	W 500mm D 500mm H 900mm	W 700mm D 500mm H 900mm	W 900mm D 500mm H 900mm
	<ul style="list-style-type: none"> • 2x 125mm high drawer with full extension runners • Full under bracing support for all shelves providing maximum stability and strength • Double safety folds to all shelf edges • Work surface with 3 rails • Lower shelf with 3 rails • 304 grade stainless steel construction – satin finish • 4x 100mm castors, 2x braking 		

Juvo® Dressing trolley – 3 drawer



	Code: 304-500DDD
Overall dimensions	W 500mm D 500mm H 900mm
	<ul style="list-style-type: none"> • 2x 125mm high drawer with full extension runners • Full under bracing support for all shelves providing maximum stability and strength • Double safety folds to all shelf edges • Work surface with 3 rails • Lower shelf with 3 rails • 304 grade stainless steel construction – satin finish • 4x 100mm castors, 2x braking

Juvo® Dressing trolley – 4 drawer



	Code: 304-500DDDD	Code: 304-700DDDD
Overall dimensions	W 500mm D 500mm H 900mm	W 700mm D 500mm H 900mm
	<ul style="list-style-type: none"> • 2x 125mm high drawer with full extension runners • Full under bracing support for all shelves providing maximum stability and strength • Double safety folds to all shelf edges • Work surface with 3 rails • Lower shelf with 3 rails • 304 grade stainless steel construction – satin finish • 4x 100mm castors, 2x braking 	


Stainless steel instrument trolley no rails



	Code: 0520-1020-05	Code: 0520-1020-10	Code: 0520-1020-15
Overall dimensions	W 500mm D 500mm H 900mm	W 800mm D 500mm H 900mm	W 1100mm D 500mm H 900mm

- Safety fold to all edges
- 304 grade Stainless Steel
- 100mm Rubber Casters – 2 x unbraked, 2 x braked
- Welded wheel inserts for increased strength and durability
- Fully seam welded top surfaces

Stainless steel instrument trolley with rails



	Code: 0520-1040-05	Code: 0520-1040-10	Code: 0520-1040-15
Overall dimensions	W 500mm D 500mm H 900mm	W 800mm D 500mm H 900mm	W 1100mm D 500mm H 900mm

- Safety fold to all edges
- 304 grade Stainless Steel
- 100mm Rubber Castors – 2 x unbraked, 2 x braked

Milano® VI34 wide plaster trolley



Code: VI34-PL

Overall dimensions	W 968mm D 542mm H 1018
Drawers	3
Drawer configuration	2x 155mm (6") 1x 395mm (15" Cavity)

- Includes fold-up shelf with stainless steel bowl
- 15" PVC cavity at bottom
- Auto-return drawers
- 4x 125mm twin swivel castors: 2x braking, 2x directional
- ABS top with slide-out work surface

Roma® Stainless steel rubbish tidy



Code: 643

Code: 642

Code: 642

Code: 643

Size	Small		Large	
Overall dimensions	W 250mm	D 250mm	W 400mm	D 400mm
	H 700mm		H 900mm	
Open dimensions	W 205mm	D 160mm	W 310mm	D 220mm

- Stainless steel, heavy duty rubbish bag holder
- Foot operated lid
- Hygienic and long lasting
- Superior infection control with seamless design and no spring to collect foreign objects
- 2 sizes available

Roma® Wall-mounted rubbish bag holder



Code: 631

Code: 641

Size	Small		Large	
Overall dimensions	W 300mm	D 220mm	W 340mm	D 250mm

- Durable, heavy duty stainless steel frame with no lid
- Holds standard size bags
- Hygienic and user friendly
- Superior seamless design
- No spring to collect any foreign objects
- Improved infection control
- 2 sizes available

Warwick® Wet and dry laundry trolley




Code: 690

Code: 691

Overall dimensions	W 600mm D 800mm H 880mm	W 700mm D 1050mm H 880mm
--------------------	-------------------------------	--------------------------------

- Stainless steel
- Spring-loaded base minimises bending, and helps to reduce back strain
- PVC bumper
- 125mm grey rubber swivel castors
- Design allows damp linen to breathe

Viking® Clean linen trolley



Code: 2317W

Overall dimensions	W 1050mm D 440mm H 1228mm
--------------------	---------------------------

- 3 enclosed shelves ensure a secure load
- Powder coated steel
- Easily accessible push handle at each end of the trolley
- 4x 125mm castors


ACCESSORIES



⌂ Hygiene cover with front opening

Code: 5170W

Viking® linen trolley



24 bin

Code: 2318B-1

Size	24 bin
Overall dimensions	W 1520mm D 420mm H 1445mm

- Include 24 baskets
- 4x rubber buffer discs
- Large top shelf for general transport and storage
- 4x 125mm castors
- Push handle located at each end of trolley

Porto® Open hoop linen trolley



Code: 555

Size	Single
Overall dimensions	W 425mm D 460mm H 900mm

- Compact design
- Stainless steel frame
- Open hoop with no lid
- 4x 75mm twin castors

Porto® Single foot linen trolley



	Code: 551SFO	Code: 551FO
Size	Single	Single
Overall dimensions	W 425mm D 460mm H 900mm	W 425mm D 460mm H 900mm
Material	Stainless steel	Powder coated

- Compact design
- Foot operated lid
- 4x 80mm twin castors, front braking

Porto® Double foot linen trolley



	Code: 541SFO	Code: 541FO
Size	Double	Double
Overall dimensions	W 870mm D 460mm H 900mm	W 870mm D 460mm H 900mm
Material	Stainless steel	Powder coated

- Compact design
- Foot operated lid
- 4x 80mm twin castors, front braking

Porto® Triple foot linen trolley



	Code: 542SFO	Code: 542FO
Size	Triple	Triple
Overall dimensions	W 1265mm D 460mm H 900mm	W 1265mm D 460mm H 900mm
Material	Stainless steel	Powder coated

- Compact design
- Foot operated lid
- 4x 80mm twin castors, front braking

Porto® Waterproof linen bag



	Code: 644Y	Code: 644R	Code: 644G	Code: 644B
Colour	Yellow	Red	Green	Blue
<ul style="list-style-type: none"> Hospital-design, high-quality waterproof linen bags White with a coloured top band 	<ul style="list-style-type: none"> Comes standard with draw cord Top band available in green, red, yellow or blue 			

Porto® Linen bag



	Code: 639Y	Code: 639R	Code: 639G	Code: 639B	Code: 639W
Colour	Yellow	Red	Green	Blue	White
<ul style="list-style-type: none"> Hospital-design, high-quality linen bags Comes standard with draw cord 	<ul style="list-style-type: none"> Top band available in green, red, yellow or blue 				

Viking® Double shelf utility trolley



Code: 639Y				
Overall dimensions	W 960mm	D 496mm	H 730mm	
<ul style="list-style-type: none"> Powder coated steel 2 shelves with rails on all sides 4x 125mm castors 	COLOUR OPTIONS <div> <div> Grey Code: 2311-2-G </div> <div> White Code: 2311-2-W </div> </div>			

Spencer® Utility cart



Code: 618

Code: 622

Size	Small	Large
Overall dimensions	W 790mm D 480mm H 1000mm	W 1110mm D 520mm H 1020mm
Max. weight	45kg per shelf	45kg per shelf
Shelf dimensions	W 620mm D 450mm	W 915mm D 500mm

- Aluminium frame
- 3x polypropylene shelves
- 4x 100mm castors, 2x braking

ACCESSORIES


[Waste bin – 19L](#)

Code: VWB

Viking® Utility transport trolley



Code: 2316

Overall dimensions	W 1190mm D 600mm H 940mm
--------------------	--------------------------

- Designed to assist with moving large, heavy and awkward objects
- 4x 80mm castors
- Zinc coated steel
- 2x 200mm wheels fitted at the centre
- 4x 100mm swivel castor located on the front and the rear

Milano® Narrow file cart – drawers



Special order

Overall dimensions	W 520mm D 540mm H 927mm
Total drawers	3
Drawer configuration	1x 76mm (3") 2x 310mm file drawers

- Smaller overall dimensions for areas with limited space
- 2 file drawers
- ABS top with slide-out work surface
- ABS protection bumpers
- Central key lock control
- 4x 100mm twin castors: 2x braking

ACCESSORIES


[Fold-up shelf](#)

Code: 3658-1

Multi-adjustable notebook/laptop holder

Code: VLN

Special order

Contact us for lead times and more info

MAIN ACCESSORIES AS SHOWN

(See pages 196 – 199 for more)

Milano® Narrow file cart – open front



Code: NCF3701-CT

Overall dimensions	W 520mm	D 540mm	H 927mm
Total drawers	4		
Drawer configuration	1x 76mm (3")	2x open front compartments	

- Smaller overall dimensions for use in areas with limited space
- Open front compartments with dividers for files
- ABS top with slide-out work surface
- ABS protection bumpers
- Central key lock control
- 4x 100mm twin castors: 2x braking

ACCESSORIES



Fold-up shelf

Code: 3658

Multi-adjustable notebook/laptop holder

Code: VLN

MAIN ACCESSORIES AS SHOWN

(See pages 196 – 199 for more)

Milano® File cart with cupboard



Code: MX34FDT-CT

Overall dimensions	W 690mm	D 520mm	H 1010mm
Drawer configuration	1x 400mm file compartment with door	1x 310mm file drawer	

- Push handle
- Powder coated steel sheet body
- Central key lock
- Slide-out utility shelf
- 1x 15" door with 10x wire dividers
- 1x 12" drawer
- 5" braking castors

Milano® Single drawer equipment cart



Code: EC5311

SWL	Drawer: 10kg		Shelf 20kg
Overall dimensions	W 500mm	D 610mm	H 1350mm
Drawer dimensions	W 380mm	D 300mm	H 85mm
Shelf dimensions	W 455mm	D 360mm	

- Mount profile: aluminium
- Drawer/shelf: Powder coated metal
- Base cover: ABS plastic
- Drawer/shelf cover: ABS plastic
- Drawer rail: auto return

MAIN ACCESSORIES AS SHOWN

(See page 192 for more)

Milano® 4 drawer equipment cart



Code: EC5314

SWL	Drawer: 10kg Shelf 20kg		
Overall dimensions	W 500mm	D 610mm	H 1350mm
Drawer dimensions	W 380mm	D 300mm	H Top two: 85mm
			Bottom two: 170mm
Shelf dimensions	W 455mm	D 360mm	

- Mount profile: aluminium
- Drawer/shelf: Powder coated metal
- Base cover: ABS plastic
- Drawer/shelf cover: ABS plastic
- Drawer rail: auto return

Milano® equipment carts accessories



Code: EPH

Probe holder

Holds probes up to:
W 43mm x L 260mm x H 90mm



Code: EBH

Bottle holder

Holds bottles up to:
W 54mm x L 54mm x H 89mm



Code: EBB

Basket

Dimensions: W 200mm x
D 200mm x H 150mm



Code: VLN

Laptop/ notebook holder

Rotation: 270°
Pivot: 180°



Code: EVC

Monitor holder set – short arm

Multi adjustable



Code: EMA

Monitor holder set – long arm

Max. length: 250mm
Multi adjustable



Code: EKB

Keyboard and mouse holder

Angle adjustable
Fits most keyboards



Code: EHL

Push handle

Handle width: 435mm
Handle diameter: 25mm

Milano® Compact mobile workstation with keyboard tray



Shown with optional slide-out mouse holder and basket. Contact us for more options

Code: 65001

Holds	Laptop (Optional monitor display mount)
Overall dimensions	W 616mm D 616mm H min. 990mm H max. 1340mm
Work surface height	min. 780mm max. 1130mm
Max. laptop size	19"
Work surface	W 540mm D 485mm

- Height adjustable with gas spring for sitting and standing positions
- Compact design with small footprint for use in tight hospital environments
- Smooth and easy to clean surfaces
- Treated acrylic work surface to meet hospital infection control requirements
- Multipurpose for a variety of applications
- Modular design allows for easy configuration and can be adapted as needs change
- Laptop tray with two shelves for laptop security
- Keyboard tray
- Strong and durable
- Lightweight and easy to move
- 4x 100mm twin castors, 2x braking

Milano® Slimline mobile hygiene station



Code: 1049

Height	2100mm
--------	--------

- Lightweight and mobile
- Provides a central point for your PPE needs
- Can be customised to suit your needs
- Five-star base for maximum stability
- Includes triple glove holder, hooks to hang disposable gowns, push handle, hand sanitiser bracket, 2x multi-purpose baskets

Customisable

Can be customised to your needs. Contact us for more information.

Milano® Hybrid narrow cart



MAIN ACCESSORIES AS SHOWN

(See pages 196 – 199 for more)

Support holder with long monitor arm Computer drawer

Code: VLP+EMA

Code: ZZ0687043

Special order

Overall dimensions	W 520mm D 542mm H 977mm
Total drawers	5
Drawer configuration	2x 76mm (3")
	2x 155mm (6")
	1x 234mm (9")

- Central key lock control
- ABS top with slide out work surface
- Aluminium construction
- Auto-return drawers
- 4x 125mm twin castors, 2x locking, 1x directional

Milano height adjustable roll stand



Code: 0515-1500-05

Overall dimensions	W 550mm
	D 560mm
	H min. 754mm
	H max. 931mm

- ABS top working surface
- Light weight and easy to manoeuvre
- 460mm wide x 450mm deep work surface
- 754mm to 931mm height range
- Quality medical grade castors, 2x braked, 2 non-braked
- Easy to customise and accessorise

Milano® Sanitisable medical mouse



Code: SMM-B

Overall dimensions	W 60mm D 112mm H 36mm
--------------------	-----------------------

Cable length	1800mm
--------------	--------

- Sanitisable healthcare mouse with tactile key feeling
- Capacitive sensor replacing traditional mouse scroll wheel
- Left and right key optical mouse sensor
- Comes in black

Milano® Sanitisable medical keyboard



Code: SMK-B

Overall dimensions	W 373mm D 138mm H 22mm
--------------------	------------------------

- Sanitisable healthcare keyboard with tactile key feeling
- Comes in black
- Adjustable backlit display
- Unique 'clean' button to switch off the keyboard from the host, allow easy spray and wipe without unplugging the keyboard
- USB connector cover

Milano® cart accessories



Code: VIV

Adjustable IV pole

- Fits to rear of cart
- 2 hooks
- Easy height adjustment



Code: P-AB

Accessory mount posts

- Used for mounting accessories



Code: VDS

Defibrillator shelf

- Rotates 360°
- Locks tight
- Fits to rear of cart

Width	335mm
Length	min. 335mm max. 415mm




Code: VTB-2

Small tilt bin organiser

- Requires an accessory bridge for mounting
- 12 bins

Width	603mm
Depth	123mm
Height	153mm



Code: VTB-1

Large tilt bin organiser

- Requires an accessory bridge for mounting
- 5 bins

Width	603mm
Depth	106mm
Height	253mm



Code: VTB-3

Extra large tilt bin organiser

- Requires an accessory bridge for mounting
- 4 bins

Width	603mm
Depth	123mm
Height	153mm



Code: VTS

Top shelf

Width	540mm
Depth	150mm
Height	50mm



Code: VBS-1+VPR-1

Bulk storage bins

- Requires an accessory bridge for mounting
- Set of five

Width	190mm
Depth	105mm
Height	75mm



Code: VBH+VPR-2

Bottle holder

- Includes side rail

Width	355mm
Depth	95mm
Height	80mm



Code: VVN

Notebook holder


- Mounts to right side of cart
- Steel construction with powder coated finish
- Rotation: 270°
- Pivot: 180°
- Fixings to retain computer
- Weight capacity: 8kg
- Computer not included



Code: VLP

Support holder for monitor

- Mount to the right accessory channel, left available on special order
- Cantilever monitor arm



Code: EVC

Monitor holder – short arm

- Rotation: 270°
- Pivot: 180°
- Weight capacity: 8kg
- Monitor not included
- Support holder not included



Code: EMA

Monitor holder – long arm

- Multi-adjustable arm
- Maximum length: 250mm
- Weight capacity: 10kg
- Monitor not included
- Support holder not included



Code: ZZ0687043

Computer drawer

- Suits mini, narrow and double cart range
- 76mm (3") drawer
- Computer not included



Code: 3658-1

Fold-down shelf

- Folds down when not in use

Width	350mm
Depth	161mm
Height	345mm



Code: VSC+VPR-2

Sharps container set

- Includes side rails

Width	110mm
Depth	215mm
Height	113mm



Code: VSCS

Sharps bin bracket BD small

- Height adjustable



Code: VSCD

Sharps bin bracket Daniels® with fixing plate

- Height adjustable



Code: VDH+VPR-2

Document holder

- Includes side rail
- Files not included

Width	255mm
Depth	160mm
Height	330mm



Code: VGD+VPR-2

Single glove holder

- Includes side rail
- Gloves not included

Width	270mm
Depth	110mm
Height	135mm



Code: VFH+VPR-2

File holder

- Includes side rail

Width	570mm
Depth	397mm
Height	150mm



Code: VO2+VPR-2

Oxygen tank holder

- The oxygen tank is fixed on securely using adjustable ties
- Includes side rail

Width	145mm
Height	405mm



Code: VMS+VPR-2

Multi-storage basket

- Includes side rail

Width	330mm
Depth	130mm
Height	180mm



Code: VCH+VPR-2

Catheter holder

- Includes side rail

Width	100mm
Depth	100mm
Height	480mm

Milano® cart accessories continued



Code: VCH-L

Catheter holder – long

- Includes side rail

Width	130mm
Depth	150mm
Height	600mm



Code: VGT-3

Triple glove holder

- Gloves not included

Width	295mm
Depth	110mm
Height	360mm



Code: VWB+VPR-2

Waste bin

- No lid
- 19L capacity

Width	365mm
Depth	255mm
Height	460mm



Code: 689

Waste container set and lid

- Includes side rail

Width	255mm
Depth	170mm
Height	315mm



Code: 3602

Drawer divider – 7 6mm (3") high

- Suits standard width carts
- 3x short dividers
- 3x long dividers
- 2x locating strips



Code: 3600

Drawer divider – 155mm high

- Suits standard width carts
- 2x short dividers
- 2x long dividers
- 2x locating strips



Code: MXT-3

ABS Tray with fixed divider set – 76mm (3") high

- Suits standard width carts
- 3x short dividers
- 3x fixed long dividers

Width	567mm
Depth	400mm
Height	60mm



Code: MXT-6

ABS Tray with fixed divider set – 155mm (6") high

- Suits standard width carts
- 2x short dividers
- 2x fixed long dividers

Width	567mm
Depth	400mm
Height	140mm



Code: 3601

Adjustable drawer divider – 155mm (6") high

- Suits standard width carts
- 3x short dividers
- 6x adjustable dividers
- 6x T-clips for securing dividers
- 2x locating strips



Code: 3603

Adjustable drawer divider – 76mm (3") high

- Suits standard width carts
- 3x short dividers
- 6x adjustable dividers
- 6x T-clips for securing dividers
- 2x locating strips



Code: VCPR

CPR cardiac board and hooks

- Macromolecular polymer CPR Board, strong and easy to clean
- Attaches to back of cart

Width	454mm
Depth	203mm
Height	352mm



Code: VPS

Tamper proof drawer seals

- Colour: red
- With serial number
- 50 pieces per pack



Code: VPT

Tamper proof pull tie drawer seals

- Colour: pink
- With serial number
- 50 pieces per pack



Code: 3650

Garden scene sticker set

- Can be applied to any Milano cart at time of order



Code: 3651

Sea scene sticker set

- Can be applied to any Milano cart at time of order





Wheelchairs



Wheelchairs	202
Bariatric wheelchairs	204
Patient transfer wheelchairs	206

Freiheit® Freedom lightweight manual wheelchair



	Code: 3035	Code: 3036	Code: 3037
Seat width	400mm	450mm	500mm
SWL	110kg	110kg	110kg
Overall width	590mm	640mm	690mm
Overall depth	1070mm	1070mm	1070mm
Overall height	910mm	910mm	910mm
Folded width	300mm	300mm	300mm
Seat depth	420mm	420mm	420mm
Seat height	510mm	510mm	510mm
Armrest height	230mm	230mm	230mm
Back height	400mm	400mm	400mm
Product weight	16kg	16kg	16kg

- Anti-tip brake bars
- Adjustable footplate height in 20mm steps from 400mm to 480mm
- Solid 24" PU rear wheels
- Padded, flip-back, desk arm rest
- Front 8" TPR wheels
- Swing-away, length adjustable and detachable legrests
- Quick release axles
- 2 stage, 'one touch' attendant brake

Freiheit® Freedom lightweight transit wheelchair



	Code: 3040	Code: 3041
Seat width	400mm	450mm
SWL	110kg	110kg
Overall width	560mm	610mm
Overall depth	1040mm	1040mm
Overall height	910mm	910mm
Folded width	300mm	300mm
Seat depth	420mm	420mm
Seat height	510mm	510mm
Armrest height	230mm	230mm
Back height	400mm	400mm
Product weight	14kg	14kg

- Quick release wheels
- Padded flip-back desk arm rests
- Swing-away/length adjustable and detachable leg rests
- Adjustable footplate height in 20mm steps from 400mm to 480mm
- Solid 12" PU rear wheels
- Front 8" TPR wheels
- Locking brake
- Two stage, 'one touch' attendant brake

Freiheit® wheelchairs accessories



Elevating leg rest

Code: 5401

Code: 5402

Elevating leg rest – left

Elevating leg rest – right

Vermeiren Jazz light manual wheelchair



Code: 564-46

Code: 564-50

Seat width	460mm	500mm
SWL	130kg	130kg
Overall width	635mm	675mm
Overall depth	1120mm	1120mm
Overall height	935mm	935mm
Folded width	290mm	290mm
Seat depth	450mm	450mm
Seat height	500mm	500mm
Armrest height	220mm	220mm
Back height	420mm	420mm
Product weight	16.6kg	16.6kg

- Ergonomic handgrips
- Removable armrests
- Self-propelled folding wheelchair
- Lightweight and highly portable
- Swing away footrests (both inward and outwards) and foldable footplates for ease of transfers
- Adjustable and removable leg rests
- 200mm solid PU front wheels and 610mm solid PU rear wheels
- ISO 7176-19 compliant

OPTIONS

Height adjustable armrests

Vermeiren Jazz light transit wheelchair



Code: 464-46

Code: 464-50

Seat width	460mm	500mm
SWL	130kg	130kg
Overall width	635mm	690mm
Overall depth	945mm	945mm
Overall height	935mm	935mm
Folded width	290mm	290mm
Seat depth	450mm	450mm
Seat height	500mm	500mm
Armrest height	220mm	220mm
Back height	420mm	420mm
Product weight	16.6kg	16.6kg

- Ergonomic handgrips
- Removable armrests
- Lightweight and highly portable
- Swing away footrests (both inward and outwards) and foldable footplates for ease of transfers
- Adjustable and removable leg rests
- Attendant propelled folding wheelchair
- 200mm solid PU front wheels and 300mm solid PU rear wheels
- ISO 7176-19 compliant

OPTIONS

Height adjustable armrests

Cobi Rehab XXL Minimaxx wheelchair



Code: 9546

Code: 9547

Code: 9548

Seat width	610mm	660mm	710mm
SWL	325kg	325kg	325kg
Overall width	850mm	900mm	950mm
Overall depth	1160mm	1160mm	1160mm
Overall height	1100mm	1100mm	1100mm
Folded width	410mm	410mm	410mm
Seat depth	460mm	460mm	460mm
Seat height	430mm	430mm	430mm
Armrest height	250mm	250mm	250mm
Back height	510mm	510mm	510mm
Product weight	27kg	27kg	27kg

- Viscoelastic and spring base comfort cushion for pressure relief
- Folds for transport and storage
- The low seat height makes it easy to access the chair and still propel it
- The long armrests make it easy for the user to get in and out of the chair
- Swing away, removeable PU padded armrests
- Adjustable balance point
- Anti-tipper bars
- Angled height adjustable push handles
- The foot supports can be swung away, removed, or width adjusted. They can even be swapped sides to provide support up to 1100mm apart
- Footrests can take up to 100kg each
- 2x 600mm rear wheels are solid PU tires, 2x 125mm front castors nylon with PU

Titan Manual wheelchair



	Code: 532-46	Code: 532-51	Code: 532-56	Code: 532-61	Code: 532-76
Seat width	460mm	510mm	560mm	610mm	760mm
SWL	136kg	150kg	204kg	220kg	300kg
Overall width	700mm	700mm	760mm	810mm	960mm
Overall depth	1060mm	1060mm	1120mm	1120mm	1120mm
Overall height	910mm	910mm	910mm	950mm	950mm
Folded width	300mm	300mm	300mm	480mm	480mm
Seat depth	460mm	460mm	510mm	510mm	510mm
Seat height	500mm	500mm	510mm	510mm	510mm
Armrest height	225mm	225mm	225mm	225mm	225mm
Back height	450mm	450mm	450mm	450mm	450mm
Product weight	20kg	20kg	24kg	26kg	28kg

- Removable desk arms
- Suitable for indoor and outdoor use
- Double thickness vinyl upholstery
- Swing-away footrests
- Double crossbar for added strength
- Folds for storage and travel
- 200mm front castors
- 610mm rear wheels with solid tyres

Titan® wheelchairs accessories




Code: 5028

Oxygen bracket

- For 560mm
- For wider:

Code: 5029



Code: 5031

IV pole

- For 560mm
- For wider:

Code: 5079



Code: ZZ0528105

Non-removable footrests

- Allows footplates to swing away but not be removed



Left: 5037

Right: 5038

Elevating leg rest

- For 760mm width:

Left: 5041

Right: 5042




Code: 5033

Anti-theft device

- For 610mm
- For wider:

Code: 5033J

BMB Medical I-MOVE Transfer chair



Width between arms	540mm
SWL	200kg
Overall width	750mm
Overall depth	1050mm
Overall height	1000mm
Seat depth	460mm
Seat height	550mm
Armrest height	240mm
Back height	550mm
Product weight	35kg

- Durable and made to last with epoxy coated steel frame
- Sliding footrest for patient support and comfort
- Polyurethane armrests fold up to support safe transfers
- Central braking system can be operated in standing position
- Seamless vinyl finish promotes good infection control and is easy to clean

BMB Medical I-MOVE Bariatric transfer chair



Code: 3184

Width between arms	680mm
SWL	250kg
Overall width	900mm
Overall depth	1050mm
Overall height	1020mm
Seat depth	460mm
Seat height	550mm
Armrest height	240mm
Back height	550mm
Product weight	50kg

- User-friendly ergonomic designed push handles make it easy to push patients up to 250kg
- Polyurethane armrests fold up to support safe transfers
- Sliding footrest for patient support and comfort
- Durable and made to last with epoxy coated steel frame
- Seamless vinyl finish promotes good infection control and is easy to clean
- Stacks for compact storage
- 2x 125mm swivel castors at front, 2x 300mm twin wheels at rear

I-MOVE transfer chairs accessories



Code: 3190

Oxygen bottle holder

- For all I-Moves



Code: 3192

Adjustable legrest (each)

- For all I-Moves
- Brackets code: Code: 3191



Code: 3189

Accessory basket

- For all I-Moves



Code: 3193

Fixed IV pole

- For all I-Moves

BMB Medical I-MOVE EZ-GO Motorised bariatric transfer chair



Code: 3187

Width between arms	680mm
SWL	250kg
Overall width	900mm
Overall depth	1050mm
Overall height	1020mm
Seat depth	460mm
Seat height	550mm
Armrest height	240mm
Back height	550mm
Product weight	50kg

- Motorised drive system with autonomous wheel
- Forward/backward twist grip with progressive speed acceleration
- Polyurethane armrests fold up to support safe transfers
- Sliding footrest for patient support and comfort
- Durable and made to last with epoxy coated steel frame
- Seamless vinyl finish promotes good infection control and is easy to clean
- Solid design with minimal moving parts reduces amount of repairs and maintenance
- Front swivel castors and large rear castors make it easy to move
- Central braking system can be operated in standing position
- Accessory basket as standard
- 2x 125mm swivel castors at front, 2x 300mm twin wheels at rear

Modsel Contour energy transfer chair



Code: 2041

SWL	300kg
Overall dimensions	W 750mm
	L 1300mm
	H 1180mm
Seat dimensions	W 750mm
	D 520mm
	H 550mm
Castor size	150mm
Trendelenburg	15 degrees



- Ergonomics and intuitive: Drive effortlessly in any direction with only the slightest of touch, paired with perfect positioning of the drive controls for ease of use
- The large footplates offer generous support to your patients and lift quickly for clear egress
- An electric driven wheel pressured onto the floor provides staff with excellent tractions and centre steering making patient transport easier over longer distances
- Use the storage shelf during transport or customise with accessories such as IV poles, oxy holders, and seat belt
- The unique rotating design allows the chair to be moved in any direction – forwards, backwards and sideways
- IV pole
- Vertical oxygen bottle holder





Walking and mobility aids



Walking sticks	210
Crutches	211
Walking frames without seats	214
Walking frames with seats	216
Gutter walking frames	218
Rehabilitation aids	220

Mobilis® Crook handle walking stick



Code: 1704BL

SWL	127kg
Height	min. 760mm max. 995mm
Material	Aluminum
Tip size	19mm

- Full curved handle – can be hooked over the arm when not in use
- Aluminium shaft with black foam handgrip
- Height adjustable

Mobilis® Swan neck walking stick



Code: 1706

SWL	127kg
Height	min. 760mm max. 995mm
Tip size	19mm

- Aluminium shaft with black foam handgrip
- Height adjustable
- Swan neck shaft with offset handle provides more stability
- Strap included

Chevron® Low base quad walking stick



Code: 1697



Code: 1698

Code: 1697

Code: 1698

SWL	100kg	100kg
Base size	W 140mm D 210mm	W 205mm D 305mm
Height	min. 750mm max. 975mm	min. 765mm max. 990mm
Tip size	13mm	16mm
Product weight	0.7kg	1.2kg

- Height adjustable
- Swan neck design and quad base for greater stability
- Aluminium shaft
- Foam handgrip

Cobi Rehab XXL Walking aid



Code: 9556



Code: 9557

Code: 9556

Code: 9557

SWL	325kg	270kg
Base size	N/A	W 150mm D 220mm
Height	min. 710mm max. 930mm	min. 710mm max. 930mm
Tip size	24mm	17mm
Product weight	0.9kg	1.5kg

- Curved neck for comfort and stability
- Double push button for height adjustment
- Vinyl grip handle
- Very high user weight for bariatric users
- Wrist strap
- Anodised steel frame

Coopers Single adjustable elbow crutches



Code: 1740

Size	Medium adult
SWL	180kg
Width inside cuff	280mm
Arm band to handgrip height (fixed)	230mm
Handgrip to ground height in 25mm steps	min. 690mm max. 940mm
Tip size	22mm
Product weight	1kg/pair

- Double spring clip for strength
- Wedge shaped hand grip for comfort
- High resistance, anodised aluminium
- Supplied as a pair

Coopers Double adjustable comfy elbow crutches



Code: 1741

Size	Medium adult
SWL	160kg
Arm band to handgrip	min. 203mm max. 280mm
Handgrip to ground height in 25mm steps	min. 690mm max. 940mm
Width inside cuff	280mm
Tip size	22mm
Product weight	1.4kg/pair

- Double spring clip for strength
- Double height adjustable: arm-band to hand grip, hand grip to tip'
- Comfy' handgrips are ergonomically
- Full pair: left-hand and right-hand crutches moulded to fit the shape of the hand, providing the best level of support
- High resistance, anodised aluminium
- Supplied as a pair

OPTIONS

Extra-large cuff

Code: 1787

Coopers Double adjustable elbow crutches



Code: 1744

Code: 1742

Code: 1742LL

Size	Youth	Medium adult	Tall adult
SWL	180kg	180kg	180kg
Arm band to handgrip	min. 200mm max. 270mm	min. 200mm max. 270mm	min. 200mm max. 270mm
Handgrip to ground height in 25mm steps	min. 560mm max. 810mm	min. 670mm max. 920mm	min. 850mm max. 1100mm
Width inside cuff	280mm	280mm	280mm
Tip size	22mm	22mm	22mm
Product weight	1.4kg/pair	1.4kg/pair	1.5kg/pair

- High resistance, anodised aluminium
- Double spring clip for strength
- Double height adjustable: arm-band to hand grip, hand grip to tip
- Wedge shaped hand grip for optimal user comfort
- Supplied as a pair

OPTIONS

Extra-large cuff

Code: 1787

Coopers Arthritic gutter crutches



Code: 1748

SWL	127kg
Handgrip to ground height in 25mm steps	min. 970mm max. 1220mm
Width inside cuff	280mm
Tip size	25mm
Product weight	2.4kg/pair

- Supplied as a pair
- Padded trough supports the forearm to reduce the load on the wrists
- Adjustable height
- Angled handgrip can rotate 360° and adjusts in depth to suit forearm length
- Latex free including ferrules

Coopers Children's elbow crutches




Code: 1933

SWL	100kg
Armband to handgrip height	min. 190mm max. 240mm
Handgrip to ground height in 25mm steps	min. 460mm max. 660mm
Width inside cuff	220mm
Tip size	22mm
Product weight	0.8kg/pair

- Supplied as a pair
- Strong lightweight aluminium
- Double height adjustable
- Designed for children ages 6-10 years
- Latex free including ferrule

Chevron® Low base quad walking stick



OPTIONS

Anatomical grip:
left

Code: 9559

Anatomical grip:
right

Code: 9560

Code: 9558

Type	Single
SWL	325kg
Armband to handgrip	285mm
Handgrip to ground height in 25mm steps	min. 700mm max. 1100mm
Width inside cuff	150mm
Tip size	25mm
Product weight	1.5kg/each

- Anodised steel frame
- Washable with detergent and water
- Single crutch
- Universal grip
- Forearm support

Chevron® Axilla crutches



	Code: 1749	Code: 1751	Code: 1753
Size	Youth	Medium	Adult
SWL	127kg	127kg	127kg
Height range	min. 940mm max. 1140mm	min. 1140mm max. 1340mm	min. 1340mm max. 1540mm
User height	min. 1.4m max. 1.6m	min. 1.6m max. 1.8m	min. 1.8m max. 2.0m
Tip size	22mm	22mm	22mm
Product weight	1.7kg/pair	1.8kg/pair	2kg/pair

- Superior-quality, aluminium crutch
- Padded tops and hand grips
- Quick pic-clip adjustment with easy to read height scale
- Supplied as a pair


Crutch/walking stick tip options



Code: 1765

Stick tip (19mm)

- Black with steel insert



Code: 1769-25

Rubber tip (25mm)

- Black or grey with steel insert
(See table below)



Code: 1771

Hex-base tip (22mm)

- Hexagon base with deep tread for grip



Code: 1760 (+ size)

Crutch tip

- High quality rubber with steel insert (See table below)



Code: 1761 (+ size)

Low base quad tip

- Black (See table below)



Code: 1773

Free-standing stability foot (19mm)

- Allows the stick to stand upright without holding it

Code		13mm	16mm	19mm	22mm	25mm
1765	Stick tips (19mm)			✓		
1769-25	Rubber tips (25mm)					✓
1771	Hex-base tips				✓	
1760 (+size)	Crutch tips		✓	✓	✓	✓
1761 (+size)	Low base quad tips	✓	✓			
1773	Free-standing stability foot (19mm)			✓		

Cobi Rehab XXL Walking frame



Code: 9553

Code: 9554

SWL	325kg	325kg
Overall dimensions	W 740mm D 500mm	W 840mm D 500mm
Handle height	min. 760mm max. 1010mm	min. 760mm max. 1010mm
Inside width	540mm	640mm
Folded width	100mm	100mm
Product weight	3kg	3kg

- Adjustable padded handles made with PU foam
- Rubber tips on front and rear
- Very high user weight for bariatric users
- Foldable for transport and storage
- Lightweight frame
- Height adjustable without tools

Deluxe® Folding walking frame



Code: 1800

Code: 1801

Wheel option	4x stoppers	2x front wheels 2x rear stoppers
SWL	120kg	120kg
Dimensions	W 615mm D 485mm	W 615mm D 485mm
Handle height	min. 790mm max. 970mm	min. 790mm max. 970mm
Inside width	560mm	560mm
Folded depth	100mm	100mm
Product weight	2.5kg	3.3kg

- Foam handgrips
- Height adjustable
- Aluminium frame
- Foldable for storage

Pacer® Folding walking frame with handbrakes



Code: 1875HB

Wheel option	2x front castors 2x rear wheels
SWL	160kg
Dimensions	W 570mm D 590mm
Height	min. 780mm max. 990mm
Inside width	420mm
Folded depth	220mm
Product weight	7kg

- Foldable for storage and transport
- Aluminium frame
- Height adjustable
- Large 6" easy run castors
- Front and rear wheel options: 150mm castors or wheels, 22mm tips (see specifications)

OPTIONS



- ⊖ **Pram handle**
Can have handbrakes fitted

Code: 1868



- ⊖ **Pneumatic wheels**

Code: 5003



- ⊖ **Single lever brake**
For one handed use

Code left: SLBL1875HB
Code right: SLBR1875HB

Weighted frame
Additional 5kg

Code: WF5

Weighted frame
Additional 10kg

Code: WF10

Pacer® Walking frame with handbrakes – Maxi



Code: 1895HB

SWL	225kg
Dimensions	W 710mm D 630mm
Handle height	min. 850mm max. 1200mm
Inside width	540mm
Folded depth	250mm
Product weight	10kg

- Designed for larger clients
- Durable steel frame
- Height adjustable
- Anatomical handgrips
- 'One touch' brake system
- Foldable for storage and transport
- Indoor and outdoor use
- 200mm front castors and rear wheels

OPTIONS



- ⊖ **Pram handle**
Can have handbrakes fitted

Code: 1878



- ⊖ **Pneumatic wheels**

Code: 5074



- ⊖ **Single lever brake**
For one handed use

Code left: SLBL1875HB
Code right: SLBR1875HB

- ⊖ **Basket and folding tray**

Code: 1818

Super Stroller® Narrow walking frame



Code: 1845

SWL	127kg
Overall dimensions	W 500mm D 640mm
Handle height	min. 750mm max. 880mm
Inside width	370mm
Folded depth	300mm
Seat size	W 305mm D 305mm
Seat height	480mm
Product weight	7kg

- Narrow frame and low seat for petite users
- Robust aluminium frame
- Easy to fold for storage
- Suitable for indoor use
- Padded seat
- Storage bag and basket included
- Easy to adjust 'one touch' handbrake
- 150mm front castors and rear wheels

Super Stroller® Walking frame



Code: 1846/1847

SWL	127kg
Overall dimensions	W 600mm D 600mm
Handle height	min. 840mm max. 950mm
Inside width	440mm
Folded depth	320mm
Seat size	W 300mm D 300mm
Seat height	550mm
Product weight	7kg

- Storage bag and basket included
- Suitable for indoor use
- Easy to adjust 'one touch' handbrake
- Padded seat
- Narrow frame and low seat for petite users
- Robust aluminium frame
- Easy to fold for storage
- 150mm front castors and rear 6" wheels
- Folding meal tray included

Mobilis® Quad walking frame



Code: 1836G

SWL	120kg
Overall dimensions	W 610mm D 660mm
Handle height	min. 810mm max. 920mm
Inside width	445mm
Folded depth	210mm
Seat size	W 350mm D 350mm
Seat height	530mm
Product weight	7.5kg

OPTIONS


 Folding tray

Code: 1945

- Large 200mm (8") wheels great for use indoors and out
- Lightweight aluminium frame
- Comes with under-seat bag
- Easy to fold for transport and storage
- 'One touch' handbrakes for easy and safe use

Super Stroller® Maxi plus walking frame



Code: 1940

SWL	120kg
Overall dimensions	W 615mm D 690mm
Handle height	min. 865mm max. 980mm
Inside width	495mm
Folded depth	300mm
Seat size	W 430mm D 320mm
Seat height	570mm
Product weight	10kg

- Wider, stronger frame for larger users
- Storage basket included
- Large 200mm front castors and rear wheels, suitable for indoor and outdoor use
- Easy to adjust 'one touch' handbrake
- Padded seat
- Robust aluminium frame
- Easy to fold for storage

OPTIONS



⊖ Pneumatic wheels

Code: 5074

Weighted frame
Additional 5kg

Code: WF5

Weighted frame
Additional 10kg

Code: WF10

Super Stroller® Maxi steel walking frame



Code: 1955

SWL	215kg
Overall dimensions	W 615mm D 690mm
Handle height	min. 865mm max. 980mm
Inside width	495mm
Folded depth	300mm
Seat size	W 430mm D 320mm
Seat height	570mm

- Wider, stronger frame for larger users
- Storage basket included
- Heavy-duty steel frame with steel yokes on the wheels for added strength
- Large 200mm front castors and rear wheels, suitable for indoor and outdoor use
- Easy to adjust 'one touch' handbrake
- Padded seat
- Easy to fold for storage

OPTIONS



⊖ Pneumatic wheels

Code: 5074



⊖ Folding tray

Code: 1941

⊖ Extra tall handles
890mm – 1070mm

Code: ET1955

Weighted frame
Additional 5kg

Code: WF5

Weighted frame
Additional 10kg

Code: WF10

Cobi Rehab XXL Rollator king and basket



Code: 9555

SWL	325kg
Overall dimensions	W 710mm D 850mm
Handle height	min. 775mm max. 990mm
Inside width	610mm
Folded width	740mm
Seat size	W 510mm D 355mm
Seat height	500mm
Product weight	15.7kg

- 4x 200mm wheels
- Highly responsive 'feather touch' hand brakes
- Folds down for transport and storage
- Basket attached
- Powder-lacquered aluminium frame
- Large supportive seat with back support
- Reflectors fitted to handles

Pacer® Gutter walking frame with handbrakes



Code: 1905HB

Wheel option	2x front castors 2x rear wheels
SWL	160kg
Dimensions	W 570mm D 630mm
Handle height	min. 800mm max. 1250mm
Inside width	435mm
Width between centre of gutter troughs	min. 360mm max. 535mm
Folded depth	400mm
Product weight	12kg

- For individuals who have arthritis or a broken hand or wrist; forearms bear their weight
- Height and angle adjustable gutter troughs
- Steel frame
- Foldable to 400mm
- Indoor user
- 150mm front castors

OPTIONS



Multi-adjustable padded pulpit top

Code: 1866



Single lever brake
For one handed use

Code left: SLBL1875HB
Code right: SLBR1875HB



Pneumatic wheels

Code: 5003

Weighted frame
Additional 5kg

Weighted frame
Additional 10kg

Code: WF5

Code: WF10

Nomad® Gutter walking frame with handbrakes



Code: 1885HB

SWL	190kg
Overall dimensions	W 605mm D 750mm
Handle height	min. 1000mm max. 1400mm
Inside width	480mm
Width between centre of gutter troughs	min. 380mm max. 550mm
Folded depth	360mm
Product weight	8kg

- Indoor use
- Steel frame
- For individuals who have arthritis or a broken hand or wrist; forearms bear the weight
- Height and angle adjustable gutter troughs
- Fits over a toilet
- 'One touch' superior, proven easy to adjust, handbrake system
- Foldable to 400mm
- 150mm front castors and rear wheels

OPTIONS



Multi-adjustable padded pulpit top

Code: 1866



Single lever brake
For one handed use

Code left: SLBL1885HB
Code right: SLBR1885HB



Pneumatic wheels

Code: 5003

Weighted frame
Additional 5kg

Weighted frame
Additional 10kg

Code: WF5

Code: WF10

Nomad® Maxi Gutter walking frame with handbrakes



Code: 1886HB

SWL	190kg
Overall dimensions	W 800mm D 775mm
Handle height	min. 1000mm max. 140mm
Inside width	560mm
Width between centre of gutter troughs	min. 450mm max. 630mm
Folded depth	410mm

- Indoor and outdoor use
- Steel frame
- For individuals who have arthritis or a broken hand or wrist; forearms bear the weight
- Foldable
- Height and angle adjustable "gutter" troughs
- 200mm front castors and rear wheels
- One touch easy to adjust handbrake system

OPTIONS



Pneumatic wheels

Code: 5074

Weighted frame
Additional 5kg

Weighted frame
Additional 10kg

Code: WF5

Code: WF10

Super Stroller® Gutter walking frame



Code: 1846G

SWL	100kg
Overall dimensions	W 600mm D 640mm
Handle height	min. 950mm max. 1280mm
Inside width	440mm
Folded depth	320mm
Seat size	W 300mm D 300mm
Seat height	550mm
Product weight	12kg

- 150mm front castors and rear wheels
- For individuals who have arthritis or a broken hand or wrist; forearms bear the weight
- Indoor use
- Height adjustable gutter troughs
- Foldable to 320mm depth
- 'One touch' brake system
- Basket included

OPTIONS



⊖ Multi-adjustable padded pulpit top

Code: 1866



⊖ Folding tray

Code: 1847

Weighted frame
Additional 5kg

Weighted frame
Additional 10kg

Code: WF5

Code: WF10



⊖ Pneumatic wheels

Code: 5003



⊖ Under-seat storage bag

Code: 1640



⊖ Single lever brake
For one handed use

Code left: SLBL1846G
Code right: SLBR1846G



⊖ Oxygen bottle holder

Code: 1793

Koval maxi walking trolley



Code: 66933

SWL	300kg
Overall dimensions	L 750mm W 870mm
Height	min. 900mm max. 1300mm
Castor size	100mm
Braking	Individual braking
Product weight	26kg

- Designed for bariatric patients
- Supports patients in standing and walking
- Padded armrests for comfort
- Each castor is equipped with brakes for safety
- Adjustable gripped handles
- Electric height adjustment using handset

Koval electric walking trolley



Code: 66932

SWL	170kg
Overall dimensions	L 730mm W 720mm
Height	min. 880mm max. 1280mm
Braking	Individual braking
Product weight	22kg

- Used by patients with reduced mobility
- Designed especially to help patients to stand up
- Padded armrests for increased comfort
- Each castor is equipped with brakes for safety
- Adjustable gripped handles
- Electric height adjustment using handset

Koval gas spring walking trolley



Code: 66930

SWL	170kg
Overall dimensions	L 750mm W 720mm
Height	min. 1040mm max. 1240mm
Castor size	100mm
Braking	Individual braking
Product weight	17.2kg

- Designed for patients with reduced mobility
- Supports patients in standing and walking
- Padded armrests for comfort
- Individually braking castors for safety
- Adjustable gripped handles
- Height adjustable with gas springs

Walking frame accessories

Anatomical handgrip



Code: 1778LH-19MM

Code: 1778RH-19MM

Code: 1778LH-22MM

Code: 1778RH-22MM

Side	Left	Right	Left	Right
Length	120mm	120mm	120mm	120mm
Inside diameter	19mm	19mm	22mm	22mm

Soft foam handgrip



Code: 1789

Length	305mm
Inside diameter	19mm

Shaped foam handgrip



Code: 1794

Length	100mm
Inside diameter	19mm

Cobi Rehab XXL Stand tall walking frame



Code: 9552

SWL	325kg
Overall dimensions	W min. 800mm W max. 920mm L 760mm
Handle height in 30mm intervals	min. 1000mm max. 1300mm
Inside width	min. 590mm max. 690mm
Product weight	20kg
Front castors	2x 100mm
Rear castors	2x 125mm
Product weight	15.7kg

- Powder- lacquered chromium molybdenum steel
- Two PU foam handgrips on each side with multiple grip combinations
- Easily adjustable frame height
- The width and angle of the forearm padding is adjustable
- Lockable brakes
- Durable, easily cleaned frame constructed from 32mm diameter tubing
- Very high user weight for bariatric users

Freiheit® Knee walker



Code: 1549

Code: Heavy duty 1548

SWL	130kg	180kg
Overall dimensions	W 470mm D 820mm H min. 790mm H max. 950mm	W 480mm D 820mm H min. 800mm H max. 960mm
Folded height	560mm	560mm
Knee pad size	W 190mm D 380mm	W 190mm D 380mm
Knee pad height	min. 425mm max. 560mm	min. 430mm max. 560mm
Product weight	12kg	13.2kg

- 4x 200mm wheels
- Anatomical handgrips
- Adjustable handle height
- Suitable for indoor and outdoor use
- Dual locking hand brakes
- Easy to fold down
- Carry basket
- Adjustable knee pad height
- Crutch holder

Fortress Parallel bars



Code: 6850

SWL	200kg
Height	min. 700mm max. 1000mm
Length	L 3000mm
Material	Wooden


- Height adjustable
- Flat top surface for ideal balance control
- Requires fixing to the floor
- Provides support in rehabilitative walking and posture exercises
- Shaped and lacquered wooden handrails for user comfort and durability

Notes





Infection control



Air purifiers	226
UVC upper air systems	226
UVC disinfection cabinets	227
UVC robots	227

EOLIS Air purifier



Code: 0580-1015-05



Code: 0580-1017-05

	Code: 0580-1015-05	Code: 0580-1017-05
Model	600S	1200S
Treated area max	60m ² (per unit)	120m ² (per unit)
Fan speed settings	5	5
Dimensions	H 505mm W 385mm D 230mm	H 705mm W 395mm D 240mm
Weight	8.9kg	11.8kg
Noise level	18-52 dB	18-59 dB
Power consumption	13 – 65W	16 – 80 W

- Designed to combat all pollutants and microorganisms, making it suitable for professional and intensive use
- Four filters including a EN1822 certified H13 HEPA filter
- Features unique medical-grade filtration system that ensures optimal air purification
- UV-C germicidal lamps can be controlled and activated as needed for enhanced disinfection
- Continuously measures and analyses indoor air quality, providing real-time monitoring
- Allows you to track the wear of filters, ensuring timely replacements for consistent performance

Philips Upper Air UV-C disinfectors



⬆ Ceiling mounted



⬆ Wall mounted

	Code: 0580-7000-05	Code: 0580-7000-10
Mounting type	Ceiling	Wall
Lamp	25W TUV	4 x 9W TUV

- Quietly and effectively deactivates airborne viruses and bacteria with Philips UV-C (253.7nm) lamps
- Radiates UV-C in the upper part of rooms, where it does not reach people directly
- Allows disinfection of a large volume of air while business activity continues
- Shortwave UV radiation peak at 253.7nm (UV-C)
- Wall and ceiling-mounted options available

Philips UV-C disinfection cabinet



Code: 0580-6000-05

Code: 0580-6000-10

Dimensions	W 560mm	W 560mm
	D 590mm	D 590mm
	H 510mm	H 660mm
Volume	77 litre	112 litre

- Disinfects surfaces of objects other than medical devices
- Shortwave UV radiation peak at 253.7nm (UV-C)
- Can disinfect surface of objects in minutes
- Supports items up to 6kg

Skytron 1140 sentry UV-C disinfection robot



Code: 0580-1020-05


- World leading UV-C, single cycle disinfection
- Removable emitter for use in small spaces
- Lightweight and easy to move
- Uses Smart dosing technology to deliver maximum germicidal UV-C dose
- Fitted with 254nm lights which are the most effective UV-C wavelength
- Tracking software to give you accurate usage data

Skytron 2280 Syndicate UV-C disinfection robot




Code: 0580-1060-05

- Dual emitters mean two locations can be hit in the same cycle
- Units do not require repositioning to complete cycle
- Disinfects direct, indirect and shadowed surfaces
- Single-cycle disinfections with assured pathogen killing UV-C dosage
- Highest UV-C dosage in the shortest possible time
- Seamless integration into housekeeping workflow





Continence, plasticware and falls prevention



Continence and plasticware

230

Falls prevention

232

Continence and plasticware

Slipper pan



Code: 206

Dimensions	L 380mm	W
	245mm	H 70mm

- Autoclavable to 135°C
- Built-in rear handle

Bedpan



Code: 211

Dimensions	L 380mm	W
	270mm	H 65mm

- Autoclavable to 135°C

Economy urinal bottle



Code: 208E

Capacity	1000ml
----------	--------

- Handle and lid

Urinal bottle



Code: 209G

Dimensions	W 110mm	D
	265mm	H 150mm

Capacity	1000ml
----------	--------

- Autoclavable to 135°C
- High quality plastic
- Graduated to 1000ml

Super slipper pan



Code: 207

Dimensions	L 450mm	W 310mm
	H 100mm	

- Autoclavable to 135°C
- Built-in rear handle
- Large capacity

Female cygnet urinal



Code: 214

Dimensions	L 320mm	D 110mm
	H 150mm	

Capacity	1000ml
----------	--------

- Autoclavable to 135°C
- High quality plastic
- Can be used when standing, sitting or lying
- Graduated to 1000ml

Urinal bottle



Code: 209

Dimensions	W 110mm	D 265mm
	H 150mm	

Capacity	1000ml
----------	--------

- Autoclavable to 135°C
- High quality plastic
- Graduated to 1000ml

Male non-spill urinal bottle



Code: 212

Dimensions	L 340mm	D 80mm
	H 150mm	

Capacity	500ml
----------	-------

- Autoclavable to 135°C

Plastic bowl and lid



Code: 325

Diameter	265mm
----------	-------

- Includes lid and handle

Female non-spill urinal bottle



Code: 212/D

Dimensions	L 470mm	W 80mm
	H 165mm	

Capacity	500ml
----------	-------

- Autoclavable to 135°C

Wash bowl



Code: 137A

Capacity	3L
----------	----

- Autoclavable to 135°C
- High quality plastic
- Graduated to 1000ml

Falls prevention

BBC Bircher wired CareMat



Code: 66813-1

Shape	Curved		
Mat dimensions	L 1100mm	W 700mm	H 9mm

- Reliable alarm sensor
- Wired connection to your in-house nurse call system
- Material: Polyurethane
- Active grip structure surface creates a secure, non-slip surface
- Hygienic and easy-to clean material, with no crevices for grime to gather
- Robust and durable construction
- Cable and the signal transmitter battery are able to be replaced if damaged
- Handles for easy carrying
- Available in curved or rectangle shape

BBC Bircher wired CareMat



Code: 66809

Shape	Rectangle		
Mat dimensions	L 1100mm	W 700mm	H 9mm

- Reliable alarm sensor
- Wired connection to your in-house nurse call system
- Material: Polyurethane
- Active grip structure surface creates a secure, non-slip surface
- Hygienic and easy-to clean material, with no crevices for grime to gather
- Robust and durable construction
- Cable and the signal transmitter battery are able to be replaced if damaged
- Handles for easy carrying
- Available in curved or rectangle shape

BBC Bircher wireless CareMat



Code: 66816

Shape	Curved
Mat dimensions	L 1100mm W 700mm H 9mm

- A superior falls prevention solution
- Sensor mat usually placed beside a resident's bed or in front of the door to a room
- Wireless connection to your in-house Nurse Call system
- Reliable alarm sensor
- Safer non-slip surface
- Hygienic and easy-to-clean material
- Carrier handles for easy handling
- The cable and the signal transmitter battery is easily replaceable
- Robust and durable construction

Pull string monitor alarm



Code: 9250

Battery	1x 9V
---------	-------

- Easy to move from room to room
- Alarm LED
- Standby LED
- Low battery indicator
- Magnet alarm
- Rest button
- Volume switch
- Sound switch
- Plug and play operation


ACCESSORIES



⌚ DC power adaptor

Code: 9251

Landing mat



Code: 1140

Code: 1141

Dimensions	W 610mm L 1780mm H 25mm	W 915mm L 1780mm H 25mm
------------	-------------------------------	-------------------------------

- Only 25mm thick with tapered-to-floor edging prevents tripping and permits carts, chairs, beds and tables to roll over easily
- Heavy duty vinyl cover, bonded to provide greater impact distribution
- Non-slip vinyl base prevents slipping away from the bedside
- Sealed construction
- Wipes clean to protect appearance and performance

Index

Product order	Page	Product order	Page
A			
Aeria® 8 Pro alternating air mattress	38	Chevron® Toilet surround	51
Aeria® 8 Pro bariatric alternating air mattress	39	Chrome wire shelving	164
Alrick® Extra low electric bed with CPR release	13	Clark socket stainless steel	125
Amico Mira 50 examination light	116	Cobi Rehab XXL chair	78
Amico Mira 65 procedure light	116	Cobi Rehab XXL Clean commode	56
Amico Mira 90 procedure light	116	Cobi Rehab XXL Minimaxx wheelchair	204
Apollo tambour door storage carts	167	Cobi Rehab XXL Rollator king and basket	218
Asklé Santé positioning aids	44 – 45	Cobi Rehab XXL shower commode	57
B		Cobi Rehab XXL Stand tall walking frame	222
Bariatric caesarean side support	138	Cobi Rehab XXL Walking aid	210
Bariatric airway positioning system	136	Cobi Rehab XXL Walking frame	214
Bariatric restraint strap with buckle	135	Compactor shelving	164
BBC Bircher wired CareMat	232	Container and sterile pack storage system	165
BBC Bircher wireless CareMat	232	Coopers Arthritic gutter crutches	212
Bedpan	230	Coopers Children's elbow crutches	212
Bi-lateral leg prepper	126	Coopers Double adjustable comfy elbow crutches	211
Blue fin stirrups with fin boot and pads	127	Coopers Double adjustable elbow crutches	211
BMB Medical Carexia comfort chair	23	Coopers Single adjustable elbow crutches	211
BMB Medical Carexia treatment chair	23	Crutch/walking stick tip options	213
BMB Medical Clavia chemotherapy and dialysis chair	24	Curved lateral support with pad	133
BMB Medical Clavia Stretcher-bed	14	D	
BMB Medical Divia Examination table	19	Deluxe rail clamp	124
BMB Medical Divia Mixte examination table	19	Deluxe® Folding walking frame	214
BMB Medical I-MOVE Bariatric transfer chair	206	Derby Raised toilet seat	51
BMB Medical I-MOVE EZ-GO Motorised bariatric transfer chair	207	Devilbiss Compact oxygen concentrator	107
BMB Medical I-MOVE Transfer chair	206	DeVilbiss iGo2 Portable oxygen concentrator	108
BMB Medical Materna bassinet	26	DeVilbiss Pulmo-Aide compact compressor nebuliser	106
BMB Medical Max mobile folding bed	12	DeVilbiss Pulmo-Aide compressor nebuliser	106
Bolster hip positioner set	132	DeVilbiss SleepCube auto adjust	108
Breathing circuit holder	131	DeVilbiss Suction unit	109
Burton handheld LED UV and white magnifier light	118	Disposable head support for shoulder chair	138
Burton Nova LED examination light	117	Dolly for stainless steel step stool	155
Burton Super Exam LED examination light	117	Drive DeVilbiss 10L oxygen concentrator	107
C		E	
Caesarean side support	138	Economy urinal bottle	230
Carbon fibre minor arm table – direct on mount	129	Electric height adjustable cleaning station	159
Carbon fibre minor arm table – pin mount	128	Electric height adjustable packing station	159
CBM warm air incubator – fluid/blanket warmer – 104 litre	149	Electric height adjustable packing trolley	158
CBM warm air incubator – fluid/blanket warmer – 20 litre	149	Electric height adjustable trolley	158
CBM warm air incubator – fluid/blanket warmer – 58 litre	149	EOLIS Air purifier	226
Chevron® Axilla crutches	213	Epidural positioning device	131
Chevron® Low base quad walking stick	210	Ergolet® Luna fixed lifter	85
Chevron® Low base quad walking stick	212	Ergolet® Mobile flex transfer system	85
		Ergolet® Solar 185 mobile hoist	88
		Etac Clean shower commode	60

Product order	Page
Etac Hi-Loo raised toilet seat	51
Etac Swift-2 shower commode	61
Etac® Immedia 3B transfer board	102
Etac® Immedia MiniBoard	103
Etac® Immedia MultiGlide glove	103
Etac® Immedia positioning wedge	103
Etac® Molift Air 300 overhead lifter	84
Etac® Molift EvoSling FlexiStrap	101
Etac® Molift EvoSling net/padded low-back sling	95
Etac® Molift Mover 300 mobile hoist	90
Etac® Molift Partner 255 mobile hoist	89
Etac® Molift Quattro gantry	84
Etac® Molift Quick Raiser 2 sit-to-stand hoist	86
Etac® Molift Quick Raiser 205 sit-to-stand hoist	86
Etac® Molift Raiser Pro transfer aid	91
Etac® Molift RgoSling ambulating vest	100
Etac® Molift RgoSling amputee high-back sling	98
Etac® Molift RgoSling amputee medium-back sling	98
Etac® Molift RgoSling fabric stretcher	101
Etac® Molift RgoSling high-back comfort sling	99
Etac® Molift RgoSling high-back toilet sling	97
Etac® Molift RgoSling low-back toilet sling	97
Etac® Molift RgoSling medium-back bariatric sling	95
Etac® Molift RgoSling net/padded high-back sling	96
Etac® Molift RgoSling padded medium-back sling	96
Etac® Molift RgoSling repositioning sheet	100
Etac® Molift RgoSling shadow sling	99
Etac® Molift Smart 150 mobile hoist	88
Etac® Molift stretcher	101
Etac® RgoSling active sling	87
Etac® RgoSling StandUp sling	87
EZ lift shoulder chair	138
F	
Female cygnet urinal	231
Female non-spill urinal bottle	231
Fisso arm support lateral complete with pad	130
Fisso arm support vertical complete with pad	130
forté Fourfront FM4 General mental health mattress	33
forté Fourfront FM4 General mental health mattress	33
forté Icon Maxx IM5000 bariatric mattress	33
Fortress Parallel bars	222
Freiheit® Freedom lightweight manual wheelchair	202
Freiheit® Freedom lightweight transit wheelchair	202
Freiheit® Knee walker	222
Freiheit® wheelchairs accessories	203

Product order	Page
G	
Gel 3/4 table pad	148
Gel armboard	142
Gel Armboard Contoured Pad	142
Gel armboard contoured pad	143
Gel heel cup	144
Gel trapezoid positioner	142
Geltech bariatric knee crutch pad	143
Geltech clam shell heel protector	144
Geltech flat pad	146
Geltech fracture table foot pad	144
Geltech full table pad	148
Geltech gel chest positioners set	147
Geltech gel donut head pad	144
Geltech gel flat bottom chest roll	147
Geltech gel head pad-supine with centre dish	146
Geltech gel pad paediatric isolette	146
Geltech gel sandbag positioner	147
Geltech hand wrap	143
Geltech horseshoe head pad	145
Geltech mayo stand cover	146
Gel-tech pad for right-angled support	142
Geltech prone gel headrest with interchangeable base	145
Geltech prone/supine head rest	145
Geltech richard type head rest	145
Geltech table hip pad	147
Geltech table pad three piece set	148
Geltech ulnar/brachial protector with hook and loop	143
Genius™ 3 tympanic thermometer with base	111
H	
Haelvoet Airlift stool	154
Haelvoet Avento® E-Move high-low chair	71
Haelvoet Avento® High-Low chair	70
Haelvoet Avento® High-Low chair with central braking	71
Haelvoet Domus® Classic Flex chair	73
Haelvoet Domus® Classic Soft chair	74
Haelvoet Domus® Classic soft chair with 100mm castors	73
Haelvoet Domus® Classic Soft E-Move chair	75
Haelvoet Domus® e-move chair	74
Haelvoet Domus® sofa bed	79
Haelvoet Ellia® Bariatric armchair	72
Haelvoet Fero® bariatric chair	72
Haelvoet Fero® wooden recliner chair	68
Haelvoet Lima shell chair	67
Haelvoet Mauro® Duo-line Relax chair	70
Haelvoet Mauro® Ergoline chair with central braking	69

Index continued

Product order	Page	Product order	Page
Haelvoet Mauro® Ergoline chair with height adjustable legs	69	Koval maxi walking trolley	220
Haelvoet Mauro® Rest chair	68	Koval Transfer aid	90
Haelvoet Mido® chair	72	L	
Haelvoet Olympia bariatric bed	13	Landing mat	232
Hip bolster with pad	133	Lateral braces set	134
Hourglass major procedure table	128	Lateral hip positioner set	132
Hull® Mobile IV pole	26	Lateral Support with fixed pad	132
Hull® Transfer board	102	La-Z-Boy® Pinnacle mobile recliner	75
I		La-Z-Boy® Pinnacle platinum powerlift recliner	76
I-MOVE transfer chairs accessories	206	Light leg for 3502/3603 operating table	126
ISO 60-40 open rack system	165	Light leg for Skytron 3502/3602 – Leg pin mount	127
ISO enclosed cabinets	165	Locking armboard – A rail	128
J		M	
Juvo Bassinet trolley with tub and mattress	27	Male non-spill urinal bottle	231
Juvo Viking® Attendant propelled commode sliding footplate – open front	57	Maternity wedge	137
Juvo Viking® attendant propelled shower commode	59	Mattress set for Skytron 3502/3602 – 50mm standard	121
Juvo Viking® Attendant-propelled junior shower commode	60	Mattress set for Skytron 3502/3602 – 80mm pressure care	121
Juvo Viking® Attendant-propelled shower commode – open front seat	58	Medella EasySeal heat sealer	161
Juvo Viking® Maxi attendant-propelled shower commode	58	Mediflex® Pressure relieving mattress	32
Juvo Viking® mobile shower commodes accessories	62	Milano® Sanitisable medical keyboard	195
Juvo Viking® Self-propelled shower commode – open front	59	Milano® Sanitisable medical mouse	195
Juvo Viking® Tilt-in-space shower commode – open front	61	Milano 8 way dolly trolley stacking rack – fixed	160
Juvo® Dressing trolley – 1 drawer	183	Milano 8 way dolly trolley stacking rack – mobile	160
Juvo® Dressing trolley – 2 drawer	184	Milano height adjustable roll stand	194
Juvo® Dressing trolley – 3 drawer	184	Milano loanset dolly trolley	160
Juvo® Dressing trolley – 4 drawer	184	Milano mobile loanset lifter	160
Juvo® Instrument trolley no rails	183	Milano® 2 Section examination couch	19
Juvo® Instrument trolley no rails – large	183	Milano® 4 drawer equipment cart	192
Juvo® Instrument trolley with rails	182	Milano® Anaesthetic cart	177
Juvo® Instrument trolley with rails – large	182	Milano® Anti-microbial theatre chair	154
Juvo® Resuscitation trolley	175	Milano® Bedside cabinet with cupboard	28
K		Milano® Bedside cabinet with drawers	29
KaWe Aneroid sphygmomanometer	109	Milano® cart accessories	196 – 199
KaWe Cuff and double tube system	110	Milano® Compact mobile workstation with keyboard tray	193
KaWe Cuff and single tube system	110	Milano® Double medical cart	173
KaWe Dual-head stethoscope – double tube	111	Milano® Emergency cart	174
KaWe Dual-head stethoscope – single tube	110	Milano® equipment carts accessories	192
KaWe Mobile aneroid sphygmomanometer	109	Milano® File cart with cupboard	191
KaWe Otoscope	111	Milano® Four drawer robotics medication cart	180
Knee crutches	125	Milano® Hand or foot operated surgeon stool	152
Koval electric walking trolley	221	Milano® Hybrid narrow cart	194
Koval gas spring walking trolley	221	Milano® Hydraulic surgeon stool with water drop seat	154
		Milano® ICU cart	179
		Milano® Instrument and dressing trolley	180

Product order	Page
Milano® Instrument and dressing trolley with double drawers	181
Milano® Instrument and dressing trolley with single drawer	181
Milano® Isolation cart	178
Milano® mini cart	179
Milano® Mobile folding screen	25
Milano® Narrow anaesthetic cart	178
Milano® Narrow emergency cart	176
Milano® Narrow file cart – drawers	190
Milano® Narrow file cart – open front	191
Milano® Narrow procedure cart	174
Milano® Overbed table	27
Milano® Paediatric emergency cart	175
Milano® Procedure cart	172
Milano® Secure drug cabinet	180
Milano® Single drawer equipment cart	191
Milano® Slimline mobile hygiene station	193
Milano® Standard procedure cart	172
Milano® Surgeon stool	153
Milano® Surgeon stool with backrest	153
Milano® VI34 wide plaster trolley	185
Milano® Wide instrument and dressing trolley with double drawers	182
Milano® Wide procedure cart	173
Minor plus arm table – direct on mount	129
Minor plus arm table – pin mount	129
Mobilis® Crook handle walking stick	210
Mobilis® Quad walking frame	216
Mobilis® Swan neck walking stick	210
Modsel Contour barituff patient stretcher	16
Modsel Contour barituff procedure chair	21
Modsel Contour barituff-x patient stretcher	15
Modsel Contour conceal mortuary stretcher	25
Modsel Contour endosurge patient stretcher	17
Modsel Contour endo-x patient stretcher	16
Modsel Contour energy transfer chair	207
Modsel Contour e-vertex patient stretcher	17
Modsel Contour e-vertex procedure chair	22
Modsel Contour portare patient stretcher	14
Modsel Contour portare-x patient stretcher	15
Modsel Contour recline endo procedure chair	21
Modsel Contour recline procedure chair	20
Modsel procedure chair accessory range	22
Modsel stretcher accessories	18
Multi-axis arm positioner	130
Multi-foot support with four pads	126

Product order	Page
N	
Nomad® Gutter walking frame with handbrakes	219
Nomad® Maxi Gutter walking frame with handbrakes	219
Nova cleaning kit with Prof. Set Including 8 Attachments	161
O	
ook snow ALL bariatric hospital bed	6
ook snow hospital bed	8
ook snow hospital bed accessories	12
ook snow mental health hospital bed	10
ook snow mental health hospital bed with falls alarm and scales	11
Operating table accessories	122 – 123
Operating table foot extension	126
Overhead lifting solutions	82
Oxford Presence mobile hoist	89
P	
Pacer® Folding walking frame with handbrakes	215
Pacer® Gutter walking frame with handbrakes	218
Pacer® Walking frame with handbrakes – Maxi	215
Patient slide 800 /1200 / 1800	102
Patient transfer roller board	139
Pegasus hera service cart	166
Pegasus salus transport cart	166
Philips Upper Air UV-C disinfectant	226
Philips UV-C disinfection cabinet	227
Plastic bowl and lid	231
Popliteal support with large pad	127
Popliteal support with standard pad	127
Porto® Single foot linen trolley	188
Porto® Double foot linen trolley	188
Porto® Triple foot linen trolley	188
Porto® Linen bag	189
Porto® Open hoop linen trolley	187
Porto® Waterproof linen bag	189
Posimed Heel protector	47
Posture-temp® mattress	34
Posture-Temp® Pressure relieving cushion	40
Provita IV stand	26
Pull string monitor alarm	232
R	
RAZ® heavy duty attendant-propelled shower commode	63
RAZ® shower commodes accessories	63
RAZ® tilt-in-space shower commode	63
Repose Care-Sit cushion	42
Repose Contur cushion set	42

Index continued

Product order	Page	Product order	Page
Repose cushion	41	Softech® Slide transfer sheet	103
Repose Foot protector plus	43	Spencer® Utility cart	190
Repose Knee flex	43	Springloc stirrup clamp	125
Repose Mattress overlay	32	Stainless steel instrument trolley no rails	185
Repose Sole protector	43	Stainless steel instrument trolley with rails	185
Repose Wedge	47	Stainless steel stacking step stool	155
Restraint strap with two hooks	135	Straight tube holder	131
Right angled support with slip-on vinyl pad	129	Super slipper pan	231
Roma® Stainless steel rubbish tidy	186	Super Stroller® Gutter walking frame	220
Roma® U-base antimicrobial overbed table	27	Super Stroller® Maxi plus walking frame	217
Roma® Wall-mounted rubbish bag holder	186	Super Stroller® Maxi steel walking frame	217
S		Super Stroller® Narrow walking frame	216
Sand bag	136	Super Stroller® Walking frame	216
Sand bag with eyelet	136	T	
Schure socket XL	124	Table width extender set for 3502 EZ Slide	121
Schurefoot Comfort mat	155	Table width extender set for 3602/3603 UltraSlide	121
SchureLoc shoulder positioner	138	Titan Manual wheelchair	205
SchureSpine spinal frame with premium pad set	139	Titan® wheelchairs accessories	205
Shekel Digital chair scale	112	Toto Lateral system	40
Shekel Digital scale	112	Tubular body support with pad	134
Shoulder support – trendelenburg	135	Twaddle pillow	137
Silvalea Birthing pool evacuation sling	95	U	
Silvalea Fastfit mesh padded leg sling	92	Universal light handle covers	118
Silvalea High easy sling with clips	93	Universal rail clamp – direct-on	124
Silvalea In-Situ Repositioning Sheet	94	Urinal bottle	230
Silvalea Plus In-situ recline sling	94	Urinal bottle	231
Silvalea Stretcher sling	94	V	
Silvalea Toileting mesh sling	93	Vac-pac positioners	140 – 141
Silvalea Universal deluxe sling with head support	92	Vermeiren Jazz light manual wheelchair	203
Simple clamp	124	Vermeiren Jazz light transit wheelchair	204
Skytron 1140 sentry UV-C disinfection robot	227	Viking® Air comfort chair	77
Skytron 2280 Syndicate UV-C disinfection robot	227	Viking® Air comfort chair bed	77
Skytron 3503 EZ Slide operating table	119	Viking® Bedside commode	50
Skytron 3603 UltraSlide operating table	120	Viking® Clean linen trolley	187
Skytron Aurora Astro procedure light	118	Viking® Deluxe bedside commode	50
Skytron EZ grip bar clamp	125	Viking® Double shelf utility trolley	189
Skytron GS70 Salus surgical table	120	Viking® Euro high back rehab chair	66
Skytron lift assist beach chair	139	Viking® Hilite chair	67
Skytron Spectra LED examination light – ceiling mount	117	Viking® Legrest	67
Skytron warming cabinets	150 – 151	Viking® linen trolley	187
Slip in arms support with pad	130	Viking® Maxi Deluxe bedside commode	50
Slip in side support with pad – reversible	134	Viking® Maxi Extra-wide over toilet frame	52
Slipper pan	230	Viking® Maxi over toilet frame	53
Softech® Heel protector	46	Viking® Maxi plus bariatric shower stool	55
Softech® Seat cushion	40	Viking® Maxi plus shower stool	55
		Viking® Maxi shower chair	53

Product order	Page
Viking® Maxi shower stool	54
Viking® Mobile shower trolley	56
Viking® Monarch power lift dual motor chair	78
Viking® over toilet frame	52
Viking® rehab chair	66
Viking® Shower chair with arms	53
Viking® Shower stool	54
Viking® Shower stool with arms	54
Viking® Support stool with arms	66
Viking® Utility transport trolley	190
Viking® Wide over toilet frame	52
W	
Walking frame accessories	221
Warwick® Wet and dry laundry trolley	186
Wash bowl	231
Wave LED magnifier light	119
Wedge	137
Wi-bo Overbed table	28
Wi-bo Vivo soft-edged bedside cabinet	29
Winnicare Alova contoured cushion	41
Winnicare Alova foot splint	47
Winnicare Alova heel support	46
Winnicare Alova Large heel support	47
Winnicare Alova Multi-support CIC mattress	34
Winnicare Axtair Automorpho® Axensor – AT20	37
Winnicare Axtair Automorpho® Plus alternating air mattress	36
Winnicare Axtair One Plus® alternating air mattress	35
Z	
Z bar positioner	133

Notes

hospitalcare@cubro.co.nz
0800 101 255

cubro.co.nz