

R82 Cricket buggy

The R82 Cricket is a versatile, foldable buggy that grows with your child. Available in two sizes and features a stable frame. The 360° turnable front wheels provide a smooth ride, and the puncture-proof wheels perform well on different terrains. Enjoy a comfortable ride in any weather, whether on city streets or challenging trails. As an added bonus, the Cricket meets ISO 7176-19 safety standards for transporting it in vehicles.

FEATURES

- Back recline option for extra comfort
- Adjustable seat depth, width, and footrest height for growing child
- Easy and compact folding
- Height and angle adjustable foot support
- Swinging foot support for easy transfer without tools



Ready to order?

Our customer support team are available 5 days a week to help answer all your questions.

Phone: 0800 656 527

Phone: +64 7 578 7228

Email: sales@cubro.co.nz

R82 Cricket buggy


SPECIFICATIONS

Code(s)	0500-87043100-2	0500-87043100-5	0500-87043100-1	0500-87043200-2	0500-87043200-5	0500-87043200-1
Size	1	1	1	2	2	2
Colour	Red	Pink	Blue	Red	Pink	Blue
Overall length	750mm	750mm	750mm	750mm	750mm	750mm
Overall height	1000mm	1000mm	1000mm	1050mm	1050mm	1050mm
Overall width	525mm	525mm	525mm	575mm	575mm	575mm
Armrest to seat distance	160 - 190mm	160 - 190mm	160 - 190mm	160 - 190mm	160 - 190mm	160 - 190mm
Backrest angle	110 - 125°	110 - 125°	110 - 125°	110 - 125°	110 - 125°	110 - 125°
Backrest height	500mm	500mm	500mm	570mm	570mm	570mm
Back width	270mm	270mm	270mm	330mm	330mm	330mm
Seat depth	210 - 310mm	210 - 310mm	210 - 310mm	310 - 430mm	310 - 430mm	310 - 430mm
Seat width	340mm	340mm	340mm	395mm	395mm	395mm
Folded height	485mm	485mm	485mm	485mm	485mm	485mm
Folded length	760mm	760mm	760mm	760mm	760mm	760mm

Folded width	355mm	355mm	355mm	355mm	355mm	355mm
Footrest to seat distance	180 - 360mm	180 - 360mm	180 - 360mm	225 - 370mm	225 - 370mm	225 - 370mm
Front location of arm rest structure	200mm	200mm	200mm	275mm	275mm	275mm
Leg to seat surface angle	360°	360°	360°	360°	360°	360°
Minimum turning radius	725mm	725mm	725mm	763mm	763mm	763mm
Front wheel diameter	180mm	180mm	180mm	180mm	180mm	180mm
Rear wheel diameter	280mm	280mm	280mm	280mm	280mm	280mm
Required width of right angled corridor	815mm	815mm	815mm	815mm	815mm	815mm
Seat plane angle	20°	20°	20°	20°	20°	20°
Seat surface height at front edge	500 - 530mm	500 - 530mm	500 - 530mm	540 - 580mm	540 - 580mm	540 - 580mm
Static stability downhill	10°	10°	10°	10°	10°	10°
Static stability sideways	10°	10°	10°	10°	10°	10°
Static stability uphill	10°	10°	10°	10°	10°	10°

Product weight	12.4kg	12.4kg	12.4kg	13.4kg	13.4kg	13.4kg
Safe working load	49.4kg	49.4kg	49.4kg	65.4kg	65.4kg	65.4kg
Maximum user weight	35kg	35kg	35kg	43kg	43kg	43kg

ACCESSORIES



Cricket transport fittings



Cricket torso support belt




Cricket side gap fillers



Cricket seat width reduction kit



Cricket plastic tray




Cricket head support cushion



Cricket grip handle




Cricket folding canopy



Cricket directional locks




Cricket calf support strap



Cricket backrest shaping wedges



Cricket backrest height extension



Cricket armrests



Cricket rain cover